

Global age-sex-specific mortality, life expectancy, and population estimates in 204 countries and territories and 811 subnational locations, 1950–2021, and the impact of the COVID-19 pandemic: a comprehensive demographic analysis for the Global Burden of Disease Study 2021



GBD 2021 Demographics Collaborators*

Summary

Background Estimates of demographic metrics are crucial to assess levels and trends of population health outcomes. The profound impact of the COVID-19 pandemic on populations worldwide has underscored the need for timely estimates to understand this unprecedented event within the context of long-term population health trends. The Global Burden of Diseases, Injuries, and Risk Factors Study (GBD) 2021 provides new demographic estimates for 204 countries and territories and 811 additional subnational locations from 1950 to 2021, with a particular emphasis on changes in mortality and life expectancy that occurred during the 2020–21 COVID-19 pandemic period.

Methods 22 223 data sources from vital registration, sample registration, surveys, censuses, and other sources were used to estimate mortality, with a subset of these sources used exclusively to estimate excess mortality due to the COVID-19 pandemic. 2026 data sources were used for population estimation. Additional sources were used to estimate migration; the effects of the HIV epidemic; and demographic discontinuities due to conflicts, famines, natural disasters, and pandemics, which are used as inputs for estimating mortality and population. Spatiotemporal Gaussian process regression (ST-GPR) was used to generate under-5 mortality rates, which synthesised 30 763 location-years of vital registration and sample registration data, 1365 surveys and censuses, and 80 other sources. ST-GPR was also used to estimate adult mortality (between ages 15 and 59 years) based on information from 31 642 location-years of vital registration and sample registration data, 355 surveys and censuses, and 24 other sources. Estimates of child and adult mortality rates were then used to generate life tables with a relational model life table system. For countries with large HIV epidemics, life tables were adjusted using independent estimates of HIV-specific mortality generated via an epidemiological analysis of HIV prevalence surveys, antenatal clinic serosurveillance, and other data sources. Excess mortality due to the COVID-19 pandemic in 2020 and 2021 was determined by subtracting observed all-cause mortality (adjusted for late registration and mortality anomalies) from the mortality expected in the absence of the pandemic. Expected mortality was calculated based on historical trends using an ensemble of models. In location-years where all-cause mortality data were unavailable, we estimated excess mortality rates using a regression model with covariates pertaining to the pandemic. Population size was computed using a Bayesian hierarchical cohort component model. Life expectancy was calculated using age-specific mortality rates and standard demographic methods. Uncertainty intervals (UIs) were calculated for every metric using the 25th and 975th ordered values from a 1000-draw posterior distribution.

Findings Global all-cause mortality followed two distinct patterns over the study period: age-standardised mortality rates declined between 1950 and 2019 (a 62·8% [95% UI 60·5–65·1] decline), and increased during the COVID-19 pandemic period (2020–21; 5·1% [0·9–9·6] increase). In contrast with the overall reverse in mortality trends during the pandemic period, child mortality continued to decline, with 4·66 million (3·98–5·50) global deaths in children younger than 5 years in 2021 compared with 5·21 million (4·50–6·01) in 2019. An estimated 131 million (126–137) people died globally from all causes in 2020 and 2021 combined, of which 15·9 million (14·7–17·2) were due to the COVID-19 pandemic (measured by excess mortality, which includes deaths directly due to SARS-CoV-2 infection and those indirectly due to other social, economic, or behavioural changes associated with the pandemic). Excess mortality rates exceeded 150 deaths per 100 000 population during at least one year of the pandemic in 80 countries and territories, whereas 20 nations had a negative excess mortality rate in 2020 or 2021, indicating that all-cause mortality in these countries was lower during the pandemic than expected based on historical trends. Between 1950 and 2021, global life expectancy at birth increased by 22·7 years (20·8–24·8), from 49·0 years (46·7–51·3) to 71·7 years (70·9–72·5). Global life expectancy at birth declined by 1·6 years (1·0–2·2) between 2019 and 2021, reversing historical trends. An increase in life expectancy was only observed in 32 (15·7%) of 204 countries and territories between 2019 and 2021. The global population reached 7·89 billion (7·67–8·13) people in 2021, by which time 56 of 204 countries and territories had peaked and subsequently populations have declined. The largest proportion of

Published Online
March 11, 2024
[https://doi.org/10.1016/S0140-6736\(24\)00476-8](https://doi.org/10.1016/S0140-6736(24)00476-8)

See Online/Comment
[https://doi.org/10.1016/S0140-6736\(24\)00463-X](https://doi.org/10.1016/S0140-6736(24)00463-X)

*Collaborators listed at the end of the paper

Correspondence to:
Prof Simon I Hay, Institute for Health Metrics and Evaluation, University of Washington, Seattle, WA 98195, USA
sihay@uw.edu

population growth between 2020 and 2021 was in sub-Saharan Africa (39·5% [28·4–52·7]) and south Asia (26·3% [9·0–44·7]). From 2000 to 2021, the ratio of the population aged 65 years and older to the population aged younger than 15 years increased in 188 (92·2%) of 204 nations.

Interpretation Global adult mortality rates markedly increased during the COVID-19 pandemic in 2020 and 2021, reversing past decreasing trends, while child mortality rates continued to decline, albeit more slowly than in earlier years. Although COVID-19 had a substantial impact on many demographic indicators during the first 2 years of the pandemic, overall global health progress over the 72 years evaluated has been profound, with considerable improvements in mortality and life expectancy. Additionally, we observed a deceleration of global population growth since 2017, despite steady or increasing growth in lower-income countries, combined with a continued global shift of population age structures towards older ages. These demographic changes will likely present future challenges to health systems, economies, and societies. The comprehensive demographic estimates reported here will enable researchers, policy makers, health practitioners, and other key stakeholders to better understand and address the profound changes that have occurred in the global health landscape following the first 2 years of the COVID-19 pandemic, and longer-term trends beyond the pandemic.

Funding Bill & Melinda Gates Foundation.

Copyright © 2024 The Author(s). Published by Elsevier Ltd. This is an Open Access article under the CC BY 4.0 license.

Introduction

Understanding mortality and population trends over time and across locations, age groups, and sexes is crucial for planning population-specific public health policies. Age-specific mortality rates can indicate the emergence of new adverse health risks in specific locations, while population counts can inform resource allocation and aid in planning future development. The COVID-19 pandemic has highlighted the importance of demography in understanding disease and injury burden¹ and the roles health policy and infrastructure have in health and demographic outcomes.^{1,2} As the COVID-19 pandemic enters an endemic phase in some locations, demographic indicators can provide important context for understanding and addressing COVID-19, long COVID-19,³ and the interaction between COVID-19 and other diseases and injuries. Furthermore, demographic trends in the decades before the COVID-19 pandemic and reversals in those trends during the first 2 years of the COVID-19 pandemic (2020–21) can provide insights into potential long-term effects of the pandemic. These shifts in demographic patterns, including in population growth and age distribution, can help policy makers and public health experts better understand how the pandemic has impacted different groups within society and inform strategies for future pandemic preparedness and health-care planning.

The Global Burden of Diseases, Injuries, and Risk Factors Study (GBD) is an evolving research effort that quantifies the state of global health.⁴ The scope of the study has historically included estimating key demographic metrics and comprehensive health metrics for a set of national and subnational locations that has expanded over time. Mortality has been estimated as part of GBD since the first GBD estimates were published in the 1993 World Bank World Development Report, and

mortality estimates have been included in each update since GBD 2010.^{5–10} A comprehensive, internally consistent modelling strategy for estimating population and fertility was introduced in GBD 2017, greatly improving the consistency of results.¹¹ Previously, GBD drew on population estimates from the UN Population Division of the Department of Economic and Social Affairs (UNPD).^{12,13} In GBD 2019, the demographic analysis used population, fertility, and mortality estimates to produce a typology that better helped to specify phases of demographic transition.¹⁰ The GBD demography framework is part of the greater GBD enterprise; thus, it differs from other demographic research initiatives by using estimates of disease and injury burden to inform population and mortality estimates, and vice versa. Attempting to estimate the effects of the pandemic is now a major focus of GBD and other demographic research efforts.^{12,14–16}

The GBD 2021 demographic analysis improved on GBD 2019 by using additional data sources and refined methods to generate updated estimates of mortality, life expectancy, and population size at the global, regional, national, and subnational levels for each year from 1950 to 2021. GBD 2021 is the first round to incorporate the COVID-19 pandemic into the modelling process through the estimation of excess mortality due to the pandemic, defined as the net difference between the number of deaths that occurred between 2020 and 2021 and the number of deaths that would be expected over the same period based on previous trends in all-cause mortality.¹⁶ The unified approach to estimate all-cause mortality and excess mortality in GBD 2021 is an innovation in current demographic research methods. This facilitates analysis of the interplay between wider demographic processes and the COVID-19 pandemic. In this iteration of the GBD demographic analysis, we aim to

Research in context

Evidence before this study

The UN Population Division of the Department of Economic and Social Affairs (UNPD) produces estimates and projections of global, regional, and national demographic metrics that are updated biannually. Their latest findings, published in the World Population Prospects 2022 revision, incorporated WHO estimates of excess mortality due to the COVID-19 pandemic in 2020 and 2021. Estimates of excess mortality during the pandemic have also been generated by the Institute for Health Metrics and Evaluation and the World Mortality Dataset. The International Database of the US Census Bureau reports population estimates and projections for more than 200 countries and areas, of which a subset are updated every year. Organisations including WHO, the Organisation for Economic Co-operation and Development, and the European Union release demographic estimates less regularly and typically only for select metrics or locations. Some national statistics offices also produce their own demographic indicators. The Global Burden of Diseases, Injuries, and Risk Factors Study (GBD) generates regularly updated and globally comparable health metrics, including mortality, life expectancy, and population estimates for past years, and forecasts up to the year 2100. The current GBD 2021 cycle is directly preceded by GBD 2019, which reported demographic estimates for 204 countries and territories for each year from 1950 through 2019. While each of these studies represent important efforts to provide insights into demographic estimates and the COVID-19 pandemic, only GBD estimates comply with the Guidelines for Accurate and Transparent Health Estimates Reporting, which identifies best practices for reporting global health estimates.

Added value of this study

GBD 2021 is one of the first studies to fully evaluate demographic trends in the context of the first 2 years of the COVID-19 pandemic. The study employed a unified framework to calculate excess mortality rates due to the COVID-19 pandemic along with a comprehensive set of demographic metrics including all-cause mortality, life expectancy, and

population counts for 204 countries and territories and 811 subnational locations. This allowed estimates of all-cause mortality to inform estimates of excess mortality due to the pandemic, and vice versa. In contrast, the demographic estimates published by UNPD for 2020 and 2021, although based on data available during the pandemic, did not use a unified framework for all-cause and excess mortality. Additionally, while the US Census Bureau published population estimates for 2020 and 2021, the estimates were adjusted to reflect the effects of the pandemic for only a subset of locations. GBD 2021 utilised a suite of customised and validated data processing and modelling tools, systematically analysing thousands of data sources to produce global, regional, national, and subnational demographic estimates by age, sex, and Socio-demographic Index (SDI) level for each year from 1950 to 2021. Compared with GBD 2019, GBD 2021 utilised 5296 additional data sources. Additionally, the model life table system used in GBD 2021 was improved to provide more accurate mortality estimates for older age groups. All estimates are packaged within freely accessible data-sharing and visualisation tools.

Implications of all the available evidence

Our study highlights the impact of the first 2 years of the COVID-19 pandemic at a novel level of granularity, demonstrating unprecedented reversals in adult mortality and life expectancy trends at the global, regional, and national levels. Furthermore, globally comparable measures of excess mortality due to the pandemic show substantial variation in the burden experienced by different countries and territories. Our comprehensive set of demographic estimates provides a rich description of evolving long-term trends in mortality and life expectancy across age groups, sexes, and SDI levels, and our population analyses reveal changing dynamics and age structures with implications for the future of health-care systems, economies, and societies. Collectively, the estimates reported here provide an integrated demographic framework for GBD and a valuable foundation for policy evaluation, development, and implementation around the world.

provide policy makers and the public with the information needed to gain a better understanding of the demographic context of disease and injury burden since 1950 and during the COVID-19 pandemic in 2020–21 specifically.

Methods

Overview

For each new GBD iteration, recently available data and improved methods are used to update the full time series of demographic estimates from 1950 to the latest year of analysis; GBD 2021 demographic estimates therefore supersede all previous estimates.

The GBD 2021 demographic methods closely followed those used in GBD 2019.¹⁰ Improvements for GBD 2021

centred on a single framework to estimate both all-cause mortality and excess mortality due to the COVID-19 pandemic. The analytical process for computing internally consistent demographic estimates included six main components: (1) estimating age-specific fertility rates; (2) estimating under-5 and adult (age 15–59 years) mortality rates; (3) estimating age-specific mortality rates using a relational model life table system with HIV adjustments; (4) estimating excess mortality due to the COVID-19 pandemic and adjusting all-cause mortality estimates accordingly; (5) accounting for fatal discontinuities such as wars, famines, and natural disasters; and (6) estimating population sizes. To resolve discrepancies due to the inherent interdependent nature of population, mortality,

See Online for appendix 1

and fertility estimates, the estimation process was run twice: first to generate preliminary numbers, and second to refine all estimates and ensure internal consistency. A detailed description of all methods and analytical flowcharts for all-cause mortality, fertility, and population estimation are available in appendix 1 (sections 2–6, 8).

This study complies with the Guidelines for Accurate and Transparent Health Estimates Reporting (GATHER);¹⁷ a completed GATHER checklist is provided in appendix 1 (section 8). Python (version 3.8.17 and 3.10.4), Stata (version 15.1), and R (version 3.5 and 4.2) were used for statistical analysis. This manuscript was produced with the GBD Collaborator Network and in accordance with the GBD Protocol.¹⁸ An international network of collaborators provides, reviews, and analyses the available data to generate health metrics; the 2021 GBD round drew on the expertise of more than 11 000 collaborators across more than 160 countries and territories.

Data sources and processing

The GBD 2021 analysis used a range of data types for mortality and population estimation that were identified from a systematic search of available data from government websites, statistical annuals, demographic compendia, large-scale surveys, and collaborator input; comprehensive details on the sources of input data are available online via the GBD 2021 Sources Tool. Under-5 mortality rates (U5MRs), defined as the probability of death from birth to age 5 years, were estimated using 30 526 location-years of vital registration data (3179 new location-years for GBD 2021 compared with GBD 2019),¹⁰ 237 location-years of sample vital registration data, and 1445 other sources (including 57 new surveys, one new census, and ten other new sources; appendix 1 section 8). Adult mortality, defined as the probability of death before age 60 years assuming survival to age 15 years, was estimated using 30 207 location-years of vital registration data (3150 new location-years for GBD 2021 compared with GBD 2019), 1435 location-years of sample vital registration data, 75 censuses, 280 surveys (including 65 sources of household death data and 167 sources of sibling history data), and 24 other sources (appendix 1 section 8). Age-specific mortality was estimated using 43 758 empirical life tables for 1950–2021 (compared with 35 406 in GBD 2019; appendix 1 section 8). Prevalence surveys, antenatal clinic serosurveillance, and vital registration were used to adjust for the impact of the HIV epidemic due to its exceptional impact on age-specific mortality. Fatal discontinuities were accounted for using 2235 location-years from vital registration and 237 other sources (compared with 1812 from vital registration and 174 other sources in GBD 2019). Estimation of excess mortality due to the COVID-19 pandemic utilised an additional 146 139 datapoints of all-cause mortality data at either weekly or monthly intervals from vital registration and surveillance reports that were assessed for completeness of registration (compared with

our previous excess mortality estimation,¹⁶ GBD 2021 used 1389 additional weeks or months of data).

Population estimates utilised national and subnational censuses (1277 overall; 25 new), population registries (749 location-years of data), and post-enumeration surveys (161 in total). Additionally, migration data on refugee movements from the UN High Commissioner for Refugees and datasets for select countries (primarily Gulf States and nations in the EU) were used to inform migration estimates.

All-cause mortality estimation

GBD 2021 all-cause mortality estimation followed the analytical framework for mortality analysis used in GBD 2019.¹⁰ Point estimates from surveys were generated using both direct and indirect estimation methods for U5MR, while for adult mortality, they were generated from sibling history data with methods that correct for inherent biases such as zero-survivor and recall bias. Time series estimates of the completeness of adult vital registration data were generated using the same modelling process as GBD 2019, which used a combination of five death distribution methods, and point estimates were adjusted accordingly.

Time series of under-5 and adult mortality without fatal discontinuities were estimated using spatiotemporal Gaussian process regression (ST-GPR), including a bias-adjustment process for U5MR, to correct for systematic differences in the data sources and smooth results across time and location. Education, HIV, and lag-distributed income were included as covariates, along with U5MR for adult mortality. These estimates were used as inputs for the GBD relational model life table system with adjustments for older-age mortality to estimate HIV-free age-specific mortality rates. HIV mortality was modelled with a combination of ST-GPR, the Estimation and Projection Package Age-Sex Model,¹⁹ and Spectrum,²⁰ and subsequently used to produce life tables that included HIV mortality. These abridged life tables were used to generate full life tables by single year age groups with further detailed age groups under the age of 1 year. Sex-redistributed and age-redistributed fatal discontinuities by cause were aggregated by age and sex and added to the estimated mortality from the previous step to generate the final all-cause mortality life tables by location, year, sex, and age. We recalculated abridged life tables, including fatal discontinuities for each location, year, and sex combination, and then calculated the final envelope from these abridged life tables. Detailed methods for estimating each mortality component are available in appendix 1 (section 2).

Excess mortality due to the COVID-19 pandemic estimation

Excess mortality due to the COVID-19 pandemic in 2020 and 2021 is defined as the observed all-cause mortality minus the mortality that would be expected had

For the GBD 2021 Sources Tool
see <https://ghdx.healthdata.org/gbd-2021/sources>

the pandemic not occurred, based on historical trends. Excess deaths are those attributed to the COVID-19 pandemic as a whole, both from SARS-CoV-2 infection and from other pandemic-related factors such as deferred care seeking.^{21,22} Excess mortality was calculated using similar methods as in Wang et al (2022),¹⁶ with several key improvements. We included yearly observed deaths from vital registration to supplement daily, weekly, and monthly observed death data. We then used five variants of the spline for weekly seasonal patterns that set the second-to-last knot at 18, 24, 36, 48, or 60 months to allow for more stable trends. To select covariates, we used Rover, a method developed at the Institute for Health Metrics and Evaluation based on Bayesian model averaging. Rover is conceptually similar to the Bayesian model averaging method, which is widely used to explore the parameter space and aggregate estimates across candidate models based on performance metrics.²³ The main difference is that while Bayesian model averaging uses marginal likelihood, Rover focuses on out-of-sample performance. We included covariates pertaining to the COVID-19 pandemic, such as seroprevalence, and background population health metrics, such as the Healthcare Access and Quality Index.²⁴ With the best model selected, we ran a prediction process using 100 draws for each covariate and 100 draws of estimated coefficients and residuals, estimated from the regressions run at the draw level using draw-level input data on both excess mortality and covariates. Mean values and 95% uncertainty intervals (UIs) were then generated at national, regional, and global levels. Out-of-sample predictive validity testing was conducted based on our final model specification. Complete excess mortality methodology is detailed in appendix 1 (section 2.8).

To determine age-specific and sex-specific excess mortality, we estimated all-cause mortality twice: once with data from during the pandemic in 2020 and 2021 included and once without. For location-years with vital registration data from during the pandemic, we computed the difference in estimated age-sex-specific mortality between the two sets of estimates. We then applied this distribution to our excess mortality estimates to calculate age-specific and sex-specific excess mortality. Due to instability in age-sex distributions and implausible patterns, we used the global age-sex distribution for locations with fewer than 75 000 excess deaths, unless otherwise noted (appendix 1 section 2.8). Other pandemic-related mortality (OPRM) was estimated by calculating the difference between excess mortality and the sum of deaths due directly to COVID-19 infection and indirect deaths due to lower respiratory infections, measles, and pertussis. For locations with a negative OPRM, we adjusted the non-pandemic mortality estimates downward accordingly. We redistributed small discrepancies that remained between the mortality estimates that used vital registration age-sex-specific data from during the pandemic and the non-pandemic

mortality estimates plus age-sex-specific excess mortality to ensure that the final mortality estimates including mortality shocks were consistent with observed high-quality vital registration data.

Population estimation

We used the Bayesian hierarchical cohort component model for population projection (BCCMP) from GBD 2019 to produce age-specific population estimates.¹⁰ This method used age-specific fertility estimates from GBD 2021 (appendix 1 section 3), the previously described age-specific mortality estimates, and available census and registry data as inputs. Auxiliary refugee and migration data were used to inform the prior distribution on net migration in countries with substantial migration or reliable data. The model estimates an age-specific 1950 baseline population, age-specific net migration, and age-specific population estimates that are fully consistent with the input fertility and mortality estimates. Complete population estimation methodology is in appendix 1 (section 4).

Expected mortality based on Socio-demographic Index (SDI) estimation

We analysed the relationship between age-specific log mortality rates and SDI using MR-BRT (meta-regression-Bayesian regularised trimmed),²⁵ a meta-regression programme (appendix 1 section 6.1). SDI is a composite indicator of a country's lag-distributed income per capita,




Figure 1: Completeness of VR systems in GBD super-regions, 1975–2021

Completeness is defined as the total number of deaths registered in all VR systems within a super-region during a 5-year period divided by the total number of estimated deaths within that super-region and period, with 100% completeness indicating that all deaths were registered. The size of the datapoints represents the number of estimated deaths. The solid black line shows the global completeness, the dashed black line indicates global completeness, excluding China and India, and other coloured lines indicate GBD super-regions. The green box indicates complete registration (defined as >95%). GBD=Global Burden of Diseases, Injuries, and Risk Factors Study. VR=vital registration.

See Online for appendix 2

average years of schooling, and the total fertility rate in females younger than age 25 years (appendix 1 section 5). MR-BRT defines a linear mixed-effects model with a B-spline specification for the relationship between outcomes of interest and SDI. We used a cubic spline with five knots between 0 and 1, with left-most and right-most spline segments enforced to be linear, and with slopes matching adjacent interior segments. To ensure that the results were not sensitive to the choice of spline knots, we used a model ensemble of over 50 cubic spline models, as described above. For each model, interior knot placement was randomly generated to be between 0·1 and 0·9, with minimum inter-knot distance of 0·1 and maximum inter-knot distance of 1·0. The final predictions were obtained using the ensemble aggregate over these 50 models. This model was performed separately for each GBD age-sex group. Expected mortality rates for each age-sex group based on SDI were used to estimate expected life expectancy. A similar analysis was done for excess mortality rates due to the COVID-19 pandemic, with the exception that two-degree splines were used.

Geographical units, age groups, and time periods

We produced estimates for each demographic metric by age-sex-location-year for 25 age groups: early neonatal (0–6 days), late neonatal (7–27 days), 1–5 months, 6–11 months, 12–23 months, 2–4 years, 5–9 years, every 5-year age group up to 95 years, and 95 years and older (fertility estimated for 5-year age groups between ages 10 years and 54 years); for males, females, and all sexes combined; for 204 countries and territories grouped into 21 regions and seven super-regions; and for every year from 1950 to 2021. We also included subnational analyses for 21 countries and territories (Brazil, China, Ethiopia, India, Indonesia, Iran, Italy, Japan, Kenya, Mexico, New Zealand, Nigeria, Norway, Pakistan, the Philippines, Poland, Russia, South Africa, Sweden, the UK, and the USA) and estimates by SDI quintile. All countries and territories were assigned an SDI value ranging from 0 (lowest income and educational attainment and highest fertility) to 100 and then grouped into quintiles from low SDI to high SDI.

Uncertainty analysis

Uncertainty was propagated throughout the estimation process. For under-5 and adult mortality, ST-GPR generated 1000 draws for every location, year, and sex combination; 1000 draws were also produced for the crude death rate associated with HIV estimates. The 100 draws of excess mortality due to the COVID-19 pandemic were repeated ten times to generate 1000 draws. These draw-level inputs were then used to create 1000 draws of all-cause mortality estimates and draw-level estimates of fatal discontinuities. Mean estimates and 95% UIs (the 25th and 975th ranked values from the 1000 draws) were generated for all demographic

metrics using the draw-level estimates. The uncertainty associated with fertility and mortality estimates was included as inputs in the BCCMP model to produce 1000 draws of population estimates.

Role of the funding source

The funders of this study had no role in study design, data collection, data analysis, data interpretation, or the writing of the report

Results

Civil registration and vital statistics completeness

This section presents global, regional, and national-level results for key demographic metrics; given space constraints, estimates at the subnational level are presented in appendix 2. All subnational locations are listed in appendix 1 (section 8).

The proportion of deaths registered in vital registration systems increased substantially at the global level during the study period, from 30·3% in 1975 to a peak of 61·1% in 2016, before declining in subsequent years due to lags in reporting (figure 1). Completeness of death registration in vital registration systems varied markedly between regions, however, most progress in completeness was observed in China (where completeness peaked at 71·2% in 2018) and India (where completeness peaked at 80·1% in 2019; appendix 2 table S1). The Indian Sample Registration System is considered complete for the sample population it covers. Outside of China and India, progress in death registration has been slow, with only a 10·3 percentage point increase observed in the rest of the world between 1975 and the peak in 2016. This increase was concentrated in north Africa and the Middle East, which improved from 20·6% completeness in 1975 to a peak of 56·0% in 2016. While registration has been complete (defined as >95%) since 1975 for nearly all countries in the high-income super-region and central Europe, eastern Europe, and central Asia, in sub-Saharan Africa peak completeness of only 8·7% was reached in 2008 and completeness has declined since then. Death registration in Latin America and the Caribbean was more variable: countries such as Costa Rica, Cuba, and Argentina have been complete for many years; registration in countries such as Peru and Ecuador has remained around 60–90% complete, and others, such as Bolivia, continue to lack registration data. At the national level, 96 countries and territories had at

Figure 2: Global and GBD super-region all-cause mortality rates across the lifespan in females (A) and males (B), 1950–2021

Mortality rates are expressed as the number of deaths per 1000 population. Fatal discontinuities are indicated by the following letters: A=HIV epidemic; B=conflicts in the Middle East; C=war and genocide in India, Pakistan, and Bangladesh in 1971; D=war and genocide in Cambodia in the 1970s; E=Rwandan genocide in 1994; F=earthquake in Haiti in 2010; G=famine between 1959 and 1961. GBD=Global Burden of Diseases, Injuries, and Risk Factors Study.

least 1 year of complete death registration between 2010 and 2021; 29 countries and territories without complete death registration had at least 1 year of registering more than 75% of deaths; and 47 countries and territories had no vital registration data in the GBD 2021 mortality database. Registration was incomplete or non-existent in many countries with large numbers of deaths in 2021, especially in sub-Saharan Africa, including Nigeria and Democratic Republic of Congo. In the 2020–21 period, super-regions had varying degrees of lowered completeness indicative of lags in reporting (figure 1).

Mortality and life expectancy

Between 1950 and 2019, global age-standardised all-cause mortality rates per 100 000 population broadly declined, from 1980·5 age-standardised deaths (95% UI 1855·5–2115·0) in 1950 to 736·1 (700·1–772·8) in 2019 (appendix 2 table S3A), which equates to a 62·8% (60·5–65·1) decline in mortality during the entire period. Global all-cause mortality rates across the human lifespan for the younger than 15 years and older than 40 years age groups broadly improved for both females and males between 1950 and 2019 (figure 2). This pattern was relatively consistent across super-regions, with the exception of increased mortality in sub-Saharan Africa during the HIV epidemic and a fluctuating pattern in the central Europe, eastern Europe, and central Asia super-region. However, substantial variation in mortality levels and trends across super-regions and over time were observed in the 15–39-years age group. This age group was particularly susceptible to mortality shocks such as famine in China between 1959 and 1961; conflicts in

the Middle East during multiple time periods; war in India, Pakistan, and Bangladesh and genocide in Bangladesh in 1971; war and genocide in Cambodia in the 1970s; the Rwandan genocide in 1994; and the earthquake in Haiti in 2010 (figure 2). Conflict and war had a larger impact on mortality rates in males than females. Furthermore, the HIV epidemic had an especially large impact on this age group in sub-Saharan Africa and a lesser impact in southeast Asia, east Asia, and Oceania, with a larger impact on females than males. Additionally, male mortality rates increased in Latin America and the Caribbean during the 2000s, to varying extents in countries such as El Salvador, Peru, Guatemala, Honduras, Mexico, Venezuela, and Brazil (appendix 2 figure S5). An increase in male and female mortality was observed in the high-income super-region during the late 2010s, which was most notable in the USA, Canada, and Spain (appendix 2 figure S5).

During the COVID-19 pandemic in 2020 and 2021, global age-standardised all-cause mortality rates increased by 21·9% (95% UI 13·6–31·1) for males aged 15 years and older compared with 2019 and 16·6% (10·0–23·4) for females in the same age group and time period, reversing trends in mortality observed before the pandemic (appendix 2 table S3). In contrast, during 2020 and 2021, global mortality rates for both males and females generally remained constant or further decreased for age groups younger than 15 years (figure 2). In particular, between 2019 and 2021, global U5MR decreased by 7·0% (2·3–11·1). This continued reduction in child mortality was consistent across all super-regions (figure 2).

All-cause mortality rates differed between sexes, and the extent of this difference varied across age groups and




Figure 3: Distribution of the mortality sex ratio by age in 1970, 2000, 2019, and 2021

The distributions are for the mortality sex ratio calculated across all 204 countries and territories included in this study. The boxes represent the middle 50% of the distribution (25th and 75th percentiles), the horizontal line in boxes indicates the mean, and the whiskers show the middle 95% of the distribution (2·5th and 97·5th percentiles). *The ratio of male to female mortality rates, computed by dividing the male mortality rate by the female mortality rate for each age group and year.

	Under-5 mortality		Probability of death between ages 15 and 59 years, 2021		Life expectancy at birth in 2021 (years)		Total deaths in 2021 (thousands)		Total deaths among children younger than 5 years in 2021 (thousands)		Excess deaths due to COVID-19 in 2021 (thousands)		Excess mortality rate due to COVID-19, 2020–21 (deaths per 1,000)	
	Mortality rate in 2021 (deaths per 1000)	Annualised rate of change, 2000–21	Females	Males	Females	Males	Both sexes							
Global	35·7 (30·5 to 42·0)	-3·3% (-4·0 to -2·5)	0·12 (0·11 to 0·12)	0·19 (0·18 to 0·20)	74·8 (74·0 to 75·5)	69·0 (68·0 to 69·9)	71·7 (70·9 to 72·5)	67 900·0 (65 000·0 to 70 800·0)	4 660·0 (3 980·0 to 5 500·0)	5890 (5 480 to 6 440)	9970 (9 260 to 10 900)	1·04 (0·96 to 1·13)		
Central Europe, eastern Europe, and Central Asia	12·0 (10·5 to 13·7)	-3·8% (-4·4 to -3·2)	0·11 (0·11 to 0·12)	0·25 (0·24 to 0·26)	75·5 (75·0 to 75·9)	67·4 (66·9 to 67·9)	71·5 (71·0 to 71·8)	5950·0 (5790·0 to 6130·0)	59·0 (51·7 to 67·6)	740 (681 to 801)	1400 (1300 to 1520)	2·70 (2·50 to 2·90)		
Central Asia	20·9 (17·6 to 24·6)	-4·1% (-4·8 to -3·2)	0·11 (0·10 to 0·12)	0·22 (0·21 to 0·24)	74·3 (73·3 to 75·2)	67·4 (66·4 to 68·5)	70·8 (69·8 to 71·8)	724·0 (671·0 to 779·0)	42·6 (36·0 to 50·4)	108 (80 to 133)	150 (102 to 186)	1·46 (1·06 to 1·80)		
Armenia	11·1 (9·0 to 13·8)	-4·8% (-6·0 to -3·6)	0·07 (0·06 to 0·07)	0·18 (0·16 to 0·19)	78·6 (77·8 to 79·4)	71·3 (70·3 to 72·4)	75·0 (74·1 to 76·0)	31·3 (28·9 to 33·8)	0·4 (0·3 to 0·5)	7 (5 to 9)	5 (3 to 6)	2·08 (1·43 to 2·61)		
Azerbaijan	28·6 (23·4 to 34·7)	-4·0% (-5·0 to -3·0)	0·10 (0·09 to 0·11)	0·21 (0·19 to 0·23)	73·4 (72·5 to 74·3)	67·0 (66·0 to 68·2)	70·1 (69·2 to 71·2)	89·3 (81·9 to 96·4)	3·9 (3·2 to 4·7)	21 (17 to 24)	25 (20 to 30)	2·31 (1·83 to 2·67)		
Georgia	9·7 (7·7 to 12·2)	-6·1% (-7·2 to -5·0)	0·10 (0·10 to 0·10)	0·25 (0·25 to 0·26)	75·8 (75·5 to 76·2)	67·3 (67·0 to 67·5)	71·5 (71·2 to 71·7)	59·6 (58·6 to 60·5)	0·4 (0·3 to 0·6)	6 (4 to 7)	6 (11 to 21)	1·7 (1·22 to 4·19)		
Kazakhstan	10·2 (8·4 to 12·3)	-6·1% (-7·0 to -5·1)	0·13 (0·12 to 0·14)	0·28 (0·26 to 0·30)	73·9 (73·1 to 74·7)	65·3 (64·4 to 66·2)	69·6 (68·7 to 70·4)	181·0 (169·0 to 194·0)	4·1 (3·4 to 5·0)	30 (23 to 36)	51 (41 to 60)	2·36 (1·87 to 2·76)		
Kyrgyzstan	17·0 (14·9 to 19·0)	-4·4% (-5·2 to -3·7)	0·10 (0·09 to 0·12)	0·23 (0·20 to 0·26)	76·1 (74·7 to 77·6)	68·4 (66·6 to 70·2)	72·3 (70·7 to 73·9)	38·9 (34·2 to 43·6)	2·7 (2·3 to 3·0)	7 (5 to 9)	6 (4 to 9)	1·06 (0·74 to 1·38)		
Mongolia	16·9 (14·0 to 20·5)	-5·6% (-6·6 to -4·6)	0·12 (0·10 to 0·13)	0·29 (0·26 to 0·32)	74·6 (73·5 to 75·7)	65·7 (64·3 to 67·1)	70·0 (69·1 to 71·0)	21·5 (19·9 to 23·0)	1·3 (1·1 to 1·6)	-2 (-5 to 1)	1 (-3 to 4)	-0·17 (-1·15 to 0·74)		
Tajikistan	34·5 (28·5 to 42·2)	-3·1% (-4·1 to -2·1)	0·13 (0·11 to 0·15)	0·21 (0·18 to 0·24)	72·1 (70·4 to 73·7)	66·9 (65·1 to 69·1)	69·3 (67·8 to 71·0)	59·1 (52·2 to 65·6)	9·7 (8·0 to 11·9)	12 (9 to 15)	16 (11 to 20)	1·46 (1·06 to 1·79)		
Turkmenistan	27·5 (22·2 to 33·5)	-3·7% (-4·6 to -2·6)	0·15 (0·12 to 0·19)	0·28 (0·24 to 0·34)	71·5 (69·4 to 73·7)	64·3 (62·0 to 66·8)	67·8 (65·5 to 70·1)	43·6 (36·5 to 51·2)	3·0 (2·4 to 3·7)	6 (5 to 8)	8 (6 to 10)	1·46 (1·06 to 1·79)		
Uzbekistan	21·5 (17·7 to 26·0)	-3·5% (-4·4 to -2·5)	0·10 (0·09 to 0·12)	0·18 (0·15 to 0·20)	75·1 (73·6 to 76·6)	69·9 (68·1 to 71·7)	72·5 (70·8 to 74·2)	200·0 (175·0 to 227·0)	17·0 (14·0 to 20·7)	22 (12 to 30)	21 (7 to 31)	0·69 (0·30 to 0·98)		
Central Europe	5·0 (4·5 to 5·6)	-4·7% (-5·1 to -4·2)	0·08 (0·08 to 0·08)	0·18 (0·18 to 0·18)	78·3 (78·2 to 78·5)	71·3 (71·1 to 71·4)	74·7 (74·5 to 74·8)	176·0 (140·0 to 178·0)	5·3 (4·8 to 5·9)	195 (140 to 243)	353 (268 to 422)	2·54 (1·89 to 3·05)		
Albania	13·1 (10·7 to 16·0)	-3·7% (-4·8 to -2·6)	0·06 (0·05 to 0·07)	0·13 (0·11 to 0·15)	78·7 (77·6 to 79·9)	73·6 (72·1 to 75·3)	76·0 (74·7 to 77·5)	30·1 (26·5 to 33·6)	0·4 (0·3 to 0·4)	5 (2 to 8)	7 (3 to 10)	2·36 (1·05 to 3·63)		
Bosnia and Herzegovina	5·2 (4·4 to 6·3)	-3·6% (-4·4 to -2·7)	0·07 (0·06 to 0·09)	0·15 (0·12 to 0·17)	78·3 (76·9 to 79·8)	72·6 (70·8 to 74·6)	75·4 (73·8 to 77·1)	46·4 (39·7 to 53·0)	0·1 (0·1 to 0·2)	5 (1 to 9)	8 (3 to 14)	2·05 (0·80 to 3·47)		
Bulgaria	6·6 (5·9 to 7·4)	-4·6% (-5·2 to -4·1)	0·13 (0·13 to 0·14)	0·26 (0·25 to 0·27)	73·7 (73·3 to 74·1)	66·4 (65·9 to 67·0)	69·9 (69·4 to 70·3)	169·0 (164·0 to 173·0)	0·4 (0·3 to 0·4)	20 (11 to 26)	47 (36 to 56)	5·21 (3·82 to 6·30)		
Croatia	4·6 (3·8 to 5·4)	-2·7% (-3·5 to -1·8)	0·06 (0·05 to 0·06)	0·13 (0·12 to 0·13)	80·3 (80·0 to 80·6)	74·1 (73·8 to 74·4)	77·2 (76·9 to 77·5)	62·4 (60·6 to 64·0)	0·2 (0·1 to 0·2)	5 (2 to 7)	10 (6 to 14)	1·84 (1·03 to 2·61)		
Czechia	2·7 (2·3 to 3·1)	-3·2% (-4·0 to -2·4)	0·06 (0·06 to 0·06)	0·12 (0·12 to 0·13)	80·9 (80·6 to 81·1)	74·4 (74·2 to 74·6)	77·6 (77·3 to 77·8)	138·0 (136·0 to 141·0)	0·3 (0·2 to 0·3)	15 (8 to 22)	23 (12 to 32)	1·88 (1·00 to 2·57)		
Hungary	4·0 (3·4 to 4·7)	-4·6% (-5·3 to -3·8)	0·09 (0·09 to 0·10)	0·19 (0·19 to 0·19)	78·0 (77·8 to 78·2)	70·9 (70·7 to 71·1)	74·5 (74·3 to 74·6)	154·0 (152·0 to 156·0)	0·4 (0·3 to 0·4)	12 (3 to 18)	26 (14 to 35)	2·02 (0·96 to 2·84)		

(Table 1 continues on next page)

Under-5 mortality in 2021 (deaths per 1000)	Annualised rate of change, 2000–21	Probability of death between ages 15 and 59 years, 2021				Life expectancy at birth in 2021 (years)				Total deaths in 2021 (thousands)	Total deaths among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess deaths due to COVID-19 in 2020–21 (deaths per 1000)	Excess mortality rate due to COVID-19, 2020–21 (deaths per 1000)
		Females	Males	Females	Males	Both sexes								
(Continued from previous page)														
Montenegro	3.9 (3.2 to 4.7)	-5.5% (-6.5 to -4.5)	0.08 (0.08 to 0.09)	0.18 (0.17 to 0.19)	76.0 (75.4 to 76.6)	69.8 (69.0 to 70.5)	72.7 (72.1 to 73.3)	9.9 (9.4 to 10.4)	0.0 (0.0 to 0.0)	1 (1 to 1)	3 (3 to 3)	3.35 (2.78 to 3.90)		
North Macedonia	5.6 (4.9 to 6.3)	-4.9% (-5.5 to -4.2)	0.11 (0.09 to 0.12)	0.19 (0.17 to 0.22)	74.2 (73.2 to 75.3)	69.2 (68.0 to 70.4)	71.5 (70.4 to 72.7)	32.7 (29.3 to 36.3)	0.1 (0.1 to 0.1)	7 (5 to 8)	10 (8 to 12)	4.86 (3.79 to 5.66)		
Poland	4.4 (3.9 to 5.0)	-3.7% (-4.3 to -3.1)	0.07 (0.07 to 0.07)	0.18 (0.18 to 0.18)	79.7 (79.6 to 79.8)	71.8 (71.7 to 71.9)	75.7 (75.6 to 75.8)	517.0 (514.0 to 520.0)	1.5 (1.3 to 1.7)	65 (48 to 78)	101 (72 to 122)	2.28 (1.81 to 2.72)		
Romania	6.7 (6.1 to 7.4)	-5.7% (-6.2 to -5.3)	0.10 (0.10 to 0.10)	0.22 (0.22 to 0.22)	76.8 (76.7 to 77.0)	69.2 (69.1 to 69.4)	72.9 (72.8 to 73.0)	334.0 (332.0 to 337.0)	1.2 (1.1 to 1.3)	38 (25 to 51)	72 (49 to 90)	3.00 (2.06 to 3.85)		
Serbia	4.7 (4.2 to 5.2)	-5.4% (-6.3 to -4.6)	0.08 (0.08 to 0.09)	0.16 (0.16 to 0.16)	76.7 (76.5 to 76.9)	71.7 (71.5 to 71.8)	74.1 (74.0 to 74.3)	149.0 (147.0 to 151.0)	0.3 (0.3 to 0.4)	15 (5 to 27)	26 (6 to 44)	2.52 (0.61 to 4.24)		
Slovakia	5.8 (5.1 to 6.4)	-2.6% (-3.2 to -2.0)	0.08 (0.08 to 0.08)	0.17 (0.17 to 0.18)	78.3 (78.1 to 78.6)	71.3 (71.0 to 71.5)	74.7 (74.6 to 74.9)	72.6 (71.5 to 73.6)	0.3 (0.3 to 0.4)	5 (2 to 8)	18 (13 to 22)	2.23 (1.38 to 2.88)		
Slovenia	2.2 (2.0 to 2.5)	-4.2% (-4.8 to -3.6)	0.04 (0.04 to 0.04)	0.10 (0.09 to 0.10)	84.0 (83.4 to 84.6)	77.6 (77.2 to 78.1)	80.8 (80.4 to 81.3)	23.0 (22.0 to 23.9)	0.0 (0.0 to 0.0)	3 (1 to 4)	2 (0 to 4)	1.20 (0.31 to 1.88)		
Eastern Europe	6.1 (5.6 to 6.5)	-5.2% (-5.6 to -4.8)	0.13 (0.12 to 0.14)	0.30 (0.28 to 0.32)	74.9 (74.2 to 75.5)	65.8 (65.0 to 66.6)	70.4 (69.8 to 70.9)	347.0 (334.0 to 361.0)	11.1 (10.3 to 11.9)	436 (398 to 467)	899 (854 to 940)	3.33 (3.15 to 3.46)		
Belarus	4.0 (3.1 to 5.3)	-6.9% (-8.2 to -5.5)	0.11 (0.10 to 0.13)	0.29 (0.25 to 0.33)	76.0 (74.4 to 77.5)	66.0 (64.2 to 67.8)	71.0 (69.2 to 72.7)	162.0 (141.0 to 186.0)	0.3 (0.3 to 0.4)	23 (17 to 29)	42 (32 to 54)	3.67 (2.78 to 4.77)		
Estonia	2.5 (2.2 to 2.9)	-7.1% (-7.8 to -6.4)	0.07 (0.06 to 0.07)	0.17 (0.17 to 0.18)	81.2 (80.6 to 81.8)	72.4 (71.9 to 72.9)	76.9 (76.5 to 77.3)	18.6 (18.0 to 19.2)	0.0 (0.0 to 0.0)	0 (-1 to 1)	3 (2 to 5)	1.44 (0.59 to 2.33)		
Latvia	3.7 (3.2 to 4.3)	-6.1% (-6.9 to -5.4)	0.10 (0.09 to 0.10)	0.26 (0.25 to 0.27)	78.1 (77.7 to 78.5)	68.3 (67.9 to 68.7)	73.2 (73.0 to 73.5)	34.2 (33.4 to 35.0)	0.1 (0.1 to 0.1)	1 (0 to 3)	7 (5 to 9)	2.35 (1.36 to 3.41)		
Lithuania	3.5 (3.1 to 3.9)	-5.3% (-5.9 to -4.7)	0.09 (0.09 to 0.10)	0.24 (0.23 to 0.24)	78.9 (78.5 to 79.3)	69.2 (68.8 to 69.5)	74.1 (73.8 to 74.4)	47.2 (46.2 to 48.2)	0.1 (0.1 to 0.1)	5 (3 to 8)	10 (6 to 13)	2.84 (1.91 to 3.89)		
Moldova	10.9 (8.2 to 14.4)	-4.4% (-5.7 to -3.0)	0.11 (0.10 to 0.12)	0.25 (0.23 to 0.27)	76.4 (75.4 to 77.3)	67.9 (66.7 to 69.0)	72.1 (71.0 to 73.2)	50.1 (47.0 to 53.6)	0.3 (0.2 to 0.4)	5 (5 to 6)	10 (10 to 11)	2.29 (2.21 to 2.38)		
Russia	5.8 (5.5 to 6.2)	-5.6% (-5.9 to -5.2)	0.14 (0.14 to 0.14)	0.31 (0.31 to 0.31)	74.3 (74.3 to 74.4)	65.5 (65.5 to 65.6)	70.0 (69.9 to 70.0)	241.0 (241.0 to 242.0)	8.1 (7.6 to 8.6)	357 (355 to 360)	690 (687 to 693)	3.70 (3.68 to 3.72)		
Ukraine	7.8 (6.2 to 9.2)	-3.3% (-4.3 to -2.4)	0.11 (0.08 to 0.15)	0.29 (0.22 to 0.37)	75.7 (72.7 to 78.6)	66.3 (62.7 to 70.1)	71.0 (68.5 to 73.6)	745.0 (614.0 to 880.0)	2.2 (1.7 to 2.6)	44 (39 to 77)	137 (96 to 179)	2.18 (1.45 to 2.93)		
High income	4.6 (4.2 to 5.0)	-2.4% (-2.8 to -2.0)	0.06 (0.06 to 0.06)	0.11 (0.11 to 0.11)	83.3 (83.3 to 83.4)	77.9 (77.8 to 78.0)	80.6 (80.5 to 80.7)	10 900.0 (10 800.0 to 10 900.0)	47.9 (44.0 to 52.2)	971 (939 to 1000)	947 (907 to 985)	0.90 (0.87 to 0.93)		
Australasia	3.3 (2.8 to 3.8)	-3.3% (-4.0 to -2.5)	0.04 (0.04 to 0.04)	0.08 (0.08 to 0.08)	85.3 (85.3 to 85.4)	81.2 (81.1 to 81.2)	83.2 (83.2 to 83.3)	210.0 (209.0 to 210.0)	1.2 (1.0 to 1.4)	-5 (-6 to -5)	4 (3 to 5)	-0.03 (-0.06 to -0.00)		
Australia	3.0 (2.5 to 3.6)	-3.6% (-4.4 to -2.7)	0.04 (0.04 to 0.04)	0.08 (0.08 to 0.08)	85.6 (85.5 to 85.7)	81.2 (81.1 to 81.3)	83.4 (83.3 to 83.5)	175.0 (174.0 to 176.0)	0.9 (0.7 to 1.0)	-3 (-4 to -3)	4 (3 to 4)	0.01 (-0.02 to 0.03)		

(Table 1 continues on next page)

Under-5 mortality		Probability of death between ages 15 and 59 years, 2021		Life expectancy at birth in 2021 (years)				Total deaths in 2021 (thousands)	Total deaths among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess mortality rate due to COVID-19, 2020–21 (deaths per 1000)
Mortality rate in 2021 (deaths per 1000)	Annualised rate of change, 2000–21	Females	Males	Females	Males	Both sexes					
(Continued from previous page)											
New Zealand	4.8 (4.3 to 5.4)	-2.3% (-2.9 to -1.6)	0.05 (0.05 to 0.05)	0.08 (0.08 to 0.08)	84.1 (83.9 to 84.3)	80.7 (80.5 to 80.9)	82.4 (82.3 to 82.6)	34.5 (34.1 to 35.0)	0.3 (0.3 to 0.3)	-2 (-2 to -2)	0 (0 to 0)
High-income Asia Pacific	2.2 (2.0 to 2.4)	-4.1% (-4.5 to -3.7)	0.03 (0.03 to 0.03)	0.07 (0.07 to 0.07)	87.8 (87.7 to 87.8)	81.8 (81.7 to 81.9)	84.8 (84.8 to 84.9)	1800.0 (1790.0 to 1800.0)	2.7 (2.5 to 2.9)	-27 (-32 to -22)	22 (15 to 29)
Brunei	9.7 (7.7 to 12.1)	-0.3% (-1.5 to 1.0)	0.08 (0.07 to 0.10)	0.13 (0.12 to 0.15)	78.3 (77.1 to 79.3)	74.9 (73.6 to 76.0)	76.6 (75.4 to 77.7)	1.8 (1.7 to 2.0)	0.1 (0.0 to 0.1)	0 (0 to 0)	0 (0 to 0)
Japan	2.1 (1.9 to 2.4)	-3.5% (-4.1 to -2.9)	0.03 (0.03 to 0.03)	0.06 (0.06 to 0.06)	88.1 (88.0 to 88.2)	82.2 (82.1 to 82.2)	85.2 (85.1 to 85.2)	1440.0 (1430.0 to 1450.0)	1.8 (1.6 to 2.1)	-28 (-33 to -24)	8 (2 to 14)
Singapore	1.7 (1.4 to 2.0)	-4.2% (-5.2 to -3.2)	0.03 (0.03 to 0.03)	0.05 (0.05 to 0.05)	87.7 (87.5 to 87.9)	83.6 (83.4 to 83.8)	85.7 (85.5 to 85.9)	23.7 (23.3 to 24.2)	0.1 (0.1 to 0.1)	0 (-1 to 0)	2 (1 to 2)
South Korea	2.5 (2.0 to 2.9)	-4.9% (-5.9 to -4.0)	0.04 (0.03 to 0.04)	0.08 (0.07 to 0.08)	86.0 (85.9 to 86.2)	80.3 (80.1 to 80.5)	83.2 (83.1 to 83.4)	331.0 (326.0 to 336.0)	0.7 (0.5 to 0.8)	2 (1 to 3)	12 (12 to 14)
High-income North America	5.7 (5.2 to 6.2)	-1.7% (-2.1 to -1.3)	0.09 (0.09 to 0.09)	0.16 (0.16 to 0.16)	80.4 (80.3 to 80.6)	74.8 (74.6 to 74.9)	77.6 (77.4 to 77.7)	3780.0 (3750.0 to 3810.0)	23.1 (21.1 to 25.2)	530 (519 to 542)	560 (543 to 579)
Canada	4.0 (3.4 to 4.8)	-1.8% (-2.6 to -0.9)	0.05 (0.05 to 0.05)	0.09 (0.09 to 0.09)	84.1 (83.9 to 84.2)	79.5 (79.4 to 79.7)	81.8 (81.7 to 82.0)	310.0 (307.0 to 314.0)	1.5 (1.2 to 1.8)	37 (35 to 39)	32 (30 to 34)
Greenland	10.6 (9.0 to 12.3)	-3.1% (-4.1 to -2.3)	0.12 (0.11 to 0.14)	0.20 (0.17 to 0.23)	76.9 (75.7 to 77.9)	71.4 (69.7 to 72.7)	73.8 (72.4 to 75.0)	0.4 (0.4 to 0.5)	0.0 (0.0 to 0.0)	0 (0 to 0)	0 (0 to 0)
USA	5.9 (5.4 to 6.4)	-1.7% (-2.1 to -1.2)	0.09 (0.09 to 0.09)	0.17 (0.16 to 0.17)	80.0 (79.9 to 80.2)	74.3 (74.1 to 74.4)	77.1 (77.0 to 77.2)	3470.0 (3440.0 to 3500.0)	21.6 (19.7 to 23.6)	493 (482 to 504)	528 (512 to 546)
Southern Latin America	8.5 (6.9 to 10.4)	-3.4% (-4.4 to -2.4)	0.08 (0.08 to 0.08)	0.14 (0.14 to 0.14)	79.9 (79.6 to 80.1)	73.8 (73.5 to 74.1)	76.8 (76.6 to 77.1)	553.0 (545.0 to 562.0)	6.6 (5.4 to 8.1)	41 (38 to 45)	71 (66 to 77)
Argentina	9.7 (7.7 to 12.1)	-3.3% (-4.4 to -2.3)	0.08 (0.08 to 0.09)	0.15 (0.14 to 0.15)	79.1 (78.8 to 79.3)	73.0 (72.7 to 73.3)	76.1 (75.7 to 76.3)	378.0 (372.0 to 386.0)	5.2 (4.1 to 6.5)	30 (27 to 33)	44 (40 to 48)
Chile	5.7 (4.9 to 6.4)	-3.5% (-4.1 to -2.8)	0.06 (0.06 to 0.06)	0.13 (0.13 to 0.13)	81.9 (81.7 to 82.1)	76.1 (76.0 to 76.3)	79.0 (78.9 to 79.2)	134.0 (133.0 to 135.0)	1.2 (1.0 to 1.3)	14 (12 to 15)	22 (21 to 23)
Uruguay	6.8 (5.5 to 8.5)	-4.2% (-5.3 to -3.1)	0.09 (0.08 to 0.09)	0.17 (0.17 to 0.17)	79.4 (79.0 to 79.7)	72.0 (71.6 to 72.4)	75.7 (75.3 to 76.0)	40.5 (39.7 to 41.4)	0.2 (0.2 to 0.3)	-2 (-3 to -2)	5 (5 to 6)
Western Europe	3.5 (3.2 to 3.8)	-2.4% (-2.7 to -2.0)	0.04 (0.04 to 0.04)	0.08 (0.08 to 0.08)	84.2 (84.1 to 84.3)	79.4 (79.3 to 79.4)	81.8 (81.7 to 81.9)	4540.0 (4520.0 to 4560.0)	14.3 (13.3 to 15.5)	432 (411 to 448)	291 (271 to 311)
Andorra	1.2 (0.8 to 1.5)	-5.7% (-7.4 to -4.4)	0.04 (0.03 to 0.05)	0.08 (0.06 to 0.10)	85.7 (83.5 to 87.9)	80.7 (77.9 to 83.6)	83.0 (80.5 to 85.6)	0.6 (0.5 to 0.8)	0.0 (0.0 to 0.0)	0 (0 to 0)	0.60 (0.31 to 0.89)

(Table 1 continues on next page)

Under-5 mortality	Mortality rate in 2021 (deaths per 1000)	Probability of death between ages 15 and 59 years, 2021		Life expectancy at birth in 2021 (years)			Total deaths in 2021 (thousands)	Total deaths among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess mortality rate due to COVID-19, 2020–21 (deaths per 1000)
		Females	Males	Females	Males	Both sexes					
(Continued from previous page)											
Austria	3.1 (2.7 to 3.5)	-2.9%	0.04	0.08 (0.04 to 0.04) (0.08 to 0.08)	84.1 (83.9 to 84.2)	79.2 (79.1 to 79.4)	81.7 (81.5 to 81.8)	88.8 (87.7 to 89.9)	0.3 (0.2 to 0.3)	6 (5 to 7)	4 (3 to 5)
Belgium	3.7 (3.0 to 4.4)	-2.3% (-3.3 to -1.4)	0.05 (0.05 to 0.05)	0.08 (0.08 to 0.08)	84.2 (84.0 to 84.4)	79.3 (79.1 to 79.5)	81.8 (81.6 to 81.9)	111.0 (110.0 to 112.0)	0.4 (0.3 to 0.5)	17 (16 to 18)	2 (1 to 3)
Cyprus	2.4 (2.0 to 2.9)	-5.0% (-5.9 to -4.1)	0.04 (0.03 to 0.04)	0.07 (0.06 to 0.08)	83.2 (82.5 to 83.9)	79.2 (78.2 to 80.1)	81.2 (80.4 to 82.0)	84.4 (84.0 to 10.1)	0.0 (0.0 to 0.0)	0 (0 to 1)	1 (0 to 1)
Denmark	3.6 (3.2 to 4.1)	-2.1% (-2.7 to -1.4)	0.04 (0.04 to 0.05)	0.07 (0.07 to 0.07)	83.5 (83.3 to 83.7)	79.5 (79.3 to 79.7)	81.5 (81.3 to 81.7)	56.7 (55.8 to 57.7)	0.2 (0.2 to 0.3)	0 (0 to 1)	2 (2 to 3)
Finland	2.2 (1.9 to 2.6)	-3.1% (-3.9 to -2.4)	0.04 (0.04 to 0.04)	0.09 (0.09 to 0.09)	84.9 (84.7 to 85.2)	79.5 (79.2 to 79.7)	82.2 (82.0 to 82.4)	57.1 (56.1 to 58.1)	0.1 (0.1 to 0.1)	1 (0 to 1)	2 (2 to 3)
France	4.0 (3.6 to 4.5)	-1.4% (-1.9 to -0.9)	0.04 (0.04 to 0.04)	0.09 (0.09 to 0.09)	85.5 (85.4 to 85.6)	79.6 (79.5 to 79.7)	82.6 (82.5 to 82.7)	642.0 (639.0 to 646.0)	2.8 (2.5 to 3.1)	65 (61 to 68)	28 (24 to 32)
Germany	3.5 (3.3 to 3.8)	-2.0% (-2.3 to -1.6)	0.05 (0.05 to 0.05)	0.09 (0.09 to 0.09)	83.4 (83.3 to 83.5)	78.5 (78.5 to 78.6)	81.0 (80.9 to 81.0)	1010.0 (1000.0 to 1010.0)	2.8 (2.6 to 3.0)	38 (34 to 44)	63 (57 to 69)
Greece	3.9 (3.4 to 4.5)	-2.2% (-2.9 to -1.5)	0.05 (0.05 to 0.05)	0.11 (0.11 to 0.11)	82.8 (82.6 to 83.0)	77.2 (77.0 to 77.5)	80.0 (79.8 to 80.2)	144.0 (142.0 to 146.0)	0.3 (0.3 to 0.4)	5 (3 to 6)	15 (14 to 16)
Iceland	2.4 (2.0 to 2.9)	-2.3% (-3.3 to -1.2)	0.04 (0.04 to 0.04)	0.07 (0.07 to 0.07)	84.9 (84.2 to 85.5)	82.3 (81.6 to 83.0)	83.6 (82.9 to 84.3)	23 (22 to 2.4)	0.0 (0.0 to 0.0)	0 (0 to 0)	0 (0 to 0)
Ireland	3.4 (2.9 to 3.8)	-3.5% (-4.2 to -2.8)	0.04 (0.04 to 0.04)	0.07 (0.07 to 0.07)	84.5 (84.2 to 84.7)	80.8 (80.5 to 81.0)	82.6 (82.4 to 82.8)	32.2 (31.6 to 32.9)	0.2 (0.2 to 0.2)	0 (0 to 1)	1 (0 to 1)
Israel	2.3 (2.0 to 2.7)	-5.1% (-5.8 to -4.3)	0.04 (0.03 to 0.04)	0.07 (0.07 to 0.07)	85.1 (84.9 to 85.3)	81.2 (80.9 to 81.5)	83.2 (82.9 to 83.4)	50.1 (49.0 to 51.1)	0.4 (0.4 to 0.5)	2 (2 to 3)	3 (3 to 4)
Italy	2.9 (2.6 to 3.3)	-3.0% (-3.6 to -2.4)	0.04 (0.04 to 0.04)	0.07 (0.07 to 0.07)	84.9 (84.8 to 85.0)	80.3 (80.2 to 80.4)	82.7 (82.6 to 82.7)	699.0 (695.0 to 702.0)	1.2 (1.0 to 1.3)	98 (95 to 101)	62 (59 to 66)
Luxembourg	3.5 (2.9 to 4.2)	-1.0% (-1.9 to -0.1)	0.04 (0.04 to 0.04)	0.07 (0.06 to 0.07)	84.9 (84.4 to 85.4)	80.4 (79.8 to 81.0)	82.6 (82.0 to 83.2)	4.5 (4.3 to 4.8)	0.0 (0.0 to 0.0)	0 (0 to 0)	0 (0 to 0)
Malta	5.3 (4.2 to 6.6)	-1.7% (-2.9 to -0.5)	0.04 (0.04 to 0.04)	0.07 (0.07 to 0.08)	84.1 (83.4 to 84.7)	81.3 (80.6 to 82.0)	82.7 (81.9 to 83.3)	4.0 (3.8 to 4.3)	0.0 (0.0 to 0.0)	0 (0 to 0)	0 (0 to 0)
Monaco	3.8 (3.7 to 3.9)	-1.0% (-2.2 to 0.2)	0.07 (0.05 to 0.08)	0.12 (0.10 to 0.14)	81.4 (79.8 to 83.2)	76.3 (74.7 to 77.8)	78.8 (77.2 to 80.4)	0.6 (0.5 to 0.7)	0.0 (0.0 to 0.0)	0 (0 to 0)	0 (0 to 0)
Netherlands	3.8 (3.5 to 4.2)	-2.4% (-2.9 to -1.8)	0.05 (0.04 to 0.05)	0.06 (0.06 to 0.07)	83.2 (83.1 to 83.4)	79.8 (79.6 to 79.9)	81.5 (81.4 to 81.7)	170.0 (168.0 to 172.0)	0.7 (0.6 to 0.7)	15 (13 to 16)	15 (14 to 17)
Norway	2.1 (1.8 to 2.4)	-3.9% (-4.6 to -3.2)	0.04 (0.04 to 0.04)	0.06 (0.06 to 0.06)	84.9 (84.7 to 85.1)	81.7 (81.5 to 81.8)	83.3 (83.1 to 83.4)	41.9 (41.3 to 42.6)	0.1 (0.1 to 0.1)	0 (-1 to 0)	1 (0 to 1)
Portugal	2.9 (2.6 to 3.3)	-4.4% (-5.0 to -3.8)	0.04 (0.04 to 0.04)	0.10 (0.10 to 0.10)	84.4 (84.3 to 84.6)	78.5 (78.3 to 78.7)	81.5 (81.4 to 81.7)	123.0 (122.0 to 124.0)	0.2 (0.2 to 0.3)	11 (10 to 12)	10 (9 to 11)
San Marino	1.7 (1.1 to 2.3)	-5.3% (-7.3 to -3.4)	0.03 (0.02 to 0.04)	0.06 (0.04 to 0.08)	88.1 (87.4 to 87.1)	86.2 (83.3 to 89.0)	90.3 (89.0 to 90.0)	0.0 (0.0 to 0.0)	0 (0 to 0)	0 (0 to 0)	0 (0 to 0)

(Table 1 continues on next page)

Under-5 mortality	Probability of death between ages 15 and 59 years, 2021	Life expectancy at birth in 2021 (years)				Total deaths in 2021 (thousands)	Total deaths among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess mortality rate due to COVID-19 in 2020–21, (deaths per 1,000)	
		Mortality rate in 2021 (deaths per 1000)	Annualised rate of change, 2000–21	Females	Males					
(Continued from previous page)										
Spain	3·0 (2·7 to 3·3)	-2·9% (-3·3 to -2·4)	0·04 (-0·04 to 0·04)	0·08 (0·07 to 0·08)	85·7 (85·6 to 85·8)	79·9 (79·8 to 80·0)	82·9 (82·8 to 82·9)	445·0 (442·0 to 448·0)	1·0 (0·9 to 1·1)	72 (69 to 74)
Sweden	2·3 (2·0 to 2·5)	-2·6% (-3·2 to -2·0)	0·04 (0·03 to 0·04)	0·06 (0·05 to 0·06)	85·0 (84·1 to 85·9)	82·0 (80·9 to 83·0)	83·5 (82·8 to 84·2)	92·0 (86·0 to 98·7)	0·3 (0·2 to 0·3)	9 (8 to 9)
Switzerland	3·7 (3·3 to 4·2)	-2·4% (-3·0 to -1·7)	0·03 (0·03 to 0·03)	0·05 (0·05 to 0·05)	86·4 (86·2 to 86·6)	82·5 (82·3 to 82·7)	84·5 (84·3 to 84·7)	69·7 (68·7 to 70·7)	0·3 (0·3 to 0·4)	9 (8 to 9)
UK	4·2 (3·8 to 4·6)	-2·3% (-2·9 to -1·7)	0·06 (0·06 to 0·06)	0·10 (0·10 to 0·10)	82·4 (82·3 to 82·5)	78·2 (78·1 to 78·3)	80·3 (80·2 to 80·3)	686·0 (683·0 to 690·0)	2·9 (2·6 to 3·2)	82 (80 to 85)
Latin America and Caribbean	16·5 (13·4 to 20·2)	-3·5% (-4·5 to -2·5)	0·13 (0·12 to 0·13)	0·23 (0·22 to 0·24)	75·9 (75·2 to 76·6)	68·9 (68·1 to 69·7)	72·3 (71·5 to 73·0)	4980·0 (4770 to 5200·0)	155·0 (125·0 to 190·0)	922 (927 to 1010)
Andean Latin America	16·7 (13·1 to 20·8)	-4·8% (-6·0 to -3·6)	0·13 (0·11 to 0·14)	0·22 (0·20 to 0·24)	74·3 (72·9 to 75·5)	68·3 (66·9 to 69·6)	71·1 (69·8 to 72·4)	565·0 (514·0 to 621·0)	20·6 (16·2 to 25·7)	220 (209 to 231)
Bolivia	27·9 (23·5 to 32·7)	-4·5% (-5·4 to -3·6)	0·19 (0·16 to 0·22)	0·28 (0·25 to 0·32)	68·8 (66·7 to 70·5)	63·8 (61·9 to 65·6)	66·2 (64·1 to 67·9)	121·0 (106·0 to 140·0)	6·8 (5·7 to 8·0)	40 (33 to 46)
Ecuador	13·7 (10·5 to 17·9)	-4·3% (-5·7 to -2·9)	0·10 (0·09 to 0·12)	0·19 (0·16 to 0·22)	77·1 (75·5 to 78·7)	71·0 (69·0 to 73·1)	74·0 (72·1 to 75·7)	124·0 (107·0 to 143·0)	4·4 (3·4 to 5·8)	50 (43 to 58)
Peru	14·0 (9·5 to 19·1)	-5·2% (-7·0 to -3·6)	0·12 (0·11 to 0·14)	0·21 (0·19 to 0·24)	74·9 (73·4 to 76·3)	68·8 (67·3 to 70·1)	71·6 (70·2 to 73·0)	320·0 (289·0 to 357·0)	9·4 (6·4 to 12·8)	130 (129 to 131)
Caribbean	40·8 (33·9 to 48·8)	-1·1% (-2·0 to -0·3)	0·15 (0·13 to 0·17)	0·23 (0·20 to 0·25)	72·5 (70·7 to 74·1)	66·9 (64·9 to 68·7)	69·6 (67·7 to 71·3)	488·0 (440·0 to 541·0)	32·5 (26·9 to 39·0)	21 (17 to 48)
Antigua and Barbuda	9·3 (8·0 to 10·7)	-1·9% (-2·8 to -0·8)	0·09 (0·09 to 0·10)	0·14 (0·13 to 0·14)	77·1 (76·7 to 77·3)	73·0 (72·7 to 73·3)	75·0 (74·8 to 75·1)	0·7 (0·7 to 0·7)	0·0 (0·0 to 0·0)	0 (0 to 0)
The Bahamas	10·2 (7·8 to 13·5)	-2·2% (-3·5 to -0·6)	0·16 (0·14 to 0·19)	0·29 (0·25 to 0·33)	73·6 (71·7 to 75·4)	66·1 (63·7 to 68·2)	69·8 (67·5 to 71·8)	3·8 (3·3 to 4·4)	0·0 (0·0 to 0·0)	1 (1 to 1)
Barbados	11·7 (8·2 to 16·3)	-1·1% (-2·6 to 0·5)	0·10 (0·08 to 0·12)	0·14 (0·11 to 0·17)	77·6 (75·5 to 79·7)	74·4 (71·8 to 76·8)	76·0 (73·7 to 78·3)	3·3 (2·8 to 3·9)	0·1 (0·1 to 0·1)	0 (-1 to 0)
Belize	14·4 (11·9 to 17·5)	-3·5% (-4·5 to -2·4)	0·13 (0·12 to 0·14)	0·21 (0·19 to 0·23)	76·1 (74·9 to 77·3)	70·5 (69·0 to 72·3)	73·2 (71·8 to 74·7)	2·3 (2·1 to 2·6)	0·0 (0·0 to 0·0)	0 (0 to 0)
Bermuda	3·8 (3·2 to 4·5)	-1·9% (-3·0 to -0·7)	0·06 (0·05 to 0·07)	0·13 (0·11 to 0·14)	83·3 (81·5 to 84·7)	75·6 (73·9 to 77·1)	79·3 (77·5 to 80·8)	0·7 (0·7 to 0·9)	0·5 (0·4 to 0·5)	0 (0 to 0)
Cuba	4·6 (3·9 to 5·3)	-3·0% (-3·7 to -2·2)	0·10 (0·09 to 0·11)	0·19 (0·17 to 0·20)	77·3 (76·3 to 78·3)	70·9 (69·9 to 72·1)	73·9 (73·0 to 74·9)	165·0 (151·0 to 178·0)	0·0 (0·0 to 0·0)	1 (-4 to 7)
Dominica	27·6 (20·2 to 37·1)	1·8% (0·1 to 3·3)	0·12 (0·10 to 0·15)	0·21 (0·17 to 0·26)	73·3 (70·8 to 75·5)	67·4 (64·4 to 70·3)	70·2 (67·4 to 72·7)	0·8 (0·6 to 1·0)	5·3 (4·3 to 6·4)	0 (0 to 0)
Dominican Republic	24·9 (20·2 to 30·1)	-2·4% (-3·4 to -1·4)	0·10 (0·09 to 0·12)	0·20 (0·17 to 0·23)	77·3 (75·5 to 78·9)	70·5 (68·3 to 72·5)	73·7 (71·8 to 75·5)	73·0 (64·1 to 82·9)	0·0 (0·0 to 0·0)	1 (-5 to 20)

(Table 1 continues on next page)

Under-5 mortality	Probability of death between ages 15 and 59 years, 2021	Life expectancy at birth in 2021 (years)				Total deaths in 2021 (thousands)	Total deaths among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2020 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess mortality rate due to COVID-19 in 2020–21 (deaths per 1000)
		Mortality rate in 2021 (deaths per 1000)	Annualised rate of change, 2000–21	Females	Males					
(Continued from previous page)										
Grenada	12·6 (10·1 to 15·6)	-1·4%	0·14 (0·12 to 0·18)	0·23 (0·19 to 0·30)	72·9 (70·5 to 74·9)	67·3 (64·1 to 69·7)	69·9 (66·9 to 72·2)	1·1 (0·9 to 1·4)	0·3 (0·3 to 0·4)	0 (0 to 1) (0·58 to 3·10)
Guyana	22·7 (17·0 to 29·7)	-2·7% (-4·2 to -1·2)	0·22 (0·17 to 0·28)	0·37 (0·29 to 0·46)	68·6 (65·0 to 72·1)	61·1 (57·0 to 65·4)	64·6 (60·6 to 68·6)	8·6 (6·4 to 11·6)	24·0 (19·9 to 28·8)	1 (0 to 2) (1 to 5) (0·77 to 4·53)
Haiti	70·6 (59·2 to 84·1)	-1·9% (-2·9 to -1·0)	0·28 (0·23 to 0·35)	0·34 (0·26 to 0·43)	61·5 (58·2 to 64·6)	58·8 (54·9 to 62·5)	60·1 (56·5 to 63·6)	131·0 (104·0 to 166·0)	0·5 (0·4 to 0·7)	14 (5 to 27) (10 to 53) (0·65 to 3·23)
Jamaica	15·0 (11·0 to 20·1)	-1·8% (-3·5 to 0·0)	0·12 (0·10 to 0·15)	0·16 (0·13 to 0·20)	76·4 (73·7 to 78·9)	72·0 (69·1 to 75·1)	74·1 (71·3 to 76·9)	24·2 (19·5 to 25·2)	0·1 (0·1 to 0·1)	26 (-2 to 1) (10 to 53) (0·65 to 3·23)
Puerto Rico	6·4 (5·4 to 7·7)	-2·7% (-3·6 to -1·7)	0·06 (0·05 to 0·07)	0·16 (0·13 to 0·18)	84·5 (82·8 to 86·4)	76·6 (74·4 to 79·1)	80·6 (78·5 to 82·8)	34·1 (29·1 to 39·3)	0·0 (0·0 to 0·0)	26 (-1 to 4) (-1 to 5) (0·64 to 2·08)
Saint Kitts and Nevis	15·9 (12·5 to 20·4)	-1·6% (-2·9 to -0·4)	0·10 (0·09 to 0·12)	0·21 (0·18 to 0·24)	75·5 (73·9 to 77·1)	68·5 (66·7 to 70·2)	71·8 (70·1 to 73·5)	0·5 (0·5 to 0·6)	0·0 (0·0 to 0·0)	5 (0 to 1) (3 to 7) (0·25 to 1·61)
Saint Lucia	15·6 (11·2 to 21·2)	-1·0% (-2·7 to 0·6)	0·11 (0·09 to 0·14)	0·20 (0·16 to 0·25)	76·5 (73·8 to 78·9)	69·7 (66·4 to 72·7)	72·9 (69·7 to 75·6)	1·9 (1·6 to 2·5)	0·0 (0·0 to 0·0)	0·90 (0·2 to 1) (0·25 to 1·3)
Saint Vincent and the Grenadines	13·0 (9·6 to 17·2)	-3·1% (-4·7 to -1·6)	0·14 (0·12 to 0·16)	0·22 (0·20 to 0·24)	75·2 (73·7 to 76·6)	69·7 (68·0 to 71·3)	72·2 (70·5 to 73·7)	1·2 (1·0 to 1·3)	0·2 (0·2 to 0·3)	26 (0 to 0) (0·2 to 1·11)
Suriname	24·8 (18·9 to 32·0)	-2·3% (-3·7 to -0·8)	0·14 (0·12 to 0·18)	0·25 (0·21 to 0·31)	74·2 (70·9 to 76·7)	67·5 (63·4 to 70·7)	70·8 (66·9 to 73·6)	5·4 (4·3 to 7·2)	0·0 (0·0 to 0·1)	0·0 (0 to 0) (0·03 to 2·25)
Trinidad and Tobago	13·6 (10·2 to 18·0)	-3·2% (-4·7 to -1·7)	0·14 (0·11 to 0·17)	0·25 (0·20 to 0·31)	75·0 (72·0 to 78·0)	67·6 (64·1 to 71·2)	71·0 (67·7 to 74·4)	16·7 (12·8 to 21·4)	0·2 (0·2 to 0·3)	4 (0 to 2) (2 to 8) (0·74 to 3·74)
Virgin Islands	5·9 (4·8 to 7·3)	-3·1% (-3·9 to -2·2)	0·08 (0·06 to 0·10)	0·21 (0·17 to 0·26)	82·3 (79·4 to 84·6)	71·3 (67·7 to 74·5)	76·6 (73·1 to 79·5)	0·9 (0·7 to 1·2)	0·0 (0·0 to 0·0)	1·45 (0 to 0) (0·48 to 2·74)
Central Latin America	15·4 (11·9 to 19·7)	-3·1% (-4·5 to -1·9)	0·13 (0·12 to 0·13)	0·24 (0·23 to 0·25)	75·7 (74·9 to 76·5)	68·3 (67·3 to 69·3)	71·9 (70·9 to 72·8)	208·0 (197·0 to 220·0)	60·4 (46·7 to 77·3)	49·7 (44·6 to 54·5) (53·8 to 68·8) (2·00 to 2·43)
Colombia	11·9 (8·6 to 16·3)	-3·8% (-5·4 to -2·1)	0·08 (0·08 to 0·10)	0·16 (0·15 to 0·18)	79·7 (78·2 to 81·2)	72·6 (70·8 to 74·5)	76·1 (74·5 to 77·8)	8·1 (5·8 to 11·0)	49 (37 to 62) (78 to 127)	105 (78 to 127) (1·28 to 2·08)
Costa Rica	9·4 (8·2 to 10·7)	-1·4% (-2·0 to -0·7)	0·08 (0·08 to 0·08)	0·17 (0·17 to 0·18)	81·2 (80·8 to 81·5)	74·3 (73·9 to 74·6)	77·7 (77·3 to 78·1)	30·7 (29·9 to 31·5)	0·5 (0·5 to 0·6)	6 (0 to 3) (3 to 8) (0·30 to 1·10)
El Salvador	9·5 (7·1 to 12·5)	-5·3% (-6·8 to -3·9)	0·12 (0·10 to 0·14)	0·28 (0·24 to 0·32)	77·2 (75·4 to 79·1)	67·9 (65·4 to 70·4)	72·7 (70·6 to 74·9)	52·0 (44·8 to 59·9)	1·1 (0·8 to 1·5)	140 (5 to 7) (9 to 13) (1·19 to 1·63)
Guatemala	25·5 (20·0 to 32·6)	-3·2% (-4·4 to -1·9)	0·15 (0·14 to 0·17)	0·27 (0·24 to 0·29)	72·7 (71·3 to 74·1)	66·2 (64·4 to 67·9)	69·4 (67·8 to 71·0)	113·0 (102·0 to 125·0)	7·6 (6·0 to 9·8)	32 (20 to 23) (27 to 37) (1·46 to 2·06)
Honduras	15·0 (12·2 to 18·2)	-4·1% (-5·3 to -3·1)	0·18 (0·15 to 0·22)	0·25 (0·21 to 0·30)	70·7 (68·4 to 72·6)	66·4 (64·3 to 68·2)	68·5 (64·5 to 84·7)	72·9 (64·5 to 84·7)	3·3 (2·7 to 4·0)	22·1 (10 to 14) (16 to 26) (1·35 to 2·06)
Mexico	14·8 (11·6 to 18·9)	-3·2% (-4·5 to -2·0)	0·14 (0·14 to 0·14)	0·27 (0·27 to 0·27)	74·7 (74·4 to 74·9)	67·4 (67·0 to 67·7)	70·9 (70·6 to 71·2)	112·0 (111·0 to 112·0)	28·1 (22·0 to 36·0)	341 (291 to 390) (2·36 to 2·84)

(Table 1 continues on next page)

Under-5 mortality		Probability of death between ages 15 and 59 years, 2021				Life expectancy at birth in 2021 (years)				Total deaths in 2021 (thousands)	Total deaths among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess mortality rate due to COVID-19 in 2020-21 (deaths per 1000)
Mortality rate in 2021 (deaths per 1000)	Annualised rate of change, 2000-21	Females	Males	Females	Males	Both sexes							
(Continued from previous page)													
Nicaragua	13.8 (10.3 to 18.0)	-4.6% (-6.0 to -3.1)	0.11 (0.10 to 0.12)	0.21 (0.19 to 0.23)	76.8 (75.6 to 77.9)	69.9 (68.5 to 71.2)	73.3 (72.0 to 74.4)	383 (35.0 to 42.2)	1.8 (1.3 to 2.3)	14 (12 to 15)	16 (14 to 18)	221 (1.99 to 2.42)	
Panama	14.1 (11.0 to 17.8)	-2.3% (-3.5 to -1.0)	0.08 (0.06 to 0.09)	0.14 (0.11 to 0.16)	81.4 (79.5 to 83.5)	75.5 (73.1 to 78.2)	78.3 (76.2 to 80.8)	239 (19.7 to 27.9)	1.0 (0.8 to 1.3)	3 (1 to 4)	3 (1 to 5)	0.81 (0.33 to 1.20)	
Venezuela	19.7 (14.8 to 25.8)	-0.8% (-2.2 to 0.5)	0.13 (0.11 to 0.16)	0.28 (0.23 to 0.32)	74.6 (72.3 to 76.9)	65.1 (62.2 to 68.1)	69.7 (67.0 to 72.3)	276.0 (231.0 to 326.0)	8.9 (6.6 to 11.6)	58 (52 to 64)	77 (68 to 87)	222 (2.00 to 2.43)	
Tropical Latin America	12.0 (9.9 to 14.6)	-4.8% (-5.9 to -3.7)	0.12 (0.12 to 0.12)	0.22 (0.22 to 0.23)	77.3 (77.1 to 77.6)	70.2 (69.9 to 70.4)	73.7 (73.4 to 73.9)	18500 (18300 to 18700)	41.4 (33.8 to 50.3)	184 (17.0 to 197)	426 (408 to 444)	135 (1.29 to 1.41)	
Brazil	11.9 (9.8 to 14.4)	-4.9% (-6.0 to -3.8)	0.12 (0.12 to 0.12)	0.22 (0.22 to 0.23)	77.4 (77.2 to 77.6)	70.2 (69.9 to 70.4)	73.7 (73.5 to 73.9)	18000 (17800 to 18100)	395 (324 to 47.8)	183 (169 to 197)	411 (393 to 429)	136 (1.29 to 1.42)	
Paraguay	14.7 (10.5 to 19.6)	-3.0% (-4.5 to -1.5)	0.11 (0.10 to 0.14)	0.21 (0.18 to 0.25)	75.9 (73.8 to 77.6)	69.0 (66.5 to 71.1)	72.2 (69.9 to 74.2)	50.7 (43.7 to 59.3)	1.9 (1.4 to 2.5)	1 (0 to 1)	15 (14 to 16)	1.11 (1.04 to 1.18)	
North Africa and Middle East	20.2 (17.4 to 23.3)	-4.8% (-5.5 to -4.1)	0.12 (0.11 to 0.13)	0.19 (0.18 to 0.21)	73.7 (72.6 to 74.7)	68.9 (67.8 to 70.1)	71.1 (70.0 to 72.2)	4050.0 (3730.0 to 4390.0)	243.0 (208.0 to 280.0)	67.9 (58.3 to 75.3)	934 (583 to 753)	133 (1.14 to 1.49)	
Afghanistan	48.7 (40.5 to 58.4)	-4.7% (-5.7 to -3.8)	0.33 (0.27 to 0.39)	0.42 (0.37 to 0.47)	60.7 (58.5 to 62.8)	55.9 (54.0 to 57.9)	58.2 (56.3 to 60.3)	272.0 (241.0 to 305.0)	58.0 (48.1 to 69.8)	43 (32 to 57)	50 (40 to 59)	1.01 (0.78 to 1.24)	
Algeria	16.9 (13.4 to 21.0)	-4.1% (-4.5 to -2.9)	0.10 (0.09 to 0.11)	0.15 (0.13 to 0.17)	75.4 (74.3 to 76.4)	72.1 (70.6 to 73.6)	73.6 (72.3 to 74.9)	273.0 (243.0 to 306.0)	15.5 (12.2 to 19.3)	53 (51 to 54)	79 (62 to 95)	156 (1.35 to 1.75)	
Bahrain	5.7 (4.8 to 6.7)	-3.5% (-4.4 to -2.7)	0.09 (0.08 to 0.10)	0.13 (0.11 to 0.14)	75.1 (74.1 to 76.0)	72.2 (71.1 to 73.3)	73.3 (72.3 to 74.4)	6.3 (5.6 to 7.0)	0.1 (0.1 to 0.1)	1 (1 to 1)	2 (1 to 2)	0.91 (0.75 to 1.03)	
Egypt	12.8 (10.5 to 15.7)	-6.0% (-7.1 to -4.8)	0.14 (0.12 to 0.17)	0.24 (0.20 to 0.27)	70.2 (68.7 to 71.6)	66.9 (65.0 to 68.7)	68.4 (66.7 to 70.0)	712.0 (612.0 to 823.0)	33.1 (27.1 to 40.7)	89 (58 to 121)	152 (98 to 196)	120 (0.81 to 1.55)	
Iran	5.3 (4.4 to 6.2)	-9.7% (-10.7 to -8.6)	0.09 (0.08 to 0.09)	0.17 (0.16 to 0.18)	77.2 (76.8 to 77.6)	71.9 (71.5 to 72.3)	74.4 (74.1 to 74.6)	569.0 (556.0 to 582.0)	5.6 (4.7 to 6.7)	158 (153 to 162)	205 (198 to 210)	212 (2.07 to 2.16)	
Iraq	18.8 (14.8 to 23.7)	-4.3% (-5.4 to -3.0)	0.13 (0.10 to 0.16)	0.21 (0.17 to 0.26)	73.5 (71.6 to 75.4)	67.5 (65.6 to 70.0)	70.2 (68.3 to 72.5)	233.0 (193.0 to 269.0)	15.7 (12.4 to 19.9)	60 (50 to 70)	50 (35 to 62)	1.65 (1.33 to 1.94)	
Jordan	11.5 (9.4 to 14.1)	-3.9% (-4.9 to -2.8)	0.08 (0.07 to 0.09)	0.13 (0.11 to 0.15)	77.6 (76.1 to 78.9)	74.1 (72.4 to 75.9)	75.7 (74.1 to 77.3)	45.5 (39.2 to 52.3)	25 (2.0 to 3.0)	9 (6 to 11)	15 (11 to 18)	1.01 (0.70 to 1.22)	
Kuwait	8.1 (6.6 to 9.7)	-1.7% (-2.6 to -0.7)	0.04 (0.03 to 0.04)	0.09 (0.07 to 0.10)	85.1 (84.0 to 86.2)	78.1 (76.3 to 80.0)	80.7 (79.2 to 82.3)	12.1 (10.4 to 13.9)	0.4 (0.3 to 0.5)	2 (2 to 3)	2 (1 to 3)	0.48 (0.32 to 0.62)	
Lebanon	7.7 (5.4 to 10.9)	-4.9% (-6.5 to -3.2)	0.08 (0.07 to 0.09)	0.16 (0.14 to 0.17)	78.4 (77.4 to 79.3)	72.2 (70.9 to 73.3)	75.2 (74.0 to 76.2)	49.6 (45.6 to 54.6)	0.6 (0.4 to 0.9)	8 (7 to 9)	18 (16 to 19)	286 (2.59 to 3.17)	
Libya	21.6 (16.9 to 27.0)	-0.7% (-1.9 to 0.5)	0.13 (0.11 to 0.16)	0.20 (0.17 to 0.24)	73.4 (70.9 to 75.4)	68.7 (66.0 to 71.1)	70.8 (68.2 to 73.1)	46.3 (38.9 to 55.7)	1.8 (1.4 to 2.2)	6 (5 to 7)	10 (8 to 12)	124 (0.99 to 1.48)	
Morocco	14.8 (12.1 to 17.8)	-5.9% (-6.9 to -4.8)	0.13 (0.10 to 0.16)	0.16 (0.13 to 0.19)	73.9 (72.2 to 75.8)	70.9 (69.4 to 72.9)	72.3 (70.7 to 74.3)	286.0 (241.0 to 318.0)	9.5 (7.7 to 11.4)	52 (41 to 62)	46 (36 to 57)	141 (1.15 to 1.68)	

(Table 1 continues on next page)

	Under-5 mortality in 2021 (deaths per 1000)	Annualised rate of change, 2000–21	Probability of death between ages 15 and 59 years, 2021	Life expectancy at birth in 2021 (years)			Total deaths in 2021 (thousands)	Total deaths in among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2020 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess mortality rate due to COVID-19, 2020–21 (deaths per 1,000)
	Mortality rate in 2021 (deaths per 1000)	Females	Males	Females	Males	Both sexes					
(Continued from previous page)											
Oman	9·1 (8·0 to 10·2)	-2·5% (-3·1 to -1·8)	0·09 (0·08 to 0·10)	0·16 (0·15 to 0·18)	76·3 (75·1 to 77·4)	70·5 (69·1 to 71·7)	72·7 (71·4 to 73·9)	17·0 (15·3 to 19·0)	0·7 (0·6 to 0·8)	3 (3 to 4)	6 (5 to 6) (0·98 to 1·11)
Palestine	10·8 (8·6 to 13·9)	-4·6% (-5·8 to -3·4)	0·08 (0·07 to 0·09)	0·15 (0·13 to 0·17)	76·2 (75·2 to 77·2)	71·5 (70·3 to 72·8)	73·8 (72·6 to 74·9)	19·5 (17·5 to 21·6)	1·3 (1·0 to 1·7)	1 (0 to 2)	4 (3 to 5) (0·34 to 0·66)
Qatar	3·6 (2·9 to 4·6)	-5·2% (-6·3 to -4·2)	0·05 (0·04 to 0·06)	0·09 (0·07 to 0·11)	79·2 (77·6 to 80·7)	76·1 (74·2 to 77·9)	77·2 (75·4 to 78·9)	5·1 (4·2 to 6·0)	0·1 (0·1 to 0·2)	1 (1 to 1)	1 (0·23 to 0·37) (0·31)
Saudi Arabia	4·2 (3·2 to 5·3)	-8·2% (-9·7 to -6·8)	0·14 (0·11 to 0·17)	0·19 (0·16 to 0·23)	75·1 (72·9 to 77·2)	71·8 (71·1 to 73·6)	73·1 (71·1 to 75·0)	15·6·0 (12·9 to 18·7)	2·0 (1·5 to 2·5)	15 (12 to 18)	12 (8 to 17) (0·29 to 0·46)
Sudan	36·8 (29·5 to 45·0)	-5·0% (-6·4 to -4·0)	0·16 (0·13 to 0·20)	0·22 (0·17 to 0·27)	70·1 (67·2 to 72·7)	66·3 (63·1 to 69·3)	68·0 (64·9 to 70·8)	246·0 (200 to 300·0)	42·5 (33·9 to 52·1)	37 (27 to 46)	48 (26 to 72) (0·69 to 1·50)
Syria	10·0 (8·0 to 12·4)	-2·9% (-3·9 to -1·8)	0·10 (0·08 to 0·13)	0·19 (0·15 to 0·23)	74·7 (72·5 to 76·6)	70·1 (67·5 to 72·4)	72·4 (69·9 to 74·6)	104·0 (85·4 to 128·0)	2·0 (1·6 to 2·5)	7 (5 to 8)	16 (11 to 22) (0·38 to 0·69)
Tunisia	10·3 (8·4 to 12·5)	-5·2% (-6·2 to -4·1)	0·09 (0·07 to 0·11)	0·17 (0·14 to 0·21)	77·1 (75·1 to 79·0)	70·8 (68·5 to 73·1)	73·7 (71·5 to 75·9)	103·0 (84·9 to 124·0)	1·7 (1·4 to 2·1)	8 (1 to 15)	34 (26 to 42) (1·14 to 2·54)
Türkiye	11·1 (9·1 to 13·4)	-6·3% (-7·3 to -5·3)	0·07 (0·06 to 0·08)	0·14 (0·12 to 0·17)	78·3 (77·0 to 79·5)	72·3 (70·7 to 74·0)	75·2 (73·7 to 76·7)	104·0 (56·6 to 74·4)	11·4 (9·3 to 13·7)	111 (83 to 135)	144 (107 to 172) (1·21 to 1·87)
United Arab Emirates	4·8 (4·1 to 5·7)	-4·2% (-5·1 to -3·5)	0·06 (0·05 to 0·07)	0·09 (0·07 to 0·10)	71·5 (70·8 to 72·3)	77·5 (73·6 to 76·6)	75·0 (75·7 to 79·6)	20·1 (15·9 to 23·7)	0·4 (0·3 to 0·4)	-2 (-7 to 2)	4 (0 to 5) (0·24 to 0·61)
Yemen	38·9 (32·0 to 46·5)	-4·1% (-5·1 to -3·2)	0·18 (0·14 to 0·23)	0·29 (0·24 to 0·35)	68·5 (65·5 to 70·9)	62·4 (59·4 to 65·2)	65·3 (62·2 to 67·9)	216·0 (181 to 263·0)	37·8 (30·9 to 45·3)	19 (15 to 22)	37 (15 to 65) (0·50 to 1·29)
South Asia	37·1 (31·4 to 44·2)	-3·6% (-4·5 to -2·7)	0·15 (0·14 to 0·17)	0·23 (0·21 to 0·25)	70·8 (69·8 to 71·8)	66·4 (65·4 to 67·4)	68·5 (69·3)	14·800·0 (14·000 to 16·000)	118·0·0 (99·5 to 141·0)	16·10 (15·00 to 17·10)	2830 (2710 to 2960) (1·24 to 1·32)
Bangladesh	28·0 (22·5 to 34·6)	-5·3% (-6·4 to -4·2)	0·11 (0·09 to 0·13)	0·16 (0·14 to 0·19)	74·1 (72·0 to 76·1)	70·6 (68·3 to 72·8)	72·3 (70·0 to 74·3)	1100·0 (929·0 to 1280·0)	79·2 (63·4 to 98·0)	152 (127 to 208)	180 (154 to 219) (0·92 to 1·37)
Bhutan	29·3 (22·8 to 36·6)	-5·2% (-6·4 to -3·9)	0·10 (0·08 to 0·12)	0·13 (0·10 to 0·16)	74·9 (72·6 to 77·3)	72·7 (70·2 to 75·2)	73·7 (71·3 to 76·2)	4·4 (3·7 to 5·2)	0·4 (0·3 to 0·5)	0 (0 to 0)	0 (0 to 0) (0·09)
India	33·1 (26·9 to 40·8)	-4·0% (-5·2 to -2·8)	0·15 (0·14 to 0·17)	0·23 (0·21 to 0·25)	71·2 (70·2 to 72·4)	66·6 (65·4 to 67·7)	68·7 (67·8 to 69·6)	1170·0 (11100 to 12500)	730·0 (590 to 902)	1170 (1100 to 1240)	2270 (2160 to 2370) (1·26 to 1·33)
Nepal	28·4 (22·0 to 36·4)	-5·1% (-6·3 to -3·8)	0·15 (0·13 to 0·18)	0·24 (0·21 to 0·27)	70·8 (68·8 to 72·4)	66·1 (64·1 to 67·8)	68·4 (66·4 to 70·1)	252·0 (224 to 290·0)	18·2 (14·0 to 23·4)	29 (22 to 32)	62 (58 to 70) (1·39 to 1·59)
Pakistan	56·3 (46·2 to 68·0)	-2·2% (-3·2 to -1·2)	0·19 (0·15 to 0·24)	0·25 (0·20 to 0·30)	66·4 (63·8 to 68·8)	63·8 (63·1 to 66·1)	65·0 (63·1 to 66·9)	1720·0 (1520 to 1940)	353·0 (288 to 428)	254 (236 to 271)	311 (288 to 385) (1·15 to 1·48)

(Table 1 continues on next page)

Under-5 mortality	Probability of death between ages 15 and 59 years, 2021	Life expectancy at birth in 2021 (years)				Total deaths in 2021 (thousands)	Total deaths among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2020 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess mortality rate due to COVID-19 in 2020–21 (deaths per 1000)
		Females	Males	Females	Males					
(Continued from previous page)										
Southeast Asia, east Asia, and Oceania	14·6 (12·6 to 17·0) -5·1% (-5·8 to -4·4)	0·08 (0·07 to 0·09)	0·15 (0·13 to 0·17)	78·6 (77·2 to 80·0)	72·5 (70·9 to 74·1)	75·4 (74·1 to 76·6)	17 800·0 (15 900 to 19 900)	3520 (302 to 411)	165 (-39 to 334) (424 to 1490)	869 (0·09 to 0·44)
East Asia	7·3 (6·2 to 8·6) -7·9% (-8·9 to -6·9)	0·06 (0·04 to 0·07)	0·12 (0·09 to 0·15)	80·7 (78·9 to 82·5)	74·8 (72·7 to 77·0)	77·6 (76·0 to 79·1)	12 100·0 (10 400 to 14 000)	900 (76·2 to 107·0)	55 (-6 to 292) (-14 to 72)	12 (0·02 to 0·12)
China	7·2 (6·1 to 8·6) -7·7% (-8·5 to -6·8)	0·05 (0·04 to 0·07)	0·12 (0·09 to 0·14)	80·7 (78·9 to 82·6)	74·9 (72·7 to 77·1)	77·6 (76·0 to 79·2)	11 700·0 (9980 to 13 600)	861 (72·3 to 102·0)	59 (3 to 283) (-2 to 55)	11 (0·02 to 0·12)
North Korea	10·5 (7·8 to 13·9) -10·9% (-15·4 to -7·3)	0·12 (0·09 to 0·15)	0·20 (0·16 to 0·25)	76·2 (73·6 to 78·5)	70·1 (67·8 to 72·5)	73·3 (70·7 to 75·7)	242·0 (202 to 288)	31 (2·3 to 41)	1 (0·5) (0 to 1)	0 (0·02 to 0·12)
Taiwan (province of China)	4·6 (4·1 to 5·2) -2·7% (-3·4 to -2·1)	0·05 (0·05 to 0·05)	0·12 (0·12 to 0·12)	84·6 (84·4 to 84·8)	78·1 (77·9 to 78·2)	81·3 (81·1 to 81·4)	184·0 (182 to 186)	0·7 (0·7 to 0·8)	-6 (−15 to 4) (-18 to 16)	1 (−0·11 to 0·43)
Oceania	47·1 (38·9 to 56·1) -1·2% (-2·2 to -0·2)	0·21 (0·18 to 0·26)	0·29 (0·24 to 0·35)	66·6 (64·2 to 69·0)	62·5 (59·4 to 65·6)	64·4 (61·6 to 67·1)	108·0 (89·4 to 131·0)	19·8 (16·3 to 23·7)	1 (0·3) (0 to 3)	16 (4 to 34) (0·17 to 1·47)
American Samoa	12·1 (9·4 to 15·5) -0·9% (-2·3 to 0·4)	0·16 (0·13 to 0·19)	0·23 (0·19 to 0·27)	72·8 (70·6 to 74·9)	69·3 (67·0 to 71·2)	71·0 (68·7 to 72·9)	0·4 (0·4 to 0·5)	0 (0 to 0)	0 (0 to 0)	0 (0·00 to 0·00)
Cook Islands	5·4 (5·4 to 5·5) -4·4% (-5·4 to -3·4)	0·08 (0·07 to 0·10)	0·18 (0·15 to 0·22)	79·6 (77·6 to 81·6)	72·9 (70·9 to 74·7)	76·1 (74·2 to 78·0)	0·2 (0·1 to 0·2)	0 (0 to 0)	0 (0 to 0)	0 (0·00 to 0·00)
Federated States of Micronesia	15·4 (12·2 to 19·1) -4·1% (-5·2 to -2·9)	0·21 (0·16 to 0·27)	0·32 (0·26 to 0·40)	69·7 (66·6 to 72·4)	64·5 (61·1 to 67·5)	67·0 (63·6 to 69·9)	0·8 (0·7 to 1·0)	0 (0 to 0)	0 (0 to 0)	0 (0·00 to 0·00)
Fiji	19·3 (14·6 to 25·2) -1·4% (-2·9 to 0·3)	0·21 (0·16 to 0·26)	0·31 (0·23 to 0·38)	68·8 (65·8 to 71·9)	63·8 (60·4 to 67·4)	66·1 (62·9 to 69·6)	9·4 (7·2 to 12·0)	0·3 (0·3 to 0·5)	0 (0 to 0)	2 (0 to 4) (0·27 to 2·36)
Guam	12·0 (9·6 to 14·9) 0·1% (-1·0 to 1·3)	0·11 (0·10 to 0·12)	0·21 (0·19 to 0·23)	82·9 (81·2 to 84·7)	73·5 (71·7 to 75·5)	77·9 (76·2 to 79·8)	1·2 (1·0 to 1·3)	0 (0 to 0)	0 (0 to 0)	0 (0·65 to 1·48)
Kiribati	36·4 (29·6 to 44·7) -2·6% (-3·6 to -1·5)	0·22 (0·17 to 0·28)	0·36 (0·30 to 0·44)	67·0 (64·1 to 69·5)	61·1 (57·8 to 64·0)	64·1 (60·9 to 66·8)	1·0 (0·8 to 1·2)	0·1 (0·1 to 0·1)	0 (0 to 0)	0 (0·00 to 0·00)
Marshall Islands	19·9 (15·3 to 26·2) -3·1% (-4·4 to -1·7)	0·26 (0·21 to 0·33)	0·34 (0·28 to 0·41)	66·8 (63·5 to 69·6)	63·4 (59·8 to 66·5)	65·0 (61·5 to 68·1)	0·4 (0·4 to 0·6)	0 (0 to 0)	0 (0 to 0)	0 (0·00 to 0·00)
Nauru	24·5 (18·2 to 33·0) -3·1% (-4·5 to -1·6)	0·28 (0·22 to 0·34)	0·43 (0·37 to 0·51)	65·7 (62·3 to 68·7)	59·2 (55·8 to 62·4)	62·3 (58·8 to 65·4)	0·1 (0·1 to 0·1)	0 (0 to 0)	0 (0 to 0)	0 (0·00 to 0·00)
Niue	51·1 (51·0 to 52·5) 2·8% (1·8 to 3·7)	0·15 (0·12 to 0·18)	0·23 (0·19 to 0·29)	69·2 (67·6 to 71·1)	65·1 (62·9 to 66·8)	67·1 (65·1 to 69·0)	0·0 (0·0 to 0·0)	0 (0 to 0)	0 (0 to 0)	0 (0·00 to 0·00)
Northern Mariana Islands	6·2 (5·0 to 7·4) -0·7% (-1·6 to 0·1)	0·13 (0·11 to 0·15)	0·22 (0·18 to 0·25)	75·0 (73·8 to 77·1)	69·5 (68·1 to 71·9)	72·0 (70·7 to 74·2)	0·4 (0·3 to 0·4)	0 (0 to 0)	0 (0 to 0)	0 (0·38 to 1·39)
Palau	16·9 (13·9 to 20·8) -1·5% (-2·7 to -0·4)	0·15 (0·12 to 0·19)	0·28 (0·23 to 0·33)	70·5 (68·2 to 72·6)	67·7 (64·9 to 70·5)	68·7 (66·1 to 71·1)	0·2 (0·2 to 0·2)	0 (0 to 0)	0 (0 to 0)	0 (0·00 to 0·00)

(Table 1 continues on next page)

Under-5 mortality		Probability of death between ages 15 and 59 years, 2021		Life expectancy at birth in 2021 (years)		Total deaths in 2021 (thousands)		Total deaths among children younger than 5 years in 2021 (thousands)		Excess deaths due to COVID-19 in 2020–21 (thousands)		Excess mortality rate due to COVID-19 in 2020–21 (deaths per 1000)	
Mortality rate in 2021 (deaths per 1000)	Annualised rate of change, 2000–21	Females	Males	Females	Males	Both sexes							
(Continued from previous page)													
Papua New Guinea	52·7 (43·5 to 62·8)	-1·4% (-2·5 to -0·4)	0·22 (0·18 to 0·27)	65·5 (62·8 to 68·3)	61·9 (58·4 to 65·4)	63·5 (60·3 to 66·7)	80·7 (65·2 to 99·6)	17·6 (14·5 to 21·1)	1 (0 to 2)	13 (3 to 29)	0·75 (0·18 to 1·62)		
Samoa	13·0 (10·1 to 16·6)	-2·4% (-3·8 to -0·9)	0·17 (0·14 to 0·21)	0·22 (0·18 to 0·27)	71·9 (69·5 to 74·2)	69·6 (67·2 to 71·5)	70·7 (68·3 to 72·8)	1·4 (1·2 to 1·6)	0·1 (0 to 0·1)	0 (0 to 0)	0 (0·0 to 0·0)		
Solomon Islands	19·5 (15·6 to 24·2)	-2·7% (-3·9 to -1·5)	0·23 (0·18 to 0·29)	0·33 (0·27 to 0·41)	68·4 (65·2 to 71·1)	63·7 (60·3 to 66·5)	65·9 (62·6 to 68·7)	4·6 (3·7 to 5·7)	0·4 (0·3 to 0·5)	0 (0 to 0)	0 (0·0 to 0·0)		
Tokelau	64·0 (64·0 to 64·0)	5·3% (4·1 to 6·3)	0·17 (0·14 to 0·20)	0·19 (0·15 to 0·24)	67·8 (65·6 to 70·0)	67·1 (65·1 to 69·0)	67·5 (65·3 to 69·5)	0·0 (0 to 0·0)	0·0 (0 to 0)	0 (0 to 0)	0 (0·0 to 0·0)		
Tonga	11·7 (9·0 to 14·9)	-2·8% (-4·2 to -1·4)	0·33 (0·10 to 0·16)	0·20 (0·16 to 0·25)	75·7 (72·9 to 78·2)	70·6 (70·4 to 73·1)	70·6 (67·9 to 73·1)	0·7 (0·6 to 0·8)	0·0 (0 to 0)	0 (0 to 0)	0 (0·0 to 0·0)		
Tuvalu	17·3 (13·2 to 22·5)	-5·4% (-6·8 to -4·0)	0·19 (0·15 to 0·24)	0·29 (0·23 to 0·35)	70·6 (67·8 to 73·2)	65·8 (62·7 to 68·7)	68·0 (65·7 to 70·1)	0·1 (0 to 0·1)	0·0 (0 to 0)	0 (0 to 0)	0 (0·0 to 0·0)		
Vanuatu	20·7 (16·3 to 26·6)	-2·5% (-3·8 to -1·2)	0·20 (0·17 to 0·24)	0·35 (0·30 to 0·41)	69·4 (67·3 to 71·3)	62·5 (62·7 to 69·7)	65·7 (63·3 to 67·8)	2·3 (1·9 to 2·7)	0·2 (0 to 0)	0 (0 to 0)	0 (0·1 to 0·87)		
Southeast Asia	21·5 (18·2 to 25·4)	-3·9% (-4·7 to -3·1)	0·12 (0·11 to 0·14)	0·22 (0·19 to 0·25)	74·3 (72·7 to 75·8)	67·9 (66·1 to 69·7)	71·0 (69·4 to 72·5)	5510·0 (4870·0 to 5140·0)	2430 (2050 to 2870)	109 (33 to 304)	841 (428 to 1410)		
Cambodia	30·7 (25·5 to 37·4)	-5·3% (-6·2 to -4·3)	0·15 (0·12 to 0·19)	0·25 (0·20 to 0·31)	71·0 (68·2 to 73·6)	65·2 (62·3 to 68·2)	68·2 (65·3 to 71·0)	129·0 (104 to 156)	11·0 (9·1 to 13·4)	0 (0 to 0)	14 (4 to 27)		
Indonesia	24·1 (19·5 to 29·5)	-3·8% (-4·9 to -2·8)	0·14 (0·11 to 0·18)	0·21 (0·16 to 0·27)	72·0 (69·6 to 74·3)	67·3 (64·4 to 70·3)	69·5 (67·3 to 71·9)	2200·0 (1790 to 2630)	107·0 (86·1 to 130·0)	133 (47 to 271)	364 (124 to 717)		
Laos	40·2 (31·3 to 50·3)	-5·2% (-6·4 to -3·9)	0·15 (0·12 to 0·19)	0·23 (0·19 to 0·29)	70·4 (67·4 to 73·2)	65·4 (62·2 to 68·7)	67·8 (64·6 to 70·9)	51·0 (40·9 to 62·3)	7·0 (5·4 to 8·8)	0 (0 to 0)	5 (2 to 11)		
Malaysia	6·2 (5·6 to 7·0)	-1·8% (-2·4 to -1·2)	0·11 (0·11 to 0·12)	0·20 (0·19 to 0·22)	75·7 (75·2 to 76·2)	70·4 (69·5 to 71·1)	72·9 (72·1 to 73·4)	224·0 (214 to 240)	3·0 (27·7 to 34)	-15 (27·7 to 6)	37 (19 to 52)		
Maldives	12·5 (10·1 to 15·6)	-4·4% (-5·6 to -3·2)	0·05 (0·04 to 0·06)	0·08 (0·06 to 0·10)	81·2 (79·7 to 82·6)	78·1 (76·1 to 80·0)	77·6 (77·6 to 81·1)	1·4 (1·4 to 1·9)	0·1 (0 to 0·1)	0 (0 to 0)	0 (0 to 0)		
Mauritius	12·6 (10·5 to 14·3)	-1·5% (-2·4 to -0·7)	0·11 (0·10 to 0·12)	0·21 (0·19 to 0·22)	76·9 (76·1 to 78·1)	70·1 (69·1 to 71·6)	73·4 (72·5 to 74·8)	13·2 (11·9 to 14·3)	0·2 (0 to 0·2)	0 (1 to 0)	2 (0 to 3)		
Myanmar	39·2 (31·7 to 49·3)	-4·8% (-5·9 to -3·7)	0·14 (0·12 to 0·18)	0·26 (0·21 to 0·32)	71·2 (68·7 to 73·5)	64·1 (61·3 to 66·9)	67·6 (64·9 to 70·2)	511·0 (423 to 620)	42·1 (33·9 to 53·2)	17 (6 to 34)	66 (21 to 134)		
Philippines	21·0 (17·3 to 25·3)	-2·6% (-3·7 to -1·5)	0·15 (0·13 to 0·18)	0·28 (0·24 to 0·32)	72·2 (70·6 to 73·8)	64·8 (63·0 to 66·7)	68·3 (66·9 to 69·5)	880·0 (799 to 968)	47·6 (39·3 to 57·6)	-17 (19 to -16)	229 (6 to 34)		
Seychelles	13·3 (10·8 to 16·4)	-0·6% (-1·1 to 1·1)	0·11 (0·09 to 0·12)	0·20 (0·18 to 0·21)	76·5 (75·5 to 77·4)	70·8 (69·9 to 71·7)	73·4 (72·5 to 74·3)	0·9 (0·8 to 0·9)	0·0 (0 to 0)	0 (0 to 0)	0 (0·31 to 0·36)		
Sri Lanka	6·0 (4·6 to 7·7)	-4·9% (-6·1 to -3·6)	0·07 (0·04 to 0·09)	0·16 (0·11 to 0·21)	79·7 (76·8 to 83·1)	76·6 (69·6 to 78·1)	73·4 (73·2 to 80·5)	158·0 (110 to 209)	1·8 (1·4 to 2·3)	-10 (5·4 to 23)	18 (-19 to 48)		

(Table 1 continues on next page)

Under-5 mortality	Probability of death between ages 15 and 59 years, 2021	Life expectancy at birth in 2021 (years)				Total deaths in 2021 (thousands)	Total deaths among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess mortality rate due to COVID-19 in 2020–21, (deaths per 1000)	
		Mortality rate in 2021 (deaths per 1000)	Annualised rate of change, 2000–21	Females	Males					
(Continued from previous page)										
Thailand	7.4 (6.5 to 8.3)	-4.2% (-5.1 to -3.2)	0.09 (0.07 to 0.11)	0.21 (0.17 to 0.25)	80.3 (77.8 to 82.6)	72.4 (69.1 to 75.8)	76.3 (73.5 to 79.1)	626.0 (499.0 to 766.0)	4.0 (3.5 to 4.5)	1 (0 to 2)
Timor-Leste	35.2 (29.0 to 42.7)	-4.1% (-5.1 to -3.1)	0.16 (0.12 to 0.19)	0.21 (0.17 to 0.26)	70.5 (68.2 to 72.8)	66.9 (64.2 to 69.6)	68.6 (66.1 to 71.0)	9.5 (7.9 to 11.4)	1.4 (1.2 to 1.7)	0 (0 to 0)
Viet Nam	11.1 (8.7 to 14.3)	-4.4% (-5.6 to -3.2)	0.08 (0.06 to 0.10)	0.19 (0.16 to 0.24)	78.3 (76.5 to 80.3)	69.9 (68.0 to 72.0)	74.0 (72.1 to 76.1)	701.0 (587.0 to 813.0)	17.5 (13.7 to 22.5)	1 (0 to 1)
Sub-Saharan Africa	70.7 (59.7 to 84.0)	-3.5% (-4.3 to -2.7)	0.24 (0.22 to 0.26)	0.34 (0.32 to 0.37)	64.1 (62.4 to 65.5)	58.7 (56.8 to 60.3)	61.3 (59.5 to 62.7)	9430.0 (8620.0 to 10500.0)	2630.0 (2210.0 to 3140.0)	805 (747 to 864)
Central sub-Saharan Africa	58.3 (49.7 to 68.9)	-4.6% (-5.4 to -3.8)	0.25 (0.22 to 0.29)	0.37 (0.33 to 0.41)	63.8 (61.5 to 66.0)	58.4 (56.1 to 60.5)	61.0 (58.7 to 63.1)	1090.0 (953.0 to 1250.0)	250.0 (220.0 to 307.0)	94 (84 to 104)
Angola	54.7 (45.7 to 65.1)	-5.3% (-6.3 to -4.5)	0.27 (0.22 to 0.32)	0.37 (0.32 to 0.43)	63.7 (60.8 to 66.6)	58.4 (55.6 to 61.1)	61.0 (58.2 to 63.7)	250.0 (208.0 to 296.0)	65.3 (54.3 to 78.0)	15 (13 to 18)
Central African Republic	110.0 (89.2 to 136.0)	-2.4% (-3.4 to -1.3)	0.39 (0.33 to 0.47)	0.57 (0.50 to 0.65)	55.2 (51.2 to 58.6)	48.2 (44.5 to 51.7)	51.4 (47.6 to 54.9)	73.7 (60.8 to 89.4)	20.6 (16.6 to 25.8)	9 (6 to 12)
Congo (Brazzaville)	39.2 (32.4 to 47.3)	-4.6% (-5.7 to -3.6)	0.31 (0.25 to 0.37)	0.35 (0.29 to 0.42)	63.1 (60.4 to 65.6)	60.6 (58.1 to 62.9)	61.8 (59.2 to 64.2)	46.3 (39.6 to 54.4)	5.0 (4.2 to 6.1)	5 (4 to 6)
Democratic Republic of the Congo	57.8 (48.3 to 71.4)	-4.6% (-5.5 to -3.6)	0.23 (0.19 to 0.28)	0.35 (0.30 to 0.40)	64.5 (62.3 to 67.0)	59.0 (56.6 to 61.4)	61.6 (59.3 to 64.1)	698.0 (595.0 to 802.0)	165.0 (137.0 to 204.0)	61 (55 to 67)
Equatorial Guinea	46.3 (34.6 to 62.3)	-4.6% (-6.0 to -3.1)	0.29 (0.22 to 0.38)	0.37 (0.30 to 0.45)	63.7 (58.9 to 67.7)	59.3 (53.3 to 62.9)	61.5 (57.2 to 65.3)	105 (82.0 to 13.6)	1.8 (1.3 to 2.4)	1 (1.0 to 2)
Gabon	32.5 (23.6 to 44.5)	-3.7% (-5.1 to -2.1)	0.23 (0.19 to 0.29)	0.35 (0.29 to 0.41)	67.3 (64.0 to 70.2)	60.9 (57.8 to 63.6)	63.9 (60.6 to 66.7)	15.5 (12.9 to 18.7)	1.4 (1.0 to 1.9)	2 (2 to 2)
Eastern sub-Saharan Africa	57.9 (47.4 to 71.6)	-4.0% (-5.0 to -3.0)	0.24 (0.22 to 0.26)	0.36 (0.33 to 0.38)	64.5 (62.9 to 66.0)	58.9 (57.2 to 60.4)	61.5 (59.8 to 63.0)	3330.0 (3040.0 to 3700.0)	787.0 (640.0 to 978.0)	282 (259 to 305)
Burundi	63.9 (50.0 to 82.0)	-4.3% (-5.4 to -3.1)	0.22 (0.19 to 0.26)	0.32 (0.27 to 0.36)	64.9 (62.6 to 67.2)	60.0 (57.7 to 62.3)	62.2 (59.9 to 64.4)	97.4 (84.8 to 112.0)	29.6 (23.0 to 38.3)	4 (4 to 5)
Comoros	48.0 (39.0 to 58.9)	-3.7% (-4.7 to -2.6)	0.18 (0.14 to 0.22)	0.24 (0.20 to 0.28)	68.2 (65.8 to 70.2)	64.8 (64.2 to 66.9)	66.5 (64.2 to 68.5)	5.9 (5.1 to 6.8)	0.8 (0.7 to 1.0)	0 (0 to 0)
Djibouti	37.2 (30.1 to 45.6)	-4.1% (-5.1 to -3.0)	0.23 (0.18 to 0.29)	0.31 (0.26 to 0.38)	67.0 (63.4 to 70.0)	62.3 (59.0 to 65.1)	64.3 (60.9 to 67.2)	9.3 (7.5 to 11.6)	1.1 (0.9 to 1.4)	1 (1 to 2)
Eritrea	45.5 (34.4 to 60.3)	-3.5% (-4.9 to -2.2)	0.25 (0.20 to 0.31)	0.38 (0.32 to 0.46)	64.8 (61.5 to 67.8)	58.7 (55.2 to 61.7)	61.7 (58.3 to 64.7)	50.8 (41.6 to 62.3)	8.8 (6.6 to 11.7)	1 (1 to 2)
Ethiopia	52.2 (41.8 to 65.1)	-4.8% (-5.8 to -3.7)	0.19 (0.17 to 0.22)	0.28 (0.25 to 0.32)	67.5 (65.7 to 69.2)	62.0 (60.3 to 63.7)	64.5 (63.1 to 65.8)	737.0 (678.0 to 805.0)	180.0 (143.0 to 225.0)	72 (67 to 78)

(Table 1 continues on next page)

Under-5 mortality in 2021 (deaths per 1000)	Mortality rate in 2021 (deaths per 1000)	Probability of death between ages 15 and 59 years, 2021		Life expectancy at birth in 2021 (years)		Total deaths in 2021 (thousands)	Total deaths among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2020 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess mortality rate due to COVID-19, 2020–21 (deaths per 1000)
		Females	Males	Females	Males					
(Continued from previous page)										
Kenya	36·6 (29·7 to 44·7)	-4·0% (-5·1 to -3·0)	0·22 (0·20 to 0·26)	0·35 (0·31 to 0·39)	67·2 (65·2 to 68·9)	61·0 (59·4 to 62·6)	63·9 (62·5 to 65·2)	357·0 (326·0 to 390·0)	437·7 (353·0 to 535)	56 (51 to 61) (77 to 94)
Madagascar	57·6 (46·2 to 72·4)	-3·1% (-4·2 to -2·0)	0·25 (0·20 to 0·30)	0·31 (0·27 to 0·37)	63·9 (61·7 to 66·2)	60·5 (58·2 to 63·0)	62·1 (59·9 to 64·5)	206·0 (177·0 to 237·0)	48·9 (39·0 to 62·0)	24 (22 to 26) (28 to 37)
Malawi	52·1 (43·0 to 62·7)	-5·4% (-6·4 to -4·5)	0·31 (0·27 to 0·36)	0·46 (0·41 to 0·50)	62·1 (59·5 to 64·5)	55·8 (53·7 to 57·7)	58·7 (56·7 to 60·6)	173·0 (154·0 to 196·0)	29·6 (24·3 to 35·8)	8 (7 to 9) (38 to 48)
Mozambique	62·2 (49·4 to 79·3)	-4·5% (-5·7 to -3·3)	0·33 (0·28 to 0·38)	0·50 (0·45 to 0·56)	59·9 (57·4 to 62·4)	53·4 (51·0 to 55·5)	56·4 (54·0 to 58·6)	307·0 (268·0 to 350·0)	68·5 (54·0 to 88·1)	9 (5 to 13) (42 to 64)
Rwanda	41·4 (33·7 to 49·8)	-5·9% (-6·9 to -4·9)	0·21 (0·17 to 0·24)	0·30 (0·26 to 0·34)	67·5 (65·2 to 69·7)	62·3 (60·0 to 64·3)	65·0 (62·7 to 67·1)	92·1 (79·4 to 107·0)	15·1 (12·3 to 18·3)	2 (2 to 3) (16 to 22)
Somalia	92·3 (75·9 to 112·0)	-2·6% (-3·5 to -1·6)	0·36 (0·30 to 0·43)	0·53 (0·45 to 0·61)	56·9 (53·6 to 59·9)	50·7 (47·1 to 54·0)	53·6 (50·1 to 56·9)	238·0 (197·0 to 288·0)	86·0 (70·2 to 106·0)	25 (20 to 29) (30 to 54)
South Sudan	129·0 (103·0 to 159·0)	-0·8% (-1·8 to 0·3)	0·28 (0·22 to 0·35)	0·40 (0·33 to 0·48)	58·1 (53·6 to 62·0)	52·6 (47·9 to 56·7)	55·0 (50·5 to 59·1)	115·0 (92·3 to 144·0)	47·5 (37·6 to 59·9)	10 (8 to 11) (12 to 16)
Tanzania	52·4 (42·4 to 65·6)	-4·2% (-5·2 to -3·1)	0·23 (0·19 to 0·26)	0·31 (0·28 to 0·35)	65·9 (63·8 to 67·8)	61·3 (59·2 to 63·1)	63·5 (61·4 to 65·3)	440·0 (390·0 to 498·0)	101·0 (78·6 to 131·0)	38 (35 to 42) (80 to 95)
Uganda	64·6 (50·6 to 83·0)	-3·6% (-4·8 to -2·4)	0·23 (0·19 to 0·27)	0·38 (0·32 to 0·43)	64·9 (62·2 to 67·3)	57·8 (55·3 to 60·3)	61·2 (58·7 to 63·7)	329·0 (283·0 to 382·0)	98·2 (79·1 to 123·0)	16 (11 to 18) (36 to 70)
Zambia	46·1 (36·5 to 58·1)	-5·4% (-6·5 to -4·2)	0·33 (0·28 to 0·38)	0·47 (0·40 to 0·53)	61·4 (58·4 to 64·2)	55·8 (53·0 to 58·6)	58·3 (55·4 to 61·0)	175·0 (145·0 to 207·0)	27·9 (21·9 to 35·4)	14 (11 to 16) (36 to 63)
Southern sub-Saharan Africa	43·6 (36·2 to 53·2)	-2·8% (-3·7 to -1·8)	0·31 (0·30 to 0·33)	0·47 (0·45 to 0·49)	63·0 (61·8 to 63·9)	55·9 (54·7 to 57·0)	59·3 (58·2 to 60·3)	1040·0 (989·0 to 1090·0)	71·4 (59·0 to 87·7)	155 (152 to 158) (281 to 311)
Botswana	40·6 (30·3 to 53·9)	-2·8% (-4·1 to -1·4)	0·32 (0·27 to 0·36)	0·45 (0·40 to 0·51)	62·9 (60·9 to 65·0)	57·0 (55·0 to 58·9)	59·7 (58·0 to 61·6)	28·1 (24·7 to 31·3)	2·0 (1·5 to 2·6) (1 to 1)	1 (1 to 12) (7 to 12)
Eswatini	42·1 (33·4 to 53·8)	-3·9% (-5·0 to -2·7)	0·46 (0·39 to 0·54)	0·66 (0·59 to 0·73)	56·1 (53·0 to 59·2)	49·5 (46·9 to 52·2)	52·5 (49·6 to 55·5)	17·6 (14·6 to 20·9)	1·2 (1·0 to 1·6) (2 to 3)	2 (2 to 7) (4 to 7)
Lesotho	78·8 (64·6 to 94·5)	-1·0% (-2·0 to -0·1)	0·53 (0·46 to 0·60)	0·73 (0·67 to 0·78)	52·1 (49·7 to 54·6)	45·3 (43·5 to 47·2)	48·5 (46·5 to 50·5)	37·9 (33·0 to 42·9)	3·4 (2·7 to 4·1) (3 to 3)	3 (3 to 3) (9 to 13)
Namibia	33·4 (26·1 to 43·0)	-3·3% (-4·4 to -2·0)	0·29 (0·25 to 0·35)	0·47 (0·41 to 0·53)	64·0 (61·3 to 66·5)	56·5 (53·8 to 58·9)	60·1 (57·4 to 62·5)	26·8 (22·9 to 31·4)	1·9 (1·5 to 2·5) (2 to 2)	2 (1 to 2) (7 to 10)
South Africa	38·6 (31·9 to 47·1)	-3·3% (-4·2 to -2·3)	0·28 (0·27 to 0·30)	0·44 (0·42 to 0·46)	64·8 (64·0 to 65·5)	57·4 (56·6 to 58·3)	61·0 (60·3 to 61·6)	73·0 (71·2 to 75·4)	38·4 (31·6 to 47·1)	11 (10 to 13) (130 to 130)
Zimbabwe	52·7 (43·6 to 64·5)	-1·9% (-2·9 to -0·9)	0·41 (0·36 to 0·47)	0·56 (0·51 to 0·62)	58·0 (55·5 to 60·4)	52·2 (49·7 to 54·5)	55·0 (52·5 to 57·3)	193·0 (167·0 to 222·0)	24·6 (20·2 to 30·2)	16 (14 to 18) (45 to 67)
Western sub-Saharan Africa	86·3 (73·5 to 101·0)	-3·2% (-3·9 to -2·5)	0·21 (0·18 to 0·23)	0·29 (0·26 to 0·32)	64·5 (62·5 to 66·3)	59·9 (57·6 to 61·9)	62·1 (59·9 to 63·8)	397·0 (358·0 to 451·0)	1510·0 (1280·0 to 1780·0)	274 (248 to 299) (422 to 511)
Benin	77·3 (62·8 to 95·2)	-2·9% (-3·9 to -1·9)	0·19 (0·16 to 0·22)	0·29 (0·26 to 0·34)	65·9 (63·5 to 68·0)	60·1 (57·8 to 62·1)	62·9 (60·5 to 65·0)	105·0 (92·8 to 120·0)	39·6 (32·0 to 49·1)	4 (3 to 5) (11 to 14)

(Table 1 continues on next page)

Under-5 mortality	Mortality rate in 2021 (deaths per 1000)	Probability of death between ages 15 and 59 years, 2021		Life expectancy at birth in 2021 (years)		Total deaths in 2021 (thousands)	Total deaths among children younger than 5 years in 2021 (thousands)	Excess deaths due to COVID-19 in 2020 (thousands)	Excess deaths due to COVID-19 in 2021 (thousands)	Excess mortality rate due to COVID-19, 2020–21 (deaths per 1000)
		Females	Males	Females	Males					
(Continued from previous page)										
Burkina Faso	95.5 (77.9 to 117.0)	-3.0% (-4.0 to -2.0)	0.21 (0.18 to 0.25)	0.33 (0.29 to 0.37)	63.0 (60.7 to 65.1)	57.4 (54.9 to 59.6)	60.1 (57.6 to 62.3)	218.0 (192.0 to 249.0)	87.8 (71.1 to 109.0)	15 (14 to 16)
Cabo Verde	15.0 (11.3 to 19.7)	-5.8% (-7.3 to -4.2)	0.08 (0.07 to 0.10)	0.20 (0.17 to 0.25)	77.8 (75.8 to 79.8)	69.0 (66.8 to 71.2)	73.2 (71.1 to 75.4)	3.7 (3.1 to 4.2)	0.1 (0.1 to 0.2)	0 (0 to 0)
Cameroon	65.5 (54.3 to 77.6)	-3.2% (-4.1 to -2.3)	0.26 (0.21 to 0.31)	0.36 (0.31 to 0.42)	63.6 (60.6 to 66.1)	58.5 (55.7 to 60.8)	60.8 (58.0 to 63.2)	261.0 (225.0 to 308.0)	67.6 (55.6 to 80.4)	16 (14 to 17)
Chad	112.0 (94.6 to 134.0)	-2.3% (-3.2 to -1.4)	0.25 (0.20 to 0.30)	0.33 (0.28 to 0.39)	60.5 (56.9 to 63.5)	56.5 (52.5 to 59.8)	58.3 (54.5 to 61.5)	182.0 (153.0 to 220.0)	92.9 (77.9 to 112.0)	14 (11 to 16)
Côte d'Ivoire	68.5 (58.2 to 80.6)	-3.4% (-4.2 to -2.5)	0.21 (0.17 to 0.26)	0.31 (0.26 to 0.36)	65.8 (63.1 to 68.4)	60.3 (57.6 to 62.7)	62.7 (59.9 to 65.1)	209.0 (181.0 to 244.0)	64.4 (54.3 to 76.1)	19 (17 to 20)
The Gambia	44.2 (35.3 to 55.4)	-4.0% (-5.1 to -2.9)	0.24 (0.19 to 0.28)	0.34 (0.29 to 0.39)	65.9 (63.4 to 68.2)	60.9 (58.5 to 63.2)	63.2 (60.9 to 65.5)	17.6 (15.2 to 20.3)	42.0 (32.3 to 53.9)	2 (2 to 3)
Ghana	43.4 (33.6 to 55.5)	-4.0% (-5.2 to -2.7)	0.21 (0.18 to 0.25)	0.31 (0.27 to 0.36)	67.4 (65.0 to 69.6)	61.7 (59.5 to 63.9)	64.6 (62.3 to 66.7)	250.0 (215.0 to 289.0)	42.6 (35.3 to 51.5)	18 (16 to 20)
Guinea	86.8 (72.7 to 104.0)	-3.4% (-4.3 to -2.5)	0.25 (0.20 to 0.30)	0.32 (0.27 to 0.38)	62.2 (58.9 to 65.1)	58.2 (54.6 to 61.2)	60.1 (56.6 to 63.0)	127.0 (107.0 to 152.0)	4.4 (3.6 to 5.4)	14 (12 to 17)
Guinea-Bissau	61.8 (50.9 to 75.1)	-4.6% (-5.6 to -3.6)	0.31 (0.25 to 0.37)	0.45 (0.38 to 0.53)	61.3 (58.8 to 63.8)	55.1 (52.4 to 57.7)	58.1 (55.6 to 60.7)	18.4 (15.8 to 21.2)	10.9 (8.4 to 14.4)	3 (3 to 3)
Liberia	66.9 (51.7 to 87.8)	-4.5% (-5.7 to -3.1)	0.23 (0.19 to 0.29)	0.28 (0.24 to 0.34)	64.1 (60.1 to 67.4)	61.6 (57.7 to 64.8)	62.7 (58.9 to 66.0)	39.5 (32.2 to 49.3)	101.0 (83.9 to 124.0)	3 (3 to 4)
Mali	97.7 (81.4 to 118.0)	-3.3% (-4.1 to -2.3)	0.25 (0.22 to 0.30)	0.32 (0.28 to 0.36)	61.1 (58.8 to 63.2)	57.3 (55.1 to 59.2)	59.1 (56.8 to 61.0)	234.0 (208.0 to 265.0)	46 (38 to 55)	21 (18 to 23)
Mauritania	33.7 (28.3 to 40.2)	-4.3% (-5.2 to -3.4)	0.17 (0.13 to 0.21)	0.19 (0.15 to 0.23)	70.1 (67.4 to 72.5)	68.4 (65.6 to 71.0)	69.2 (66.5 to 71.7)	25.0 (21.0 to 30.1)	100.0 (80.9 to 124.0)	3 (3 to 4)
Niger	88.7 (72.1 to 110.0)	-4.4% (-5.3 to -3.4)	0.21 (0.17 to 0.26)	0.28 (0.23 to 0.33)	63.5 (60.0 to 66.6)	60.1 (56.3 to 63.4)	61.8 (58.1 to 65.0)	206.0 (170.0 to 253.0)	78.0 (66.2 to 938.0)	21 (18 to 23)
Nigeria	96.3 (81.8 to 114.0)	-3.1% (-3.9 to -2.2)	0.19 (0.15 to 0.24)	0.25 (0.21 to 0.31)	65.0 (62.2 to 67.4)	60.7 (58.0 to 63.1)	62.8 (60.8 to 64.6)	182.0 (165.0 to 203.0)	0.1 (0.1 to 0.1)	106 (96 to 116)
São Tomé and Príncipe	17.8 (13.5 to 23.2)	-7.1% (-8.4 to -5.7)	0.15 (0.12 to 0.19)	0.20 (0.17 to 0.24)	72.2 (70.1 to 74.1)	68.6 (66.5 to 70.3)	70.4 (68.3 to 72.1)	1.1 (1.0 to 1.3)	19.3 (16.1 to 23.0)	0 (0 to 0)
Senegal	40.5 (33.9 to 47.9)	-5.2% (-6.0 to -4.3)	0.19 (0.16 to 0.23)	0.27 (0.23 to 0.31)	68.2 (65.8 to 70.2)	63.7 (61.4 to 65.8)	65.9 (63.5 to 67.9)	111.0 (96.4 to 130.0)	28.9 (22.8 to 36.4)	12 (10 to 14)
Sierra Leone	97.2 (77.3 to 121.0)	-3.9% (-5.0 to -2.8)	0.24 (0.19 to 0.29)	0.29 (0.24 to 0.34)	62.1 (58.2 to 65.5)	59.2 (54.9 to 62.8)	60.6 (56.5 to 64.1)	79.5 (65.3 to 97.7)	3.4 (2.7 to 4.2)	6 (5 to 7)
Togo	56.7 (45.7 to 70.8)	-3.7% (-4.8 to -2.6)	0.21 (0.18 to 0.26)	0.33 (0.28 to 0.39)	66.0 (62.7 to 69.0)	60.2 (59.6 to 66.2)	63.1 (51.4 to 77.5)	62.8 (51.1 to 17.4)	13.8 (3 to 4)	8 (6 to 9)

Excess deaths due to COVID-19 include all deaths due to the pandemic. Data in parentheses are 95% uncertainty intervals.

Table 1: Under-5 mortality rate (2021), rate of change in under-5 mortality (2000–21), probability of death between ages 15 and 59 years (2023), life expectancy at birth (2021), total number of deaths among children under-5 years, total number of deaths among all ages (2021), and excess deaths due to the COVID-19 pandemic (2020, 2021) globally and for GBD regions, super-regions, countries, and territories

by location. Female mortality was generally lower than male mortality in all age groups, with substantial heterogeneity across countries and territories (figure 3). The highest variability in the ratio of male to female mortality rates across countries and territories was found in the 15–39 age groups; although little change in the mortality sex ratio has been observed between locations over time, the ratio generally increased between 1970 and 2021, indicating that the gap between male and female mortality has been increasing, generally driven by mortality rates among females decreasing at a faster rate than among males. Globally in 2021, the mortality rate for males aged 15–39 years was 65·9% (95% UI 56·8–74·7) higher than for females. The widening gap between

males and females was also observed for nearly all age groups aged 40 years and older. In the neonatal age groups, the ratio of male to female mortality rates declined slightly over time towards 1, while the variability among countries and territories remained similar. Individuals aged 40 years and older had a consistent pattern of an increasing ratio of male to female mortality rates over time, with increased variability observed among those aged 65 years and older across countries and territories from 1970 to 2000, followed by little change in variability from 2000 to 2021.

Despite declines in age-standardised all-cause mortality rates during the study period, the global number of deaths due to all causes combined increased from 44·0 million (95% UI 40·3–47·7) in 1950 to 50·3 million (49·3–51·4) in 2000 and 57·0 million (54·9–59·6) in 2019, largely reflecting a growing population and changing age structures. Global deaths further increased to 63·1 million (60·6–65·9) in 2020 and 67·9 million (65·0–70·8) in 2021, a notable spike attributable to the COVID-19 pandemic (table 1). Since 1970, the number of global deaths in the 25 years and older age group had increased steadily, until an unprecedented increase in 2020–21 (figure 4). This increase was observed across all GBD super-regions, with the exception of central Europe, eastern Europe, and central Asia, from 2000 to 2019. In contrast, deaths in children under 5 years declined over the entire study period, including during the COVID-19 pandemic period, with death counts of 20·0 million (17·2–23·0) in 1950, 9·21 million (8·73–9·73) in 2000, 5·21 million (4·50–6·01) in 2019, 4·89 million (4·19–5·71) in 2020, and 4·66 million (3·98–5·50) in 2021 (appendix 2 table S1). Initially, most of this decline could be attributed to declines in both U5MR and the under-5 population in southeast Asia, east Asia, and Oceania (especially China) until a tapering off around the year 2000. After this, the share of the decline attributed to sub-Saharan Africa began to increase, and this pattern continued during 2021 (figure 4). The largest number of under-5 deaths was observed in south Asia and sub-Saharan Africa during the pandemic, with south Asia accounting for 25·7% (24·1–27·2) of all deaths in children under 5 years in 2020 and 25·3% (24·0–26·6) in 2021, and sub-Saharan Africa accounting for 55·5% (53·2–57·7) in 2020 and 56·3% (54·1–58·4) in 2021. The number of global deaths in the intermediate age group (ages 5–24 years) demonstrates large yearly variability with no clear patterns, since deaths in this age group were heavily impacted by mortality shocks such as the Rwandan genocide in 1994 and natural disasters such as the earthquake in Haiti in 2010. Deaths in this age group increased slightly during 2020 and 2021 in most super-regions, but these increases were minimal compared with previous years, and in comparison to the increase observed in ages 25 years and older.

Historically, global life expectancy at birth has increased steadily; between 1950 and 2021, global life expectancy at




Figure 4: Annual change in all-cause deaths by GBD super-region across three age groups, 1970–2021
Annual change is defined as the difference between the number of deaths in the current year and the preceding year. The y-axes scales differ by age groups. The large change in the 5–24 years group between 1994 and 1995 was due to deaths during the Rwandan genocide. Different colours show GBD super-regions. GBD=Global Burden of Diseases, Injuries, and Risk Factors Study.

birth increased by 22·7 years (95% UI 20·8 to 24·8), from 49·0 years (46·7 to 51·3) to 71·7 years (70·9 to 72·5; table 1; appendix 2 table S4). Life expectancy improved for females from 51·6 years (49·4 to 53·8) in 1950 to 76·0 years (75·2 to 76·7) in 2019 and for males from 46·7 years (44·3 to 49·2) in 1950 to 70·8 years (69·9 to 71·7) in 2019 (figure 5). At the super-region level, the largest increases in life expectancy occurred in south Asia and north Africa and the Middle East, while at the national level, some of the largest increases were in South Korea and Iran (appendix 2 table S4). During this time period, the smallest gains in life expectancy occurred in the central Europe, eastern Europe, and central Asia and high-income super-regions and, at the national level, in Ukraine and Lesotho. Increasing life expectancy was generally consistent across all super-regions over the entire period, with the exception of mortality shocks in several locations, stagnation in sub-Saharan Africa during the HIV/AIDS epidemic, and slow progress in central Europe, eastern Europe, and central Asia before the mid-2000s. In 2020 and 2021, however, these trends reversed. Between 2019 and 2021, global life expectancy declined by 1·6 years (1·0 to 2·2); all super-regions had decreases in life expectancy during this period, ranging from a 3·7 year (3·4 to 4·1) decline in Latin America and the Caribbean to a 0·3 year (-1·9 to 1·3) decline in southeast Asia, east Asia, and Oceania (appendix 2 table S4). An increase in life expectancy during this period was only observed in 32 (15·7%) of 204 countries and territories.

Excess mortality due to the COVID-19 pandemic

We estimated 5·89 million (95% UI 5·48–6·44) excess deaths globally attributable to the COVID-19 pandemic in 2020 and 9·97 million (9·26–10·9) excess deaths in 2021 (table 1). The GBD super-regions with the highest all-age excess mortality rates in 2020 and 2021 combined were central Europe, eastern Europe, and central Asia (269·7 excess deaths per 100 000 population [250·0–289·6]) and Latin America and the Caribbean (199·0 [184·7–215·4]). The super-regions with the lowest all-age excess mortality rates during this time period were southeast Asia, east Asia, and Oceania (23·8 [8·9–44·1]) and high-income (90·2 [87·2–93·2]; appendix 2 figure S2). At the national level, in 2020 and 2021 combined, all-age excess mortality rates were highest in Bulgaria (520·8 [382·0–630·0]), and Lesotho (447·0 [379·3–514·0]), the highest rate in 2020 was in Peru (413·4 [410·3–416·1]), and the highest rate in 2021 was in Bulgaria (697·5 [532·4–830·5]; appendix 2 figure S2). For seven countries and territories (Taiwan [province of China], Mongolia, Japan, New Zealand, Iceland, Antigua and Barbuda, and Barbados), the all-age excess mortality rate for 2020 and 2021 combined was negative, indicating that fewer deaths occurred in these locations during the first 2 years of the pandemic than what would be expected based on past trends. In 2020, 20 countries




Figure 5: Life expectancy at birth across GBD super-regions and SDI quintiles in females and males, 1950–2021. The different colours represent GBD super-regions in the top row and SDI quintiles in the bottom row. The decline in life expectancy in 1960 for the southeast Asia, east Asia, and Oceania super-region was due to famine. GBD=Global Burden of Diseases, Injuries, and Risk Factors Study. SDI=Socio-demographic Index.

and territories had negative excess mortality, while in 2021, only New Zealand and Barbados had negative excess mortality (table 1).

Additionally, we computed age-standardised excess mortality rates to compare the impact of the pandemic across countries and territories while controlling for different population age structures. Age-standardised rates and all-age rates differed substantially, with the highest age-standardised excess mortality rates observed in nations in sub-Saharan Africa, Latin America, and the Middle East (figure 6). The lowest age-standardised rates were found in some countries and territories in the Caribbean, east Asia, and Oceania, and some high-income nations. There was substantial variability within all super-regions. The countries or territories with the highest age-standardised rates during 2020 and 2021 combined were Eswatini (992·5 age-standardised excess deaths per 100 000 population [95% UI 745·5 to 1173·2]), Lesotho (874·3 [734·7 to 1009·4]), and Somalia (715·6 [549·3 to 912·7]); the nations with the lowest rates were Barbados (-61·5 [-111·6 to -13·1]), Mongolia (-32·9 [-209·6 to 131·0]), and Antigua and Barbuda (-13·7 [-55·5 to 27·9]).

Estimated mortality versus expected mortality based on SDI

Between 1950 and 2021, longer life expectancies at birth were generally associated with higher SDI levels (figure 7; table 2). For females in 2021, the super-regions with the largest proportion of nations with a life expectancy higher than expected based on SDI were high-income (31 of 36 nations), south Asia (three of five nations), and Latin America and the Caribbean (16 of 33 nations), while central Europe, eastern Europe, and central Asia (23 of 29 nations), sub-Saharan Africa (35 of 46 nations), and north Africa and the Middle East (14 of 21 nations) had the highest proportion of nations with a lower life expectancy than expected based on SDI. For males in 2021, the GBD super-regions with the largest proportion of nations with a life expectancy greater than expected based on SDI were high-income (31 of 36 nations), south Asia (three of five nations), and north Africa and the Middle East (11 of 21 nations); the super-regions with the highest proportion of nations displaying a life expectancy lower than expected based on SDI were central Europe, eastern Europe, and central Asia (24 of 29 nations), sub-Saharan Africa (34 of 46 nations), and southeast Asia, east Asia, and Oceania (24 of 34 nations). Between 1950 and 2021, an increase in both life expectancy at birth and SDI was observed in all countries and territories. For females in 2021, the five countries or territories with the largest positive difference between estimated life expectancy and expected life expectancy based on SDI were Somalia (13·9 years), Niger (10·0 years), Spain (6·5 years), Portugal (6·0 years), and Singapore (5·6 years); the five countries or territories with the largest negative difference were Lesotho (−19·6 years), Eswatini (−17·9 years), Botswana (−12·8 years), Equatorial Guinea (−12·5 years), and Zimbabwe (−12·5 years; table 3). For males in 2021, the five countries or territories with the largest positive difference between estimated life expectancy and expected life expectancy based on SDI were Somalia (12·2 years), Niger (10·6 years), the Maldives (8·4 years), Bhutan (7·1 years), and Singapore (6·7 years); the five countries or territories with the largest negative difference were Lesotho (−21·2 years), Eswatini (−18·7 years), Zimbabwe (−13·4 years), South Africa (−12·8 years), and Botswana (−12·4 years; table 4).

In 2020 and 2021 combined, lower age-standardised excess mortality rates due to the COVID-19 pandemic were broadly associated with higher SDI levels, but the association was not consistently strong (figure 8). The GBD super-regions with the largest proportion of countries and territories with an excess mortality rate higher than expected based on SDI were central Europe, eastern Europe, and central Asia (26 of 29 nations), Latin America and the Caribbean (21 of 33 nations), and south Asia (three of five nations); the super-regions with the largest proportion of nations with an excess mortality rate lower than expected based on SDI were southeast

	1950			1990			2000			2010			2020		
	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference
Global	49·0	63·4	-14·3	65·5	69·5	-4·0	67·2	70·7	-3·4	70·5	71·7	-1·2	71·7	72·9	-1·2
Low SDI	38·6	45·7	-7·0	53·1	54·0	-1·0	54·9	56·2	-1·2	60·2	62·6	0·1	64·9	64·9	-2·3
Low-middle SDI	38·8	50·1	-11·3	60·6	61·1	-0·5	63·0	64·1	-1·1	66·5	67·0	-0·5	67·4	69·9	-2·5
Middle SDI	46·2	55·5	-9·2	67·0	68·3	-1·3	69·6	69·9	-0·3	72·3	71·4	1·0	73·2	73·1	0·2
High-middle SDI	57·6	65·1	-7·5	70·4	71·0	-0·6	71·4	72·3	-0·9	74·7	73·9	0·8	76·2	75·7	0·5
High SDI	63·9	71·0	-7·1	75·6	75·7	-0·1	77·8	77·2	0·5	80·0	78·6	1·5	80·2	79·9	0·4

SDI=Socio-demographic Index.

Table 2: Life expectancy (estimated, expected based on SDI, and their difference), globally and by SDI quintile, for 1950, 1990, 2000, 2010, and 2021

	1950			1990			2000			2010			2021			SDI, 2021	
	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference		
Global	51.6	65.6	-14.0	68.1	72.2	-4.1	69.8	73.6	-3.7	73.3	74.8	-1.6	74.8	76.2	-1.4	0.67	
Central Europe, eastern Europe, and central Asia	63.8	72.2	-8.4	73.8	75.5	-1.7	73.2	76.6	-3.3	75.7	78.0	-2.2	75.5	79.3	-3.8	0.77	
Central Asia	51.9	68.6	-16.7	71.6	73.1	-1.5	71.0	73.9	-2.9	73.6	75.4	-1.7	74.3	76.2	-1.9	0.68	
Armenia	52.2	69.4	-17.3	73.9	72.8	1.1	74.9	73.9	1.1	77.1	75.9	1.2	78.6	77.3	1.3	0.70	
Azerbaijan	39.2	67.6	-28.4	70.6	74.3	-3.7	70.6	73.9	-3.3	73.0	75.8	-2.7	73.4	77.0	-3.6	0.69	
Georgia	57.0	73.0	-16.0	73.7	75.9	-2.2	74.0	75.2	-1.3	77.9	76.4	1.4	75.8	78.1	-2.3	0.73	
Kazakhstan	61.3	69.2	-7.9	72.6	74.1	-1.5	70.5	75.6	-5.2	73.0	76.7	-3.7	73.9	77.7	-3.8	0.73	
Kyrgyzstan	51.9	69.0	-17.1	70.9	72.0	-1.1	71.4	72.8	-1.5	73.8	73.1	0.7	76.1	74.7	1.4	0.60	
Mongolia	39.9	61.6	-21.7	65.5	70.1	-4.5	67.0	72.2	-5.2	71.1	73.7	-2.6	74.6	75.0	-0.4	0.62	
Tajikistan	40.6	62.0	-21.3	68.6	70.1	-1.4	69.0	69.6	-0.7	71.7	71.0	0.7	72.1	72.4	-0.3	0.54	
Turkmenistan	48.8	68.3	-19.6	69.3	73.4	-4.2	70.0	73.4	-3.4	73.1	75.1	-2.0	71.5	76.7	-5.2	0.68	
Uzbekistan	52.1	65.3	-13.2	72.7	71.5	1.2	71.5	73.1	-1.7	73.4	74.8	-1.4	75.1	75.6	-0.5	0.66	
Central Europe	58.9	70.6	-11.8	74.6	75.4	-0.8	76.4	77.1	-0.7	79.0	78.8	0.2	78.3	80.1	-1.8	0.80	
Albania	50.2	64.4	-14.3	75.7	73.3	2.4	78.4	74.0	4.4	80.4	75.9	4.5	78.7	77.3	1.4	0.71	
Bosnia and Herzegovina	47.5	60.6	-13.2	76.2	72.7	3.5	78.0	74.5	3.5	79.8	76.6	3.3	78.3	77.8	0.4	0.72	
Bulgaria	58.9	69.9	-11.0	73.5	75.4	-1.9	73.7	76.6	-2.9	75.9	78.0	-2.1	73.7	79.3	-5.5	0.77	
Croatia	52.9	70.2	-17.4	75.7	76.3	-0.6	78.1	77.3	0.8	80.0	78.9	1.1	80.3	80.3	0.0	0.80	
Czechia	68.1	73.7	-5.6	75.6	76.6	-0.9	78.4	79.3	-0.8	80.9	80.6	0.3	80.9	81.2	-0.4	0.83	
Hungary	62.4	71.5	-9.2	73.8	75.8	-1.9	76.1	77.5	-1.5	78.5	79.1	-0.6	78.0	79.9	-2.0	0.79	
Montenegro	66.4	69.6	-3.2	78.3	76.4	1.8	76.7	76.4	0.3	77.7	78.5	-0.7	76.0	80.1	-4.1	0.80	
North Macedonia	49.3	67.6	-18.4	72.6	74.5	-2.0	73.7	75.5	-1.8	75.4	77.3	-1.9	74.2	78.6	-4.4	0.75	
Poland	59.6	71.2	-11.5	75.6	75.1	0.5	78.0	77.3	0.8	80.5	79.1	1.5	79.7	80.6	-0.9	0.81	
Romania	60.9	67.1	-6.3	73.0	75.0	-1.9	74.7	76.2	-1.5	77.5	77.8	-0.3	76.8	79.3	-2.5	0.77	
Serbia	49.9	70.4	-20.5	73.0	75.2	-2.3	73.8	76.0	-2.2	76.7	78.3	-1.6	76.7	80.1	-3.4	0.79	
Slovakia	64.4	72.2	-7.8	75.6	75.9	-0.3	77.9	78.1	-0.2	79.6	79.8	-0.1	78.3	80.6	-2.3	0.81	
Slovenia	59.5	73.3	-13.8	78.0	78.0	0.1	80.0	79.6	0.4	83.0	80.9	2.0	84.0	81.7	2.3	0.84	
Eastern Europe	69.5	73.1	-3.6	74.6	76.2	-1.5	72.9	77.1	-4.2	75.1	78.8	-3.7	74.9	80.4	-5.6	0.80	
Belarus	70.6	70.6	-0.1	75.8	75.0	0.8	74.7	76.2	-1.5	76.6	78.1	-1.5	76.0	79.8	-3.8	0.78	
Estonia	70.0	73.3	-3.3	75.0	76.4	-1.4	76.2	78.3	-2.1	80.8	80.3	0.5	81.2	81.7	-0.5	0.84	
Latvia	72.0	73.6	-1.6	74.7	76.6	-1.9	76.0	78.0	-2.0	78.1	80.3	-2.1	78.1	81.2	-3.1	0.83	
Lithuania	68.7	71.5	-2.8	76.1	76.3	-0.2	77.5	77.7	-0.2	78.7	80.1	-1.4	78.9	82.2	-3.3	0.86	
Moldova	56.5	69.9	-13.4	71.5	74.5	-3.0	72.5	75.0	-2.5	74.7	76.3	-1.6	76.4	78.0	-1.6	0.73	
Russia	69.5	73.3	-3.8	74.5	76.3	-1.8	72.5	77.4	-4.9	74.8	79.1	-4.3	74.3	80.6	-6.3	0.81	
Ukraine	70.8	73.0	-2.2	74.8	75.6	-0.8	73.5	76.3	-2.8	75.4	77.7	-2.3	75.7	78.9	-3.3	0.76	
High income	67.7	74.0	-6.3	79.4	78.6	0.8	81.2	79.9	1.3	83.1	80.8	2.4	83.3	82.0	1.3	0.85	
Australasia	71.9	73.6	-1.7	79.7	78.0	1.7	82.1	79.4	2.6	84.0	80.4	3.5	85.3	81.7	3.6	0.85	
Australia	72.0	73.3	-1.3	80.0	77.8	2.1	82.3	79.3	3.1	84.2	80.4	3.8	85.6	81.7	3.9	0.84	

(Table 3 continues on next page)

	1950	1990			2000			2010			2021			SDI, 2021		
		Estimated life expectancy	Expected life expectancy	Difference												
(Continued from previous page)																
New Zealand	71.5	74.5	-3.0	78.4	78.6	-0.2	80.8	79.8	1.1	82.8	80.6	2.2	84.1	81.9	2.2	0.85
High-income Asia Pacific	59.6	71.5	-11.9	80.9	79.3	1.7	84.1	80.8	3.3	86.2	81.7	4.5	87.8	82.7	5.1	0.88
Brunei	49.5	65.6	-16.1	73.1	76.2	-3.0	75.2	77.7	-2.5	77.1	79.4	-2.3	78.3	80.6	-2.3	0.81
Japan	63.5	72.8	-9.3	82.3	79.9	2.4	85.1	81.1	4.0	86.7	81.7	5.0	88.1	82.5	5.6	0.87
Singapore	60.5	62.6	-2.1	78.2	76.7	1.5	81.7	79.3	2.4	85.0	81.2	3.7	87.7	82.0	5.6	0.86
South Korea	46.5	61.6	-15.1	75.9	76.8	-0.9	79.7	79.8	-0.1	84.0	81.7	2.2	86.0	83.0	3.1	0.89
High-income North America	71.1	74.8	-3.7	79.1	79.1	0.0	79.7	80.1	-0.4	81.4	81.2	0.1	80.4	82.4	-1.9	0.86
Canada	70.9	75.0	-4.1	80.6	79.6	1.0	81.8	80.8	1.1	83.6	81.7	1.8	84.1	82.7	1.4	0.87
Greenland	52.2	73.6	-21.3	67.5	78.0	-10.5	71.1	78.3	-7.2	74.9	80.4	-5.6	76.9	81.4	-4.5	0.83
USA	71.2	74.8	-3.7	79.0	79.1	-0.1	79.5	80.1	-0.6	81.1	81.1	0.0	80.0	82.4	-2.3	0.86
Southern Latin America	64.0	70.2	-6.3	76.3	74.0	2.3	78.4	75.5	3.0	79.6	76.6	3.1	79.9	78.5	1.4	0.74
Argentina	66.9	70.6	-3.7	76.0	74.0	2.0	77.9	75.5	2.4	79.0	76.3	2.7	79.1	78.1	0.9	0.72
Chile	55.2	69.0	-13.8	76.7	74.0	2.7	79.8	75.9	3.9	81.3	77.3	4.1	81.9	79.3	2.6	0.77
Uruguay	70.2	70.4	-0.2	76.9	73.9	3.0	78.6	75.1	3.5	80.0	76.2	3.9	79.4	77.7	1.7	0.72
Western Europe	69.2	74.0	-4.8	79.5	78.5	1.1	81.5	79.8	1.8	83.6	80.8	2.8	84.2	81.9	2.3	0.85
Andorra	77.9	74.5	3.3	82.3	78.9	3.4	83.5	79.6	4.0	84.8	81.6	3.2	85.7	82.5	3.2	0.87
Austria	68.6	74.4	-5.8	79.0	78.6	0.3	81.3	79.9	1.4	83.2	81.1	2.2	84.1	82.0	2.0	0.85
Belgium	68.9	73.7	-4.9	79.3	78.3	1.0	81.0	79.6	1.4	82.8	80.8	2.0	84.2	82.0	2.2	0.85
Cyprus	61.7	69.4	-7.7	76.3	75.8	0.5	78.1	78.5	-0.4	81.3	80.6	0.7	83.2	81.4	1.8	0.84
Denmark	71.9	75.4	-3.4	77.9	80.3	-2.3	79.3	81.6	-2.2	81.6	82.4	-0.8	83.5	83.3	0.2	0.90
Finland	68.1	73.4	-5.4	79.4	78.8	0.6	81.5	79.9	1.6	83.7	81.1	2.6	84.9	82.2	2.7	0.86
France	69.8	72.7	-2.9	81.1	78.0	3.1	82.7	79.4	3.3	84.6	80.4	4.1	85.5	81.6	3.9	0.84
Germany	70.2	75.5	-5.3	78.6	80.8	-2.2	81.2	81.9	-0.7	82.8	82.8	0.0	83.4	83.6	-0.2	0.90
Greece	70.9	71.7	-0.9	79.4	76.4	3.0	80.8	78.1	2.7	82.7	79.4	3.3	82.8	79.9	2.9	0.79
Iceland	74.0	73.4	0.6	80.2	79.1	1.1	82.1	80.4	1.7	83.4	81.6	1.9	84.9	82.7	2.2	0.88
Ireland	67.2	73.9	-6.6	77.6	77.7	-0.1	79.3	79.6	-0.2	82.9	81.2	1.6	84.5	82.7	1.8	0.87
Israel	72.7	71.7	1.0	78.8	77.4	1.4	80.6	78.6	2.0	83.4	79.4	4.0	85.1	80.6	4.5	0.81
Italy	68.9	72.2	-3.3	80.3	77.3	3.0	82.4	78.6	3.8	84.4	79.6	4.8	84.9	80.4	4.5	0.81
Luxembourg	68.2	75.6	-7.4	78.7	79.6	-0.8	81.4	80.9	0.4	83.4	82.0	1.4	84.9	83.0	1.9	0.88
Malta	67.4	67.9	-0.5	78.7	75.9	2.9	81.1	77.4	3.7	83.3	78.8	4.5	84.1	80.3	3.8	0.80
Monaco	68.1	76.8	-8.7	81.0	81.7	-0.7	81.4	82.5	-1.1	81.7	83.1	-1.4	81.4	83.7	-2.3	0.91
Netherlands	72.9	75.8	-2.9	80.1	80.1	0.0	80.7	81.2	-0.6	82.8	82.2	0.6	83.2	83.1	0.1	0.89
Norway	73.7	75.9	-2.2	80.1	80.1	0.0	81.6	81.7	-0.2	83.4	82.8	0.6	84.9	83.9	1.0	0.92
Portugal	60.9	68.1	-7.2	77.6	74.4	3.2	80.1	76.0	4.1	83.1	77.3	5.9	84.4	78.5	6.0	0.74
San Marino	76.2	75.5	0.7	82.4	80.8	1.6	84.5	82.2	2.3	87.6	82.8	4.8	88.1	83.0	5.1	0.89
Spain	64.5	69.0	-4.5	80.4	75.4	5.1	82.9	77.0	5.9	85.0	78.3	6.7	85.7	79.3	6.5	0.77
Sweden	72.7	75.5	-2.8	80.8	79.8	1.0	82.2	81.4	0.8	83.8	82.2	1.6	85.0	83.1	1.9	0.89

(Table 3 continues on next page)

	1950	1990	2000	2010	2021	SDI, 2021
	Estimated life expectancy	Expected life expectancy	Estimated life expectancy	Expected life expectancy	Estimated life expectancy	Difference in life expectancy
(Continued from previous page)						
Switzerland	71.1	78.6	-7.5	81.2	82.4	-1.2
UK	71.3	74.7	-3.4	78.4	78.5	-0.0
England	71.8	74.7	-2.9	78.6	78.5	-0.2
Northern Ireland	68.7	73.7	-5.1	77.2	77.8	-0.6
Scotland	68.0	74.4	-6.4	76.7	78.5	-1.7
Wales	71.1	73.9	-2.8	78.5	77.4	-1.1
Latin America and Caribbean	52.4	59.6	-7.3	72.7	71.4	-1.4
Andean Latin America	42.5	60.6	-18.1	70.6	71.4	-0.8
Bolivia	38.2	57.5	-19.3	62.4	68.3	-5.9
Ecuador	51.2	62.9	-11.7	74.2	72.0	-2.1
Peru	41.2	60.6	-19.4	72.0	71.7	-0.3
Caribbean	57.0	62.9	-5.9	69.8	72.0	-2.2
Antigua and Barbuda	60.3	62.9	-2.6	77.4	74.8	-2.5
The Bahamas	60.1	70.4	-10.3	74.5	77.0	-2.5
Barbados	56.5	67.9	-11.4	76.1	75.9	-0.2
Belize	56.6	60.0	-3.4	75.6	68.3	-7.3
Bermuda	66.5	68.1	-1.6	77.4	77.0	-0.4
Cuba	68.9	65.8	3.0	76.7	73.3	-3.4
Dominica	49.7	65.8	-16.1	74.7	73.3	-1.4
Dominican Republic	56.3	50.2	6.1	73.4	69.0	-4.4
Grenada	58.9	56.1	2.8	72.6	69.0	-3.6
Guyana	52.9	60.3	-7.4	66.5	69.9	-3.3
Haiti	41.4	53.1	-11.7	54.1	62.0	-7.9
Jamaica	58.6	65.0	-6.4	76.5	72.5	-4.0
Puerto Rico	62.9	67.1	-4.2	78.2	76.0	-2.1
Saint Kitts and Nevis	60.2	63.5	-3.3	69.2	73.9	-4.6
Saint Lucia	53.6	59.6	-6.1	72.5	71.2	-1.3
Saint Vincent and the Grenadines	53.3	58.6	-5.3	71.8	70.4	-1.4
Suriname	61.2	59.6	1.5	71.1	71.5	-0.5
Trinidad and Tobago	59.2	66.6	-7.4	71.9	75.1	-3.2

(Table 3 continues on next page)

	1950	1990	2000	2010	2021	SDI 2021
	Estimated life expectancy	Difference	Estimated life expectancy	Difference	Estimated life expectancy	Difference
	Expected life expectancy	Expected life expectancy	Expected life expectancy	Expected life expectancy	Expected life expectancy	Expected life expectancy
(Continued from previous page)						
Virgin Islands	64.8	69.2	-4.4	75.4	75.9	-0.5
Central Latin America	51.0	60.0	-8.9	73.5	70.8	2.7
Colombia	56.0	59.6	-3.7	75.0	70.8	4.1
Costa Rica	57.4	62.0	-4.6	79.3	72.5	6.7
El Salvador	46.2	53.5	-7.3	74.4	65.8	8.5
Guatemala	41.8	54.3	-12.4	65.4	62.3	3.1
Honduras	40.5	53.1	-12.6	71.0	63.2	7.8
Mexico	49.7	60.6	-10.9	73.2	71.5	1.7
Nicaragua	49.5	55.0	-5.5	77.0	64.1	12.9
Panama	63.2	63.8	-0.6	78.9	72.8	6.1
Venezuela	57.1	62.9	-5.8	75.2	71.9	3.3
Tropical Latin America	55.4	57.9	-2.5	73.2	71.4	1.9
Brazil	55.4	57.9	-2.5	73.1	71.4	1.7
Paraguay	59.8	59.6	0.2	77.2	70.4	6.7
North Africa and Middle East	45.8	53.5	-7.7	67.2	69.0	-1.8
Afghanistan	38.0	45.6	-7.6	52.5	51.9	0.6
Algeria	44.5	49.3	-4.8	71.2	69.9	1.3
Bahrain	52.7	56.5	-3.8	70.5	74.0	-3.5
Egypt	45.5	56.5	-11.0	63.7	68.1	-4.4
Iran	43.7	51.9	-8.2	69.5	69.6	-0.1
Iraq	58.6	50.2	8.4	70.3	67.4	3.0
Jordan	52.9	48.4	4.5	71.9	72.7	-0.8
Kuwait	67.2	62.6	4.6	77.3	76.4	0.9
Lebanon	55.8	59.3	-3.5	73.1	72.4	0.7
Libya	43.7	50.2	-6.5	74.5	72.5	2.0
Morocco	43.7	45.1	-1.4	68.3	65.0	3.3
Oman	42.9	48.4	-5.6	72.3	68.6	3.8
Palestine	46.2	49.3	-3.1	71.7	67.1	4.5
Qatar	62.5	58.6	3.9	72.7	75.8	-3.1
Saudi Arabia	53.3	54.6	-1.3	69.4	72.7	-3.3
Sudan	47.1	48.4	-1.3	59.2	60.6	-1.4
Syria	54.6	51.1	3.5	70.7	68.6	2.1
Tunisia	44.0	50.2	-6.2	74.4	70.2	4.1
Turkiye	50.0	57.2	-7.2	71.3	69.9	1.5
United Arab Emirates	57.4	53.9	3.5	70.9	75.6	-4.7
Yemen	32.0	44.1	-12.1	60.5	55.4	5.1

(Table 3 continues on next page)

	1950	1990			2000			2010			2021			SDI, 2021		
		Estimated life expectancy	Expected life expectancy	Difference												
(Continued from previous page)																
South Asia	39.6	52.7	-13.1	61.5	62.6	-1.0	65.4	66.4	-1.0	69.4	69.6	-0.3	70.8	73.3	-2.5	0.56
Bangladesh	43.3	46.5	-3.3	60.2	56.5	3.7	67.1	61.3	5.8	71.1	65.6	5.6	74.1	71.2	2.9	0.49
Bhutan	38.0	40.9	-2.9	60.2	55.4	4.8	65.6	61.3	4.3	72.5	67.1	5.4	74.9	70.4	4.5	0.47
India	38.6	53.5	-14.9	61.7	63.2	-1.5	65.6	66.9	-1.3	69.6	70.1	-0.4	71.2	73.9	-2.6	0.58
Nepal	40.8	45.6	-4.8	58.4	54.3	4.1	66.3	59.6	6.6	70.6	64.7	5.9	70.8	68.8	2.0	0.43
Pakistan	46.1	50.6	-4.5	62.9	62.0	0.9	62.9	65.8	-2.9	65.7	68.8	-3.0	66.4	71.5	-5.1	0.50
Southeast Asia, east Asia, and Oceania*	49.6	54.6	-5.1	69.4	70.2	-0.9	72.3	73.0	-0.7	76.2	75.2	1.0	78.6	77.0	1.6	0.70
East Asia	50.6	53.9	-3.3	70.1	70.2	-0.2	73.3	73.3	-0.0	77.8	75.8	2.0	80.7	77.8	2.9	0.73
China	50.7	53.1	-2.4	69.9	69.9	0.1	73.4	72.8	0.6	77.8	75.5	2.3	80.7	77.7	3.0	0.72
North Korea	41.2	62.9	-21.7	72.4	71.2	1.2	64.8	71.2	-6.3	73.4	72.5	0.9	76.2	73.6	2.6	0.57
Taiwan (provinces of China)	58.4	61.0	-2.6	77.3	76.3	1.0	79.8	78.8	1.0	83.0	81.1	1.9	84.6	82.7	1.9	0.87
Oceania	49.2	55.8	-6.6	64.5	66.6	-2.1	65.7	68.3	-2.7	66.6	69.0	-2.4	66.6	70.1	-3.4	0.47
American Samoa	63.2	70.8	-7.6	73.8	74.8	-1.1	73.0	75.5	-2.4	72.6	76.2	-3.5	72.8	77.3	-4.4	0.72
Cook Islands	46.7	63.5	-16.9	71.4	73.4	-2.0	75.6	75.4	0.3	78.8	77.4	1.4	79.6	79.6	0.0	0.78
Federated States of Micronesia	45.1	56.8	-11.7	65.6	69.9	-4.3	66.8	71.7	-4.9	68.6	73.0	-4.4	69.7	74.1	-4.5	0.59
Fiji	59.2	61.3	-2.1	69.1	72.5	-3.4	68.2	74.1	-6.0	69.2	75.0	-5.8	68.8	76.3	-7.5	0.68
Guam	70.1	73.4	-3.3	75.8	76.6	-0.8	78.6	77.8	0.7	82.9	78.9	4.0	82.9	80.3	2.6	0.80
Kiribati	48.0	59.3	-11.2	61.5	67.6	-6.1	63.5	69.2	-5.7	65.1	70.6	-5.5	67.0	72.2	-5.2	0.53
Marshall Islands	53.6	56.5	-2.9	66.3	68.6	-2.3	63.9	70.2	-6.4	64.6	71.9	-7.3	66.8	73.6	-6.8	0.57
Nauru	54.5	66.9	-12.4	64.3	72.7	-8.4	61.5	72.0	-10.6	62.0	72.7	-10.6	65.7	75.1	-9.4	0.63
Niue	54.5	63.5	-9.0	71.9	74.0	-2.1	71.6	75.2	-3.6	72.7	76.7	-4.0	69.2	77.8	-8.6	0.73
Northern Mariana Islands	65.4	69.2	-3.8	73.2	77.5	-4.4	75.3	78.8	-3.5	76.2	78.8	-2.5	75.0	79.6	-4.6	0.77
Palau	50.8	68.1	-17.3	68.6	76.2	-7.5	69.7	77.3	-7.5	69.5	77.8	-8.4	70.5	78.8	-8.3	0.75
Papua New Guinea	45.9	49.3	-3.5	62.8	62.0	0.8	64.4	64.7	-0.3	65.5	66.1	-0.6	65.5	68.1	-2.6	0.42
Samoa	58.0	60.3	-2.3	71.1	70.8	0.3	71.7	71.9	-0.2	72.0	73.1	-1.1	71.9	74.1	-2.2	0.59
Solomon Islands	48.6	51.9	-3.3	64.1	61.3	2.8	65.8	64.7	1.1	66.9	66.1	0.8	68.4	68.6	-0.2	0.43
Tokelau	58.2	61.0	-2.8	68.6	72.0	-3.4	70.3	73.6	-3.3	72.2	75.2	-3.0	67.8	76.7	-8.9	0.69
Tonga	62.9	58.9	3.9	73.1	71.0	2.1	73.9	72.8	1.1	74.6	73.9	0.8	75.7	75.2	0.5	0.63
Tuvalu	49.2	58.6	-9.4	62.5	66.9	-4.4	63.5	70.2	-6.7	69.0	72.0	-3.1	70.6	73.7	-3.1	0.58
Vanuatu	49.9	53.9	-4.0	67.2	64.4	2.8	68.1	66.6	1.5	69.3	68.6	0.7	69.4	70.2	-0.8	0.47
Southeast Asia	47.2	56.1	-8.9	67.9	70.1	-2.1	70.5	72.5	-2.0	73.3	74.0	-0.7	74.3	75.8	-1.5	0.65

(Table 3 continues on next page)

	1950	1990	2000	2010	2021	SDI, 2021										
	Estimated life expectancy	Difference	Estimated life expectancy	Difference	Estimated life expectancy	Difference										
	Expected life expectancy		Expected life expectancy		Expected life expectancy											
(Continued from previous page)																
Cambodia	45.4	53.5	-8.1	59.6	60.6	-1.0	62.4	63.5	-1.1	69.2	67.6	1.5	71.0	70.4	0.5	0.47
Indonesia	44.4	53.9	-9.4	65.4	69.6	-4.3	68.3	72.5	-4.2	70.8	74.0	-3.2	72.0	76.0	-4.0	0.66
Laos	41.0	48.9	-7.9	54.6	58.9	-4.4	60.0	62.9	-2.9	67.0	67.9	-0.8	70.4	71.0	-0.6	0.49
Malaysia	57.5	55.4	-2.1	74.5	72.8	1.7	75.6	75.2	0.4	76.4	76.8	-0.5	75.7	78.3	-2.6	0.74
Maldives	36.4	53.9	-17.5	65.4	63.2	2.2	72.8	70.6	2.2	79.3	73.9	5.4	81.2	76.0	5.2	0.65
Mauritius	52.6	61.0	-8.4	74.1	72.8	1.2	75.5	74.5	0.9	77.8	76.0	1.8	76.9	77.7	-0.8	0.72
Myanmar	35.8	49.3	-13.6	58.1	62.6	-4.5	61.4	65.6	-4.2	67.6	69.9	-2.2	71.2	72.4	-1.2	0.53
Philippines	58.8	63.5	-4.7	71.8	71.7	0.1	73.8	72.8	1.0	74.0	73.6	0.4	72.2	75.9	-3.7	0.65
Seychelles	62.9	65.6	-2.6	75.5	73.7	1.8	76.6	75.8	0.9	77.0	76.6	0.5	76.5	78.0	-1.5	0.73
Sri Lanka	54.1	63.2	-9.1	74.1	72.0	2.1	76.5	73.9	2.6	78.2	75.4	2.9	79.7	77.1	2.6	0.70
Thailand	53.9	56.8	-3.0	74.6	71.5	3.1	75.1	73.9	1.3	79.1	75.1	4.0	80.3	76.6	3.7	0.68
Timor-Leste	42.7	46.1	-3.4	59.7	58.6	1.1	65.8	63.8	2.0	70.3	66.9	3.4	70.5	69.4	1.1	0.44
Viet Nam	50.3	55.0	-4.7	73.2	67.4	5.8	76.4	71.0	5.4	77.4	73.3	4.1	78.3	75.0	3.4	0.63
Sub-Saharan Africa	43.9	50.6	-6.7	55.6	61.0	-5.4	54.5	63.2	-8.7	60.5	66.4	-5.8	64.1	69.9	-5.8	0.46
Central sub-Saharan Africa	44.0	50.2	-6.2	55.0	61.3	-6.3	54.6	62.6	-8.0	59.8	66.6	-6.8	63.8	70.8	-7.0	0.47
Angola	45.3	48.4	-3.1	52.2	59.3	-7.1	55.0	62.0	-6.9	62.3	66.4	-4.1	63.7	70.6	-6.9	0.45
Central African Republic	45.3	46.1	-0.7	50.3	55.4	-5.0	45.0	57.5	-12.5	50.4	60.0	-9.6	55.2	62.0	-6.7	0.31
Congo (Brazzaville)	39.3	51.5	-12.2	56.9	68.1	-11.2	53.4	69.9	-16.5	60.3	71.5	-11.3	63.1	74.0	-10.9	0.58
Democratic Republic of the Congo	44.2	49.8	-5.6	56.0	60.6	-4.6	55.3	58.9	-3.6	59.7	60.3	-0.6	64.5	66.6	-2.1	0.38
Equatorial Guinea	32.8	46.1	-13.3	54.5	59.3	-4.8	58.6	67.6	-9.1	62.1	73.3	-11.2	63.7	76.2	-12.5	0.66
Gabon	36.1	51.1	-15.0	64.3	69.6	-5.3	61.0	71.7	-10.7	64.7	73.1	-8.5	67.3	75.5	-8.2	0.63
Eastern sub-Saharan Africa	40.8	47.0	-6.2	53.1	56.8	-3.7	53.3	58.9	-5.7	61.7	63.2	-1.6	64.5	67.6	-3.1	0.41
Burundi	39.5	45.6	-6.1	51.2	54.6	-3.5	48.1	55.4	-7.3	61.1	57.2	3.9	64.9	60.6	4.3	0.29
Comoros	45.7	47.5	-1.8	59.6	60.0	-0.3	62.2	64.7	-2.5	66.7	67.9	-1.2	68.2	70.4	-2.3	0.48
Djibouti	60.4	51.5	8.9	63.7	63.8	-0.2	62.6	65.8	-3.3	64.7	68.3	-3.6	67.0	71.2	-4.2	0.49
Eritrea	41.4	42.5	-1.1	52.3	55.4	-3.1	58.8	62.0	-3.2	62.8	64.4	-1.6	64.8	67.4	-2.6	0.40
Ethiopia	36.2	40.9	-4.7	49.0	50.2	-1.2	52.9	52.3	0.6	64.9	58.6	6.3	67.5	65.0	2.5	0.36
Kenya	48.4	47.5	0.9	63.5	60.5	-6.0	66.4	60.0	-10.3	62.7	68.8	-6.0	67.2	72.2	-5.0	0.52
Madagascar	40.4	48.4	-8.0	57.4	60.0	-2.6	60.0	60.3	-0.3	62.8	62.3	0.5	63.9	67.1	-3.2	0.40
Malawi	38.8	48.9	-10.1	50.4	54.6	-4.2	46.3	56.5	-10.2	58.5	60.6	-2.1	62.1	66.1	-4.0	0.38
Mozambique	42.1	44.6	-2.5	53.2	51.9	1.3	54.7	54.3	0.5	56.0	57.5	-1.6	59.9	62.9	-3.0	0.33
Rwanda	32.1	48.0	-15.9	51.8	59.6	-7.8	52.0	60.0	-7.9	65.9	64.4	1.5	67.5	68.8	-1.3	0.44

(Table 3 continues on next page)

	1950	1990	2000	2010	2021	SDI, 2021
	Estimated life expectancy	Difference	Estimated life expectancy	Difference	Estimated life expectancy	Difference
	Expected life expectancy	Expected life expectancy	Expected life expectancy	Expected life expectancy	Expected life expectancy	Expected life expectancy
(Continued from previous page)						
Somalia	45.0	41.4	3.6	50.9	40.3	10.6
South Sudan	50.3	48.4	1.9	54.8	54.6	0.1
Tanzania	41.4	45.6	-4.2	56.7	58.6	-1.9
Uganda	41.5	45.1	-3.6	50.8	53.1	-2.3
Zambia	46.1	48.9	-2.7	52.5	61.6	-9.2
Southern sub-Saharan Africa	52.5	61.0	-8.4	67.4	71.5	-4.1
Botswana	52.6	48.9	3.8	65.0	67.9	-2.9
Eswatini	43.2	49.3	-6.2	65.1	67.1	-2.0
Lesotho	52.9	50.6	2.2	65.9	63.8	2.1
Namibia	53.4	55.4	-2.0	65.6	69.4	-3.8
South Africa	52.4	62.9	-10.5	68.4	72.7	-4.2
Zimbabwe	54.8	52.7	2.1	63.8	67.1	-3.3
Western sub-Saharan Africa	44.4	49.3	-4.9	55.7	59.6	-3.9
Benin	41.5	46.1	-4.6	57.8	55.8	2.1
Burkina Faso	38.1	40.9	-2.8	52.4	48.4	4.0
Cabo Verde	50.3	48.9	1.4	72.4	59.6	12.8
Cameroon	44.2	48.9	-4.7	59.8	61.3	-1.5
Chad	43.4	40.9	2.5	54.5	47.0	7.5
Côte d'Ivoire	47.5	47.0	0.4	58.4	60.0	-1.5
The Gambia	54.8	47.5	7.3	61.9	57.2	4.7
Ghana	48.7	57.2	-8.5	60.5	65.6	-5.0
Guinea	41.5	41.4	0.0	51.9	52.7	-0.9
Guinea-Bissau	32.1	42.0	-9.9	52.2	54.6	-2.5
Liberia	34.8	48.9	-14.0	50.7	56.8	-6.2
Mali	37.3	41.4	-4.1	50.1	48.0	2.2
Mauritania	49.5	52.3	-2.8	60.5	63.5	-3.0
Niger	42.2	40.3	1.8	48.1	44.1	4.0
Nigeria	45.7	50.2	-4.5	55.9	61.6	-5.7
São Tomé and Príncipe	35.0	52.3	-17.3	64.7	62.0	2.7
Senegal	46.5	46.1	0.4	60.4	56.8	3.5
Sierra Leone	40.3	47.0	-6.7	53.1	55.0	-1.9
Togo	44.8	45.6	-0.8	59.4	59.3	0.1

SDI=Socio-demographic Index. GBD=Global Burden of Diseases, Injuries, and Risk Factors Study.

Table 3: Female life expectancy (estimated, expected based on SDI, and their difference) for 1950, 1990, 2000, 2010, and 2021, and SDI in 2021, globally and for GBD super-regions, regions, countries, and territories

	1950			1990			2000			2010			2021			SDI, 2021	
	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference		
Global	46.7	61.4	-14.6	63.0	66.9	-3.9	64.8	67.9	-3.1	68.0	68.8	-0.8	69.0	69.9	-0.9	0.67	
Central Europe, eastern Europe, and central Asia	57.3	66.9	-9.6	64.8	69.3	-4.5	62.9	70.3	-7.4	66.2	71.8	-5.6	67.4	73.4	-5.9	0.77	
Central Asia	45.9	64.0	-18.1	64.0	67.6	-3.6	63.2	68.1	-4.9	66.3	69.2	-2.9	67.4	69.9	-2.4	0.68	
Armenia	46.5	64.7	-18.3	67.3	67.4	-0.1	69.3	68.1	1.2	70.5	69.7	0.8	71.3	71.0	0.4	0.70	
Azerbaijan	35.1	63.2	-28.1	62.7	68.4	-5.7	64.1	68.1	-4.0	67.2	69.5	-2.3	67.0	70.7	-3.6	0.69	
Georgia	48.3	67.5	-19.2	65.2	69.7	-4.4	65.5	69.1	-3.6	67.7	70.1	-2.5	67.3	72.0	-4.7	0.73	
Kazakhstan	52.5	64.6	-12.0	63.2	68.3	-5.1	59.4	69.4	-10.0	63.1	70.4	-7.3	65.3	71.5	-6.1	0.73	
Kyrgyzstan	44.6	64.4	-19.8	62.5	66.8	-4.3	62.6	67.4	-4.8	65.2	67.6	-2.4	68.4	68.7	-0.3	0.60	
Mongolia	36.8	57.7	-20.9	59.8	65.2	-5.5	60.6	66.9	-6.3	62.6	68.0	-5.4	65.7	68.9	-3.2	0.62	
Tajikistan	39.3	58.0	-18.7	63.7	65.2	-1.6	64.7	64.9	-0.2	67.9	66.0	1.9	66.9	67.0	-0.1	0.54	
Turkmenistan	44.3	63.8	-19.6	62.6	67.8	-5.2	62.3	67.8	-5.5	65.6	69.0	-3.4	64.3	70.4	-6.1	0.68	
Uzbekistan	47.3	61.1	-13.8	66.1	66.4	-0.3	65.7	67.6	-1.9	68.1	68.8	-0.7	69.9	69.4	0.5	0.66	
Central Europe	54.6	65.7	-11.1	66.9	69.2	-2.3	69.1	70.8	-1.7	71.7	72.7	-1.0	71.3	74.4	-3.2	0.80	
Albania	49.5	60.3	-10.8	69.8	67.7	2.1	71.9	68.2	3.7	75.7	69.7	6.1	73.6	71.0	2.6	0.71	
Bosnia and Herzegovina	45.6	56.7	-11.2	70.6	67.3	3.3	72.7	68.6	4.1	74.3	70.3	4.0	72.6	71.6	0.9	0.72	
Bulgaria	55.3	65.1	-9.8	66.6	69.2	-2.6	66.6	70.3	-3.7	68.7	71.8	-3.1	66.4	73.4	-6.9	0.77	
Croatia	48.9	65.4	-16.5	68.1	70.0	-1.9	70.9	71.0	-0.1	73.7	73.0	0.7	74.1	74.7	-0.5	0.80	
Czechia	63.9	68.0	-4.1	67.6	70.3	-2.7	71.7	73.4	-1.7	74.6	75.1	-0.5	74.4	75.9	-1.5	0.83	
Hungary	57.7	66.4	-8.7	65.2	69.5	-4.4	67.5	71.3	-3.8	70.8	73.2	-2.4	70.9	74.2	-3.3	0.79	
Montenegro	64.7	64.9	-0.2	71.5	70.1	1.4	71.0	70.1	0.8	72.6	72.4	0.2	69.8	74.4	-4.7	0.80	
North	50.4	63.2	-12.8	68.3	68.6	-0.3	69.3	69.3	-0.1	71.3	71.0	0.3	69.2	72.6	-3.4	0.75	
Macedonia	53.1	66.1	-13.0	66.6	69.0	-2.4	69.7	71.0	-1.3	72.1	73.2	-1.0	71.8	75.1	-3.2	0.81	
Poland	57.8	62.8	-5.0	66.6	68.9	-2.3	67.7	69.9	-2.2	70.0	71.6	-1.6	69.2	73.4	-4.1	0.77	
Romania	46.3	65.6	-19.3	67.3	69.1	-1.8	68.6	69.8	-1.2	71.7	72.2	-0.4	71.7	74.4	-2.8	0.79	
Serbia	60.7	66.9	-6.2	66.7	69.7	-3.0	69.4	72.0	-2.6	71.9	74.0	-2.1	71.3	75.1	-3.8	0.81	
Slovakia	53.0	67.7	-14.7	70.1	71.8	-1.7	72.4	73.8	-1.4	76.3	75.5	0.7	77.6	76.5	1.1	0.84	
Slovenia	61.7	67.6	-5.9	64.5	69.9	-5.4	60.4	70.8	-10.4	63.7	72.7	-9.0	65.8	74.9	-9.0	0.80	
Belarus	63.8	65.7	-1.9	66.3	68.9	-2.6	63.3	69.9	-6.6	64.6	72.0	-7.3	66.0	74.0	-8.0	0.78	
Estonia	62.1	67.7	-5.6	64.7	70.1	-5.4	65.6	72.2	-6.6	71.0	74.7	-3.7	72.4	76.5	-4.2	0.84	
Latvia	64.6	67.9	-3.3	64.4	70.3	-5.9	65.0	71.8	-6.8	68.0	74.7	-6.6	68.3	75.9	-7.6	0.83	
Lithuania	62.2	66.4	-4.2	66.2	70.0	-3.8	66.7	71.5	-4.8	67.5	74.4	-7.0	69.2	77.2	-8.0	0.86	
Moldova	49.2	65.1	-15.9	64.6	68.6	-4.0	65.0	68.9	-3.9	65.6	70.0	-4.4	67.9	71.8	-3.9	0.73	
Russia	60.9	67.7	-6.8	64.0	70.0	-6.0	59.3	71.1	-11.8	62.9	73.2	-10.3	65.5	75.1	-9.6	0.81	
Ukraine	64.7	67.5	-2.8	65.7	69.4	-3.8	62.3	70.0	-7.7	65.7	71.5	-5.7	66.3	73.0	-6.7	0.76	
High income	61.9	68.2	-6.3	72.7	72.6	0.2	75.2	74.2	1.0	77.7	75.3	2.4	77.9	77.0	0.9	0.85	
Australia	67.0	67.9	-0.9	73.6	71.8	1.8	76.8	73.6	3.2	79.6	74.9	4.7	81.2	76.5	4.6	0.85	
Australia	66.9	67.7	-0.8	73.8	71.6	2.1	77.0	73.4	3.6	79.7	74.9	4.8	81.2	76.5	4.7	0.84	

(Table 4 continues on next page)

	1950	1990	2000	2010	2021	SDI, 2021						
	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference
(Continued from previous page)												
New Zealand	68.6	67.6	1.0	72.6	72.6	-0.1	74.0	76.0	-2.0	75.1	79.0	-3.9
High-income Asia Pacific	66.4	51.8	14.7	73.4	74.4	-1.0	75.3	76.9	-1.6	76.5	79.4	-2.8
Brunei	61.4	48.6	12.7	69.9	69.6	0.3	71.5	72.8	-1.3	73.6	74.6	-1.0
Japan	67.4	59.9	7.5	74.2	76.2	-2.0	75.7	78.0	-2.3	76.5	79.9	-3.4
Singapore	58.6	53.8	4.8	70.4	73.0	-2.6	73.4	76.8	-3.4	75.9	80.3	-4.4
South Korea	57.7	30.1	27.5	70.5	68.0	2.5	74.0	72.6	1.4	76.5	77.2	-0.7
High-income North America	68.8	65.5	3.3	73.2	72.3	0.9	74.4	74.4	0.0	75.9	76.6	-0.7
Canada	68.9	66.6	2.3	73.8	74.1	-0.3	75.3	76.6	-1.3	76.5	79.2	-2.6
Greenland	67.9	46.9	21.0	71.8	62.4	9.4	72.2	66.5	5.7	74.9	69.5	5.3
USA	68.8	65.5	3.3	73.2	72.1	1.1	74.4	74.2	0.3	75.7	76.3	-0.6
Southern Latin America	65.4	58.8	6.6	68.2	69.3	-1.1	69.3	71.4	-2.1	70.3	73.5	-3.2
Argentina	65.7	61.5	4.2	68.2	68.9	-0.7	69.3	70.5	-1.2	70.0	72.6	-2.6
Chile	64.4	50.6	13.8	68.2	70.3	-2.1	69.7	74.1	-4.4	71.0	75.9	-5.0
Uruguay	65.6	63.8	1.8	68.1	69.4	-1.3	69.0	70.9	-1.9	69.9	72.8	-2.9
Western Europe	68.2	64.5	3.7	72.4	73.0	-0.6	74.0	75.6	-1.6	75.3	78.5	-3.2
Andorra	68.6	71.2	-2.6	73.0	75.8	-2.8	73.8	77.2	-3.4	76.3	79.2	-2.8
Austria	68.5	63.6	4.9	72.6	72.4	0.2	74.2	75.3	-1.1	75.7	77.9	-2.2
Belgium	68.0	63.3	4.7	72.2	72.7	-0.5	73.8	74.7	-1.0	75.3	77.5	-2.2
Cyprus	64.7	56.1	8.7	69.5	72.6	-3.1	72.4	74.1	-1.8	75.1	77.2	-2.1
Denmark	69.2	69.5	-0.2	74.7	72.3	2.3	76.3	74.7	1.7	77.4	77.4	0.0
Finland	67.8	60.7	7.1	72.7	71.2	1.6	74.2	74.4	-0.2	75.7	77.1	-1.4
France	67.3	64.5	2.8	71.8	73.0	-1.2	73.6	75.3	-1.7	74.9	78.1	-3.2
Germany	69.3	64.4	5.0	75.3	72.1	3.2	76.8	75.3	1.5	77.9	77.9	0.0
Greece	66.5	67.8	-1.2	70.1	74.7	-4.6	72.0	75.9	-3.9	73.6	77.8	-4.2
Iceland	67.8	69.0	-1.2	73.2	75.9	-2.7	74.9	78.3	-3.4	76.3	80.0	-3.7
Luxembourg	69.4	63.5	6.0	73.8	71.6	2.2	75.5	75.0	0.5	77.0	78.5	-1.5
Malta	63.4	64.6	-1.2	69.7	74.1	-4.4	71.1	76.3	-5.1	72.7	79.0	-6.2
Monaco	70.5	64.0	6.5	76.5	74.7	1.8	77.6	75.9	1.7	78.3	77.1	1.2
Netherlands	69.5	70.6	-1.1	74.4	73.8	0.6	75.9	75.5	0.4	77.2	78.8	-1.6
Norway	69.7	70.6	-1.0	74.4	73.7	0.8	76.5	76.0	0.5	77.9	79.0	-1.0
Portugal	63.6	55.9	7.7	68.5	70.6	-2.1	69.8	73.3	-3.5	71.0	77.0	-6.0
San Marino	69.3	69.4	-0.1	75.3	76.6	-1.3	77.2	78.4	-1.3	77.9	80.5	-2.6
Spain	64.4	59.6	4.8	69.2	73.3	-4.1	70.7	75.9	-5.2	72.2	78.9	-6.8

(Table 4 continues on next page)

	1950			1990			2000			2010			2021			SDI, 2021
	Estimated life expectancy	Expected life expectancy	Difference													
(Continued from previous page)																
Sweden	69.3	70.3	-1.0	74.0	75.0	-1.0	76.1	77.5	-1.4	77.2	79.8	-2.7	78.3	82.0	-3.6	0.89
Switzerland	72.6	66.7	5.9	77.4	74.3	3.0	78.1	77.3	0.8	79.1	80.5	-1.4	80.0	82.5	-2.5	0.93
UK	68.7	66.9	1.8	72.4	72.9	-0.5	74.2	75.4	-1.2	75.5	78.5	-3.0	77.2	78.2	-1.0	0.86
England	68.7	67.1	1.6	72.4	73.1	-0.8	74.2	75.7	-1.5	75.5	78.9	-3.4	77.2	78.4	-1.2	0.86
Northern Ireland	68.0	66.3	1.7	71.6	71.4	0.2	73.6	74.8	-1.3	74.9	77.5	-2.6	76.3	78.3	-1.9	0.84
Scotland	68.5	65.7	2.8	72.4	71.1	1.3	74.2	73.3	0.9	75.5	76.3	-0.8	77.0	76.3	0.7	0.85
Wales	68.1	66.3	1.8	71.1	72.9	-1.8	73.0	75.0	-2.0	74.2	77.9	-3.6	76.1	78.7	-2.6	0.83
Latin America and Caribbean	55.7	47.9	7.8	66.3	66.7	-0.4	67.4	69.7	-2.3	68.4	70.7	-2.3	69.4	68.9	0.5	0.65
Andean Latin America	56.7	40.4	16.3	66.3	66.6	-0.3	67.3	71.1	-3.9	68.3	73.9	-5.6	69.7	68.3	1.3	0.65
Bolivia	53.7	36.3	17.4	63.8	60.4	3.5	65.9	65.4	0.5	67.3	69.4	-2.2	68.6	63.8	4.8	0.60
Ecuador	58.9	49.9	9.0	66.8	69.8	-3.0	67.4	71.4	-4.0	68.3	71.9	-3.6	69.9	71.0	-1.1	0.66
Peru	56.7	39.1	17.6	66.5	67.3	-0.7	67.5	73.1	-5.6	68.6	76.7	-8.1	69.8	68.8	1.0	0.66
Caribbean	58.9	52.8	6.1	66.8	66.0	0.8	67.6	68.2	-0.7	68.6	59.1	9.5	69.3	66.9	2.5	0.64
Antigua and Barbuda	58.9	54.8	4.1	68.8	70.5	-1.7	69.8	72.1	-2.3	71.1	73.3	-2.2	72.6	73.0	-0.4	0.75
The Bahamas	65.6	54.8	10.8	70.7	67.7	3.0	72.2	67.7	4.4	73.6	69.5	4.0	74.9	66.1	8.8	0.81
Barbados	63.4	51.0	12.4	69.7	71.3	-1.7	70.3	72.4	-2.1	71.3	74.7	-3.4	72.4	74.4	-2.0	0.75
Belize	56.1	53.3	2.8	63.8	71.7	-7.8	66.3	66.7	-0.5	67.7	71.0	-3.3	68.7	70.5	-1.8	0.61
Bermuda	63.6	61.4	2.2	70.7	69.3	1.4	72.0	74.1	-2.1	74.2	76.6	-2.4	75.5	75.6	-0.1	0.82
Cuba	61.6	65.0	-3.4	67.7	73.0	-5.3	67.8	74.9	-7.1	68.8	76.2	-7.4	70.0	70.9	-0.9	0.67
Dominica	61.6	45.6	16.0	67.7	69.1	-1.4	69.4	70.1	-0.7	70.8	70.4	0.4	72.4	67.4	4.9	0.75
Dominican Republic	46.0	53.5	-7.5	64.4	69.3	-4.9	66.1	70.6	-4.4	67.9	71.5	-3.6	68.9	70.5	-1.6	0.62
Grenada	52.2	54.6	-2.4	64.4	67.6	-3.2	67.3	67.7	-0.4	68.8	68.2	0.6	70.0	67.3	2.7	0.67
Guyana	56.4	49.5	6.9	65.1	60.3	4.8	67.0	62.2	4.9	68.1	63.3	4.8	69.5	64.1	8.4	0.65
Haiti	49.1	35.2	13.9	58.0	53.2	4.8	61.1	57.2	3.9	63.2	35.4	27.8	64.7	58.8	6.0	0.45
Jamaica	60.8	54.5	6.3	67.1	73.9	-6.7	68.4	72.7	-4.3	69.3	74.6	-5.2	70.4	72.0	-1.6	0.68
Puerto Rico	62.8	59.7	3.1	69.8	69.8	0.0	71.1	72.6	-1.5	73.0	75.8	-2.8	75.7	76.6	-0.9	0.83
Saint Kitts and Nevis	59.5	56.5	3.0	68.1	65.8	2.3	69.4	69.1	0.3	71.5	70.0	1.5	73.0	68.5	4.4	0.75
Saint Lucia	55.7	50.1	5.7	66.1	67.6	-1.5	68.1	70.2	-2.1	69.2	72.3	-3.1	70.0	69.7	0.3	0.67
Saint Vincent and the Grenadines	54.7	50.4	4.3	65.6	68.2	-2.6	67.1	68.8	-1.6	68.2	71.1	-2.9	69.3	69.7	-0.4	0.64
Suriname	55.7	56.8	-1.1	66.4	66.3	0.1	67.4	67.0	0.3	68.5	69.2	-0.7	69.3	67.5	1.8	0.63
Trinidad and Tobago	62.3	56.6	5.7	69.0	70.1	-2.0	68.0	72.0	-2.2	70.6	73.4	-1.4	73.4	67.6	5.8	0.77
Virgin Islands	64.6	58.8	5.8	69.7	69.2	0.5	71.1	70.1	1.1	74.2	71.5	2.7	75.5	71.3	4.2	0.82

(Table 4 continues on next page)

	1950	1990	2000	2010	2021	SDI, 2021
	Estimated life expectancy	Difference	Estimated life expectancy	Difference	Estimated life expectancy	Difference
	Estimated life expectancy	Difference	Expected life expectancy	Difference	Estimated life expectancy	Difference
(Continued from previous page)						
Central Latin America	56·1	48·5	7·6	65·9	67·9	-2·1
Colombia	55·7	53·3	2·5	65·9	68·2	-2·4
Costa Rica	58·0	55·4	2·6	67·1	74·8	-7·7
El Salvador	49·5	43·7	5·8	61·6	65·4	-3·8
Guatemala	50·3	42·4	7·9	58·3	60·1	-1·8
Honduras	49·1	38·0	11·1	59·2	66·5	-7·3
Mexico	56·7	46·8	9·9	66·4	68·2	-1·7
Nicaragua	51·1	46·6	4·5	60·0	70·5	-10·5
Panama	59·8	59·4	0·3	67·4	74·2	-6·8
Venezuela	58·9	54·8	4·1	66·7	69·5	-2·8
Tropical Latin America	54·0	48·3	5·7	66·3	65·8	0·5
Brazil	54·0	48·1	5·9	66·3	65·6	0·7
Paraguay	55·7	57·7	-1·9	65·6	73·7	-8·1
North Africa and Middle East	49·5	41·3	8·2	64·4	63·8	0·6
Afghanistan	41·2	38·5	2·7	47·8	52·5	-4·7
Algeria	45·1	41·1	4·0	65·1	68·6	-3·5
Bahrain	52·6	50·9	1·7	68·2	67·9	0·4
Egypt	52·6	42·7	9·9	63·6	62·3	1·3
Iran	47·8	35·7	12·1	64·9	65·8	-0·9
Iraq	46·0	51·5	-5·5	63·0	64·5	-1·5
Jordan	44·2	49·4	-5·2	67·3	72·1	-4·9
Kuwait	58·6	50·9	7·7	70·1	72·4	-2·3
Lebanon	55·4	51·4	4·0	67·0	65·9	1·1
Libya	46·0	40·2	5·8	67·1	71·3	-4·1
Morocco	40·6	38·6	2·0	60·8	65·8	-5·0
Oman	44·2	38·0	6·1	64·0	66·6	-2·6
Palestine	45·1	41·3	3·8	62·8	67·2	-4·5
Qatar	54·7	54·7	0·1	69·5	68·7	0·9
Saudi Arabia	50·7	52·6	-1·9	67·3	66·6	0·7
Sudan	44·2	47·4	-3·2	56·7	56·7	0·0
Syria	46·9	52·1	-5·2	64·0	67·8	-3·8
Tunisia	46·0	39·7	6·3	65·4	70·1	-4·7
Turkey	53·3	41·3	12·0	65·1	64·4	0·7
United Arab Emirates	49·9	53·3	-3·4	69·4	69·4	0·0
Yemen	39·6	29·7	9·9	51·4	57·1	-5·7

(Table 4 continues on next page)

	1950	1990	2000	2010	2021	SDI, 2021
	Estimated life expectancy	Difference	Estimated life expectancy	Difference	Estimated life expectancy	Difference
	Expected life expectancy	Expected life expectancy	Expected life expectancy	Expected life expectancy	Expected life expectancy	Expected life expectancy
(Continued from previous page)						
South Asia	48.6	37.6	11.0	58.6	59.9	-1.3
Bangladesh	42.2	40.5	1.7	52.6	58.0	-5.4
Bhutan	36.3	37.0	-0.8	51.4	60.1	-8.7
India	49.5	36.4	13.1	59.2	60.0	-0.8
Nepal	41.2	37.0	4.1	50.3	57.6	-7.3
Pakistan	46.5	47.6	-1.1	58.0	62.2	-4.2
Southeast Asia, east Asia, and Oceania	50.7	44.8	5.9	64.9	65.4	0.5
East Asia	49.9	46.3	3.6	65.4	65.8	-0.4
China	49.1	47.4	1.7	65.1	65.7	-0.6
North Korea	58.9	18.5	40.4	66.1	66.8	-0.7
Taiwan (province of China)	57.0	55.7	1.3	70.0	72.2	-2.1
Oceania	51.8	46.8	5.0	62.3	61.1	1.2
American Samoa	65.9	60.8	5.0	68.8	67.4	1.4
Cook Islands	59.5	46.4	13.0	67.8	66.4	1.4
Federated States of Micronesia	52.9	41.5	11.4	65.1	60.5	4.6
Fiji	57.4	58.5	-1.1	67.1	63.9	3.3
Guam	67.8	65.9	1.9	70.3	72.1	-1.8
Kiribati	55.4	44.0	11.4	63.2	56.4	6.8
Marshall Islands	52.6	47.4	5.1	64.0	59.6	4.4
Nauru	62.5	57.5	5.0	67.3	58.1	9.2
Niue	59.5	51.3	8.2	68.2	65.8	2.4
Northern Mariana Islands	64.6	62.2	2.4	71.3	70.1	1.2
Palau	63.6	46.9	16.7	69.9	63.6	6.3
Papua New Guinea	45.1	44.4	0.8	58.0	60.3	-2.3
Samoa	56.4	55.5	0.9	65.9	65.9	-0.1
Solomon Islands	47.8	45.1	2.7	57.4	59.1	-1.7
Tokelau	57.0	55.7	1.3	66.8	66.9	-0.2
Tonga	55.1	59.2	-4.2	66.0	68.5	-2.5
Tuvalu	54.7	37.8	16.9	62.5	57.2	5.3
Vanuatu	49.9	44.7	5.2	60.3	60.9	-0.6

(Table 4 continues on next page)

	1950	1990	2000	2010	2021	SDI, 2021						
	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference	Estimated life expectancy	Expected life expectancy	Difference
(Continued from previous page)												
Southeast Asia	52.2	40.8	11.4	65.2	62.8	2.4	67.1	65.4	1.7	68.2	67.8	0.4
Cambodia	49.5	41.4	8.1	56.7	55.2	1.6	59.5	57.8	1.6	63.2	63.5	-0.3
Indonesia	49.9	38.2	11.7	64.9	62.7	2.2	67.1	66.0	1.2	68.2	67.4	0.8
Laos	44.6	34.8	9.8	55.1	50.6	4.4	58.9	56.1	2.8	63.4	62.4	1.0
Malaysia	51.4	51.8	-0.3	67.4	69.9	-2.5	69.1	70.8	-1.7	70.5	72.2	-1.7
Maldives	49.9	34.0	15.8	59.2	65.8	-6.7	65.7	72.1	-6.4	68.1	77.0	-8.9
Mauritius	57.0	50.8	6.3	67.4	66.3	1.1	68.6	69.0	-0.4	69.8	70.8	-1.0
Myanmar	45.1	29.4	15.7	58.6	52.3	6.3	63.4	56.0	5.4	65.1	61.4	3.7
Philippines	59.5	55.8	3.7	66.5	65.4	1.2	67.4	67.3	0.1	67.9	67.6	0.3
Seychelles	61.4	57.8	3.6	68.0	66.1	1.9	69.5	68.0	1.5	70.3	69.6	0.6
Sri Lanka	59.2	54.8	4.4	66.8	65.8	1.0	68.1	67.1	1.0	69.2	70.1	-0.8
Thailand	52.9	49.6	3.3	66.4	67.6	-1.2	68.1	67.7	0.4	69.0	72.6	-3.6
Timor-Leste	41.7	43.6	-1.9	54.7	59.0	-4.3	59.8	65.1	-5.3	62.5	68.3	-5.7
Viet Nam	51.1	39.6	11.5	63.0	65.4	-2.4	66.0	67.9	-1.9	67.7	68.6	-0.9
Sub-Saharan Africa	46.5	39.3	7.2	57.0	51.5	5.5	59.2	51.5	7.7	62.1	57.1	5.0
Central sub-Saharan Africa	46.0	36.3	9.7	57.4	50.4	7.0	58.6	50.9	7.7	62.3	56.5	5.8
Angola	44.2	38.7	5.5	55.4	46.5	8.9	58.0	50.1	7.9	62.1	57.9	4.2
Central African Republic	41.7	39.0	2.7	51.4	44.4	7.0	53.7	42.4	11.3	56.1	46.2	9.9
Congo (Brazzaville)	47.4	31.6	15.8	63.6	52.1	11.5	65.1	52.2	12.8	66.4	60.6	5.8
Democratic Republic of the Congo	45.6	35.4	10.2	56.7	51.9	4.8	55.1	51.7	3.3	56.4	56.5	-0.1
Equatorial Guinea	41.7	24.3	17.4	55.4	48.4	7.0	63.2	55.2	8.0	67.7	63.4	4.3
Gabon	46.9	24.9	22.0	64.9	56.7	8.3	66.5	57.0	9.5	67.6	60.4	7.2
Eastern sub-Saharan Africa	42.7	37.3	5.4	52.9	48.9	4.0	55.1	50.3	4.8	59.2	58.0	1.2
Burundi	41.2	35.5	5.7	50.7	47.1	3.6	51.4	42.6	8.8	53.3	58.4	-5.1
Comoros	43.2	42.7	0.4	56.1	56.8	-0.7	60.6	60.3	0.3	63.4	64.9	-1.5
Djibouti	47.4	54.8	-7.4	59.8	59.1	0.7	61.6	58.9	2.7	63.8	61.7	2.2
Eritrea	37.9	35.5	2.5	51.4	41.2	10.2	58.0	50.9	7.1	60.3	56.5	3.8
Ethiopia	36.3	34.5	1.7	46.0	44.1	2.0	48.2	50.3	-2.1	54.7	62.0	-7.3
Kenya	43.2	44.6	-1.4	59.5	60.8	-1.3	62.1	53.9	8.2	64.2	59.2	5.0
Madagascar	44.2	39.4	4.8	56.1	54.6	1.5	56.4	57.9	-1.5	58.3	60.7	-2.4
Malawi	44.6	33.7	10.9	50.7	47.7	3.0	52.6	44.9	7.7	56.7	54.0	2.7
Mozambique	40.1	38.0	2.1	47.8	48.5	-0.7	50.3	50.1	0.2	53.7	51.0	2.7
Rwanda	43.7	30.7	12.9	55.7	47.8	7.9	56.1	48.8	7.3	60.3	62.0	-1.7

(Table 4 continues on next page)

	1950			1990			2000			2010			2021			SDI, 2021
	Estimated life expectancy	Expected life expectancy	Difference													
(Continued from previous page)																
Somalia	36.8	41.4	-4.6	35.7	45.9	-10.3	36.3	48.3	-12.1	37.4	48.1	-10.7	38.5	50.7	-12.2	0.08
South Sudan	44.2	44.0	0.1	50.7	49.9	0.8	52.6	52.8	-0.2	55.4	56.2	-0.8	56.1	52.6	3.5	0.28
Tanzania	41.2	37.2	3.9	54.7	53.4	1.3	56.7	52.2	4.5	60.6	59.8	0.8	64.7	61.3	3.5	0.45
Uganda	40.6	36.6	4.1	49.1	46.4	2.7	52.9	47.4	5.5	59.2	56.7	2.5	63.8	57.8	6.0	0.42
Zambia	44.6	40.5	4.1	57.7	50.3	7.4	58.6	44.6	14.0	62.5	54.6	7.9	66.5	55.8	10.8	0.51
Southern sub-Saharan Africa	57.0	46.2	10.8	66.4	60.0	6.4	67.7	51.6	16.1	68.5	53.4	15.1	69.4	55.9	13.5	0.64
Botswana	44.6	46.0	-1.4	63.4	58.0	5.4	66.7	45.9	20.8	68.2	56.1	12.1	69.4	57.0	12.4	0.64
Eswatini	45.1	34.0	11.1	62.8	56.6	6.1	65.4	45.6	19.8	66.9	44.3	22.6	68.2	49.5	18.7	0.59
Lesotho	46.5	41.2	5.3	59.8	56.2	3.6	62.8	45.7	17.1	64.7	45.5	19.3	66.5	45.3	21.2	0.51
Namibia	51.4	47.6	3.9	64.7	58.9	5.9	66.4	51.6	14.8	67.6	56.8	10.8	68.9	56.5	12.4	0.62
South Africa	58.9	46.7	12.2	67.3	60.6	6.6	68.4	53.8	14.6	69.2	54.6	14.7	70.3	57.4	12.8	0.68
Zimbabwe	48.6	47.7	0.9	62.8	59.1	3.6	64.6	45.9	18.7	63.4	50.4	13.0	65.6	52.2	13.4	0.47
Western sub-Saharan Africa	45.1	40.4	4.8	55.7	52.9	2.8	58.0	53.3	4.7	61.4	58.0	3.4	64.6	59.9	4.7	0.45
Benin	41.7	36.3	5.4	51.8	53.9	-2.1	54.4	55.8	-1.4	57.7	59.3	-1.7	61.6	60.1	1.5	0.37
Burkina Faso	36.3	35.3	0.9	44.2	49.2	-5.1	47.8	50.8	-3.0	51.8	55.5	-3.7	56.4	57.4	-1.0	0.29
Cabo Verde	44.6	46.5	-1.9	55.7	67.0	-11.2	60.8	66.5	-5.7	64.9	70.9	-6.0	67.1	69.0	-1.8	0.53
Cameroon	44.6	38.4	6.2	57.4	57.0	0.4	60.3	53.3	7.0	62.5	56.7	5.8	65.7	58.5	7.3	0.48
Chad	36.3	38.4	-2.1	42.7	51.7	-9.0	45.1	50.5	-5.4	49.1	55.0	-5.9	52.9	56.5	-3.6	0.24
Côte d'Ivoire	42.7	42.7	0.0	56.1	53.3	2.8	59.5	50.3	9.2	60.8	55.8	5.0	63.8	60.3	3.5	0.43
The Gambia	43.2	49.1	-5.9	53.3	56.8	-3.5	57.0	58.6	-1.5	60.3	61.3	-1.0	63.2	60.9	2.3	0.41
Ghana	53.3	43.9	9.4	61.4	57.9	3.4	63.8	58.2	5.6	65.6	59.6	6.0	67.7	61.7	6.0	0.56
Guinea	36.8	36.8	0.1	48.6	51.9	-3.2	51.4	53.0	-1.5	54.7	56.6	-1.9	59.8	58.2	1.6	0.34
Guinea-Bissau	37.4	24.6	12.7	50.7	45.9	4.8	54.0	48.9	5.1	56.7	54.1	2.7	60.6	55.1	5.5	0.35
Liberia	44.6	26.9	17.8	52.9	45.4	7.6	52.6	53.8	-1.2	56.1	60.7	-4.6	60.6	61.6	-1.0	0.35
Mali	36.8	32.8	4.1	43.7	49.5	-5.8	46.9	53.2	-6.3	50.7	57.6	-7.0	55.7	57.3	-1.5	0.27
Mauritania	48.2	44.5	3.8	59.5	60.1	-0.6	62.1	64.4	-2.4	63.6	68.6	-5.0	66.1	68.4	-2.2	0.50
Niger	35.7	37.5	-1.9	39.6	46.7	-7.1	41.7	51.4	-9.8	45.1	59.2	-14.1	49.5	60.1	-10.6	0.17
Nigeria	46.0	42.6	3.4	57.7	52.9	4.8	59.5	53.3	6.2	63.2	58.4	4.8	66.3	60.7	5.5	0.50
São Tomé and Príncipe	48.2	36.9	11.3	58.0	61.8	-3.8	59.2	64.1	-4.9	62.8	67.8	-5.1	66.4	68.6	-2.2	0.51
Senegal	41.7	42.3	-0.6	52.9	56.6	-3.7	56.4	58.6	-2.2	59.2	64.0	-4.8	63.2	63.7	-0.5	0.41
Sierra Leone	42.7	35.8	6.9	51.1	49.2	1.9	51.8	48.9	2.9	55.7	54.6	1.1	60.8	59.2	1.7	0.36
Togo	41.2	38.6	2.6	55.4	56.2	-0.8	57.7	54.4	3.2	59.5	56.8	2.6	63.2	60.2	3.0	0.41

Table 4: Male life expectancy (estimated, expected based on SDI, and their difference) for 1950, 1990, 2000, 2010, and 2021, globally and for GBD super-regions, regions, countries, and territories




Figure 8: National age-standardised rates of excess mortality due to the COVID-19 pandemic versus SDI, and expected rates of excess mortality based on SDI, 2020 and 2021 combined

Mortality rates are expressed as the number of deaths per 100 000 and are shown for 204 countries and territories coloured by GBD super-region. The size of the datapoints indicates the number of excess deaths. The black line represents expected age-standardised excess mortality rates based on SDI, and the shaded area indicates the 95% uncertainty intervals. GBD=Global Burden of Diseases, Injuries, and Risk Factors Study. SDI=Socio-demographic Index.

Asia, east Asia, and Oceania (33 of 34 nations), high-income (33 of 36 nations), and sub-Saharan Africa (27 of 46 nations). At the national level, the five countries or territories with the largest positive difference between estimated excess mortality and expected excess mortality based on SDI (ie, higher mortality than expected) were Bulgaria, North Macedonia, Lesotho, Peru, and Bolivia; the five nations with the highest negative difference between estimated excess mortality and expected excess mortality based on SDI (ie, lower mortality than expected) were Barbados, Mongolia, New Zealand, Antigua and Barbuda, and the Marshall Islands.

Population

The global total population increased annually over the study period, from 2·52 billion (95% UI 2·48–2·58) in 1950 to 6·10 billion (5·98–6·22) in 2000 and 7·89 billion (7·67–8·13) in 2021 (table 5). Annual growth in total population fluctuated over the study period, from an annual increase of 46·9 million (41·0–52·7) from 1950 to 1951 with the highest annual increase of 92·5 million (75·7–106·6) observed between 2008 and 2009 (figure 9). After 2009, population growth plateaued, and in 2017, the annual increase in population began to decline. Between 2019 and 2021, this decline accelerated, with annual gains of just 77·0 million (49·4–95·6) from 2019 to 2020 and 69·0 million (50·8–93·2) from 2020 to 2021. These reduced gains include the impact of excess deaths due to the

COVID-19 pandemic, therefore the magnitude might not persist as excess mortality declines. The majority of global population growth during the study period is attributed to three GBD super-regions: sub-Saharan Africa; south Asia; and southeast Asia, east Asia, and Oceania. The population of sub-Saharan Africa grew at a steadily increasing rate throughout the study period, contributing 9·1% (7·3–11·0) of the total global population growth from 1950 to 1951, 23·3% (19·4–27·6) from 2000 to 2001, and 39·5% (28·4–52·7) from 2020 to 2021. South Asia contributed 17·1% (13·8–20·6) of the total global population growth from 1950 to 1951, rose to a peak contribution of 32·9% (28·4–37·8) from 1999 to 2000, and remained relatively constant in more recent years, with a contribution of 26·3% (9·0–44·7) from 2020 to 2021. In contrast, the annual growth of the population fluctuated in southeast Asia, east Asia, and Oceania. The contribution of this super-region to annual global population growth was relatively stable up to a peak of 37·3% (30·4–41·8) from 1956 to 1957 and then subsequently decreased, contributing 14·1% (0·0 to 30·2) from 2020 to 2021. Central Europe, eastern Europe, and central Asia contributed little to global population growth, and in fact experienced a decline in population over some periods, with growth from 1950 to 1992, a decline from 1993 to 2006, growth from 2007 to 2018, and a return to population decline in 2019. Population growth was relatively stable in Latin America and the Caribbean and north Africa and the Middle East at the super-regional level during the previous three decades, whereas population growth in the high-income super-region began to decline starting around 2015.

The majority of countries and territories (154 [75·5%] of 204 countries and territories representing all seven super-regions) had a positive rate of natural increase (calculated as the number of births minus the number of deaths divided by person-years) between 2000 and 2009 followed by a smaller positive rate between 2010 and 2019 (figure 10). 26 countries and territories had a rate of natural increase that was positive during both decades and that was larger between 2010 and 2019 than between 2000 and 2009 (figure 10). Of these countries and territories, nine were in sub-Saharan Africa, eight were in central Europe, eastern Europe, and central Asia, and five were in the high-income super-region. Seven countries and territories had a positive rate of natural increase between 2000 and 2009 followed by a negative rate of natural increase between 2010 and 2019: Bosnia and Herzegovina, Greece, Japan, North Macedonia, Poland, Portugal, and San Marino (figure 10). The countries and territories of Belarus, Estonia, Latvia, Russia, and Ukraine experienced a negative rate of natural increase between 2000 and 2009 and continued to have a negative rate of natural increase between 2010 and 2019, but to a smaller extent (figure 10). The rate of natural increase was negative between 2000 and 2009 in Bulgaria, Croatia, Germany, Hungary,

Population in 2000 (thousands)

Population in 2021 (thousands)

		Annualised rate of change in population, 2000-21						
	All ages	<15 years	15-64 years	≥65 years	All ages	<15 years	15-64 years	≥65 years
Global	6100000 (5380000 to 6220000)	1830000 (1800000 to 1870000)	3840000 (3760000 to 3920000)	4230000 (416000 to 4320000)	7890000 (7670000 to 8130000)	2010000 (1950000 to 2070000)	5110000 (4960000 to 5270000)	770000 (750000 to 792000)
Central Europe, eastern Europe, and central Asia	417000 (404000 to 431000)	87300 (84500 to 90000)	282000 (272000 to 291000)	48400 (46600 to 50000)	418000 (393 000 to 441 000)	80800 (75900 to 85500)	275000 (259000 to 291000)	61300 (58100 to 65200)
Central Asia	74400 (70600 to 78100)	24800 (23500 to 26100)	45300 (42100 to 47600)	4310 (4120 to 4500)	95800 (85900 to 106000)	27700 (24700 to 30600)	62100 (55700 to 68600)	6020 (5490 to 6550)
Armenia	3320 (3070 to 3550)	849 (785 to 909)	2170 (2010 to 2320)	297 (275 to 318)	3000 (2600 to 3380)	592 (515 to 668)	2000 (1740 to 2260)	398 (346 to 449)
Azerbaijan	8280 (7700 to 8890)	2580 (2400 to 2770)	5220 (4860 to 5600)	480 (447 to 515)	10500 (9080 to 12000)	2360 (2040 to 2700)	7440 (6440 to 8500)	699 (605 to 798)
Georgia	4730 (4340 to 5120)	1030 (948 to 1120)	3090 (2830 to 3340)	612 (562 to 662)	3610 (3200 to 4010)	736 (653 to 817)	2300 (2040 to 2550)	572 (507 to 635)
Kazakhstan	15000 (13900 to 16100)	4180 (3860 to 4500)	9790 (9060 to 10500)	1010 (934 to 1090)	19000 (17000 to 20800)	5430 (4880 to 5960)	12100 (10900 to 13300)	1400 (1260 to 1540)
Kyrgyzstan	5010 (4650 to 5380)	1770 (1640 to 1900)	2970 (2750 to 3180)	279 (259 to 299)	6860 (5860 to 7900)	2270 (1940 to 2620)	4250 (3630 to 4890)	340 (290 to 391)
Mongolia	2440 (2270 to 2610)	879 (817 to 939)	1480 (1380 to 1580)	836 (778 to 893)	3340 (3080 to 3580)	1090 (1000 to 1170)	2110 (1950 to 2260)	144 (134 to 155)
Tajikistan	6360 (5950 to 6800)	2710 (2540 to 2900)	3410 (3180 to 3640)	244 (228 to 261)	10200 (8880 to 11600)	3580 (3110 to 4090)	6210 (5380 to 7080)	340 (319 to 420)
Turkmenistan	4260 (3710 to 4830)	1600 (1400 to 1820)	2480 (2160 to 2810)	179 (156 to 203)	5160 (4620 to 5700)	1520 (1370 to 1680)	3350 (3000 to 3700)	284 (254 to 314)
Uzbekistan	25000 (21500 to 28700)	9150 (7880 to 10500)	14700 (12700 to 16900)	1120 (967 to 1290)	34200 (24500 to 43600)	10100 (7220 to 12900)	22300 (16000 to 28500)	1810 (13000 to 2310)
Central Europe	1222000 (118000 to 1260000)	23000 (22200 to 23700)	85500 (80700 to 86200)	160000 (155000 to 16500)	115000 (110000 to 120000)	17700 (16900 to 18500)	75200 (71800 to 78500)	22300 (21300 to 23300)
Albania	3190 (2970 to 3430)	962 (895 to 1030)	2010 (1870 to 2160)	225 (209 to 242)	2670 (2320 to 3020)	444 (385 to 502)	444 (3570 to 2050)	416 (361 to 471)
Bosnia and Herzegovina	3980 (3490 to 4490)	806 (707 to 911)	2700 (2370 to 3060)	466 (409 to 527)	3300 (2900 to 3690)	490 (431 to 548)	2210 (1940 to 2470)	606 (532 to 677)
Bulgaria	7940 (7400 to 8580)	1230 (1150 to 1330)	5390 (5030 to 5820)	1320 (1230 to 1420)	6790 (6070 to 7430)	976 (874 to 1070)	4340 (3880 to 4750)	1470 (1320 to 1610)
Croatia	4570 (4250 to 4900)	794 (738 to 851)	3080 (2860 to 3310)	696 (646 to 746)	4210 (3680 to 4750)	597 (522 to 674)	2720 (2370 to 3060)	896 (783 to 1010)
Czechia	10200 (10200 to 10300)	1670 (1660 to 1680)	7140 (7090 to 7200)	1420 (1410 to 1450)	10600 (9670 to 11600)	1720 (1560 to 1870)	6710 (6100 to 7330)	2210 (2010 to 2410)
Hungary	10200 (9440 to 11000)	1720 (1590 to 1850)	6950 (6430 to 7470)	1530 (1410 to 1640)	9600 (8430 to 10900)	1390 (1220 to 1570)	6200 (5440 to 7020)	2010 (1760 to 2280)
Montenegro	637 (580 to 695)	142 (129 to 155)	425 (387 to 464)	701 (639 to 766)	618 (540 to 701)	111 (974 to 126)	413 (361 to 468)	937 (819 to 106)
North Macedonia	2060 (1900 to 2230)	460 (424 to 497)	1390 (1290 to 1510)	204 (188 to 220)	2180 (1800 to 2590)	328 (270 to 390)	1540 (1270 to 1830)	308 (254 to 366)
Poland	38300 (35200 to 41300)	7379 (6780 to 7950)	26200 (24100 to 28300)	4720 (4330 to 5090)	38200 (34600 to 41900)	5890 (5320 to 6450)	25200 (22800 to 27600)	7170 (6480 to 7860)

(Table 5 continues on next page)

Population in 2021 (thousands)						
	All ages	<15 years	15–64 years	≥ 65 years	All ages	<15 years
(Continued from previous page)						15–64 years
Romania	22 400 (20 600 to 24 300)	4220 (38 0 to 45 70)	15 200 (14 000 to 16 500)	2960 (27 20 to 32 10)	18 900 (16 500 to 21 500)	3010 (26 30 to 34 20)
Serbia	9670 (8 880 to 10 500)	1870 (17 20 to 20 30)	6550 (6 020 to 7 090)	1250 (11 40 to 13 50)	8920 (7 750 to 10 000)	1330 (11 50 to 14 90)
Slovakia	5390 (5 360 to 5 420)	1050 (10 40 to 10 50)	3720 (3 700 to 37 40)	624 (6 20 to 628)	5430 (4 900 to 5 960)	857 (7 72 to 940)
Slovenia	1990 (1 980 to 2 010)	321 (318 to 333)	1390 (1 380 to 1 400)	280 (27 8 to 282)	2070 (18 90 to 22 50)	312 (28 5 to 340)
Eastern Europe	221 000 (208 000 to 234 000)	39 600 (37 300 to 41 900)	153 000 (144 000 to 162 000)	28 100 (26 400 to 29 700)	207 000 (18 000 to 228 000)	35 400 (31 600 to 39 200)
Belarus	10 200 (9 460 to 11 000)	1930 (17 90 to 20 70)	6920 (6 410 to 7 440)	1360 (12 60 to 14 60)	9320 (8 020 to 10 600)	1580 (13 60 to 18 00)
Estonia	1390 (1 390 to 1 400)	251 (24 9 to 25 2)	936 (9 30 to 942)	208 (20 6 to 20 9)	1310 (11 90 to 14 30)	216 (19 6 to 23 6)
Latvia	2380 (2 210 to 2 540)	431 (399 to 459)	1600 (1 480 to 1 700)	355 (39 3 to 37 9)	1870 (17 00 to 20 50)	297 (27 0 to 32 6)
Lithuania	3520 (3 260 to 3 780)	705 (6 53 to 7 56)	2330 (2 160 to 2 500)	483 (4 47 to 5 18)	2730 (2 480 to 3 010)	408 (37 0 to 44 9)
Moldova	4200 (3 810 to 4 600)	922 (8 36 to 10 0)	2850 (2 580 to 3 120)	428 (3 88 to 4 69)	3590 (2 97 0 to 4 190)	522 (4 32 to 6 09)
Russia	149 000 (137 000 to 161 000)	26 700 (24 600 to 28 900)	104 000 (9 5 800 to 11 3 000)	18 400 (16 900 to 19 900)	145 000 (12 500 to 164 000)	26 100 (22 500 to 29 400)
Ukraine	49 600 (46 000 to 53 200)	8640 (8 010 to 9 270)	34 100 (31 600 to 36 600)	6850 (6 550 to 7 350)	43 100 (34 600 to 51 400)	6350 (51 00 to 7 570)
High income	968 000 (944 000 to 990 000)	185 000 (180 000 to 189 000)	647 000 (631 000 to 661 000)	137 000 (134 000 to 140 000)	1 090 000 (1 060 000 to 1 120 000)	176 000 (171 000 to 181 000)
Australasia	22 700 (21 300 to 24 100)	4870 (4 570 to 51 70)	15 100 (14 100 to 16 000)	2780 (2 600 to 2 950)	31 000 (2 9 200 to 32 700)	5730 (5 400 to 6 060)
Australia	18 900 (17 400 to 20 300)	4000 (3 690 to 4 290)	12 600 (11 600 to 13 500)	2330 (2 150 to 2 500)	25 800 (24 000 to 27 500)	4750 (4 420 to 5 070)
New Zealand	3860 (35 800 to 41 500)	878 (8 13 to 9 44)	2530 (2 340 to 27 220)	454 (4 21 to 488)	5170 (4 720 to 5 610)	982 (8 96 to 10 60)
High-income Asia Pacific	180 000 (71 000 to 190 000)	29 700 (28 200 to 31 100)	125 000 (11 8 000 to 13 1 000)	25 900 (2 430 to 27 400)	185 000 (17 5 000 to 19 6 000)	22 400 (21 200 to 23 700)
Brunei	333 (306 to 358)	105 (9 6 7 to 11 3)	218 (20 1 to 23 5)	93 (8 6 to 10)	451 (3 94 to 510)	94 6 (8 2 6 to 10 7)
Japan	129 000 (120 000 to 138 000)	18 900 (17 600 to 20 200)	87 800 (8 1 800 to 9 3 800)	22 200 (20 7 00 to 23 700)	128 000 (11 8 000 to 13 7 000)	15 400 (14 3 00 to 16 6 00)
Singapore	4030 (3740 to 4300)	754 (7 01 to 8 05)	3020 (28 10 to 32 20)	256 (23 8 to 27 4)	5730 (5 2 60 to 6 2 00)	812 (7 46 to 8 78)
South Korea	46 800 (43 500 to 49 900)	9860 (9 160 to 10 500)	33 500 (31 200 to 35 800)	3390 (31 50 to 36 10)	51 600 (47 800 to 55 10)	6070 (5 630 to 6 490)
High-income North America	311 000 (292 000 to 331 000)	66 700 (62 400 to 70 800)	206 000 (93 000 to 219 000)	38 300 (35 500 to 40 600)	370 000 (34 6 000 to 39 4 000)	65 600 (6 1 300 to 6 9 800)

(Table 5 continues on next page)

Population in 2000 (thousands)

Population in 2021 (thousands)

Annualised
rate of change
in population,
2000–21

	All ages	<15 years	15–64 years	≥65 years	All ages	<15 years	15–64 years	≥65 years	Annualised rate of change in population, 2000–21
(Continued from previous page)									
Canada	30 300 (38 100 to 32 400)	5920 (5490 to 5330)	20 600 (19 100 to 22 000)	3 830 (3 560 to 4 100)	37 500 (35 100 to 40 200)	6170 (5770 to 6620)	24 300 (22 700 to 26 000)	7040 (6380 to 7540)	1.0% to 1.0%
Greenland	561 (55.8 to 56.5)	15.2 (15.1 to 15.3)	38.1 (37.8 to 38.3)	2.8 (2.8 to 2.8)	56.1 (50.7 to 61.1)	11.8 (10.6 to 12.8)	39.1 (35.3 to 42.6)	5.3 (4.8 to 5.8)	0.0% (-0.5 to 0.4)
USA	281 000 (261 000 to 301 000)	60 700 (56 500 to 65 000)	186 000 (173 000 to 199 000)	34 400 (32 900 to 36 800)	333 000 (308 000 to 357 000)	59 400 (55 100 to 63 700)	216 000 (200 000 to 232 000)	57 100 (52 900 to 61 300)	0.8% (-0.8 to 0.8)
Southern Latin America	55 200 (52 400 to 58 200)	15 400 (14 600 to 16 200)	34 700 (32 900 to 36 500)	5180 (4910 to 5460)	67 700 (61 400 to 74 200)	14 500 (13 100 to 15 900)	45 100 (40 900 to 49 400)	8 110 (7 370 to 8 870)	1.0% (0.7 to 1.2)
Argentina	36 800 (34 200 to 39 600)	10 500 (9 730 to 11 300)	22 700 (21 100 to 24 500)	3590 (3340 to 3870)	45 500 (39 200 to 51 800)	10 200 (8 780 to 11 600)	30 100 (25 900 to 34 300)	5 250 (4 530 to 5 990)	1.0% (0.7 to 1.3)
Chile	15 100 (13 900 to 16 300)	4 090 (3 750 to 4 420)	9 890 (9 060 to 10 700)	1 160 (1 060 to 1 250)	18 800 (17 100 to 20 600)	3 650 (3 320 to 4 000)	12 800 (11 700 to 14 000)	2 330 (2 120 to 2 550)	1.0% (1.0 to 1.1)
Uruguay	3300 (29 90 to 36 00)	838 (742 to 835)	2050 (1 86 0 to 2 240)	427 (387 to 467)	3410 (2 990 to 3 860)	660 (578 to 748)	2210 (19 40 to 2 510)	531 (466 to 603)	0.1% (0.0 to 0.3)
Western Europe	398 000 (391 000 to 405 000)	68 000 (66 700 to 69 300)	266 000 (261 000 to 270 000)	64 600 (63 300 to 65 700)	437 000 (422 000 to 451 000)	68 100 (65 900 to 70 200)	279 000 (270 000 to 288 000)	90 000 (86 700 to 92 900)	0.4% (0.3 to 0.5)
Andorra	65.6 (65.2 to 66.1)	10.1 (10 to 10.2)	47.5 (47.2 to 47.8)	8.1 (8 to 8.1)	85.6 (77.6 to 94.3)	10.2 (9.2 to 11.2)	61.7 (56 to 68)	13.7 (12.4 to 15.1)	1.3% (0.8 to 1.7)
Austria	8020 (7450 to 8600)	1360 (1260 to 1460)	5410 (5030 to 5800)	1240 (1150 to 1330)	8980 (8090 to 9780)	1300 (1170 to 1410)	5970 (5380 to 6500)	1710 (1540 to 1870)	0.5% (0.4 to 0.6)
Belgium	10 300 (9510 to 11 000)	1840 (1670 to 1940)	6730 (6230 to 7230)	1730 (1600 to 1860)	11 500 (10 300 to 12 600)	1 910 (1720 to 2090)	7310 (6580 to 8010)	2240 (2020 to 2460)	0.5% (0.4 to 0.6)
Cyprus	918 (851 to 983)	204 (189 to 218)	620 (575 to 664)	94.2 (87.3 to 101)	1360 (1170 to 1540)	219 (189 to 248)	941 (813 to 1070)	198 (171 to 225)	1.9% (1.5 to 2.1)
Denmark	5330 (5290 to 5380)	982 (974 to 990)	3560 (3530 to 3590)	796 (789 to 802)	5850 (5300 to 6410)	954 (865 to 1050)	3720 (3370 to 4070)	1180 (1070 to 1290)	0.4% (0.0 to 0.8)
Finland	5190 (5150 to 5230)	936 (929 to 942)	3470 (3440 to 3490)	784 (779 to 790)	5540 (4950 to 6060)	847 (758 to 927)	3400 (3040 to 3720)	1290 (1150 to 1410)	0.3% (-0.2 to 0.7)
France	59 900 (55 500 to 64 400)	11 400 (10 500 to 12 200)	39 100 (36 200 to 42 000)	9440 (8740 to 10 100)	66 400 (59 500 to 73 500)	11 600 (10 400 to 12 800)	41 000 (36 800 to 45 400)	13 800 (12 300 to 15 200)	0.5% (0.3 to 0.6)
Germany	82 300 (81 600 to 83 000)	12 800 (12 700 to 12 900)	55 800 (55 400 to 56 300)	13 700 (13 600 to 13 800)	85 400 (76 200 to 94 000)	12 000 (10 700 to 13 200)	54 900 (49 000 to 60 400)	18 600 (16 600 to 20 400)	0.2% (-0.3 to 0.6)
Greece	11 100 (10 300 to 11 900)	1720 (16 000 to 18 50)	7560 (70 000 to 81 30)	1800 (16 700 to 19 40)	10 200 (8 730 to 11 500)	1 390 (12 000 to 15 80)	6 470 (5 550 to 7 320)	2 310 (1 980 to 2 610)	-0.4% (-0.8 to -0.2)
Iceland	279 (277 to 282)	65 (64.5 to 65.6)	182 (180 to 183)	32.5 (32.3 to 32.8)	350 (318 to 384)	67.5 (61.3 to 74)	228 (206 to 250)	55.2 (50.1 to 60.5)	1.1% (0.7 to 1.5)
Ireland	3870 (35 60 to 41 70)	849 (781 to 915)	2590 (2380 to 2790)	427 (393 to 461)	4940 (4420 to 5450)	997 (892 to 1100)	3190 (2860 to 3520)	751 (672 to 829)	1.2% (1.1 to 1.3)
Israel	6390 (5760 to 7070)	1840 (1660 to 2040)	3940 (3550 to 4360)	614 (554 to 680)	9590 (8200 to 11 000)	2630 (2250 to 3030)	5770 (4930 to 6640)	1200 (1020 to 1380)	1.9% (1.7 to 2.1)
Italy	56700 (52 400 to 60 700)	8100 (7500 to 8680)	38 200 (35 300 to 40 900)	10 400 (9 600 to 11 100)	59 800 (54 400 to 65 100)	7600 (6910 to 8270)	38 200 (34 700 to 41 600)	14 000 (12 700 to 15 300)	0.3% (0.2 to 0.3)
Luxembourg	434 (401 to 466)	81.9 (75.8 to 88.1)	291 (270 to 313)	60.3 (55.8 to 64.8)	644 (589 to 703)	101 (925 to 110)	447 (409 to 488)	96 (87.8 to 105)	1.9% (1.8 to 1.9)

(Table 5 continues on next page)

	All ages	<15 years	15-64 years	≥65 years	All ages	<15 years	15-64 years	≥65 years
(Continued from previous page)								
Malta	402 (363 to 442)	80·1 (72·3 to 88·2)	272 (246 to 299)	50 (45·1 to 55)	442 (384 to 500)	64 (55·7 to 72·4)	278 (242 to 315)	100 (87 to 13)
Monaco	33 (30·8 to 35·4)	4·3 (4 to 4·7)	20·9 (19·5 to 22·4)	7·8 (7·2 to 8·3)	37·9 (34·3 to 41·4)	5 (4·5 to 5·4)	23·2 (21 to 25·4)	9·7 (8·8 to 10·6)
Netherlands	15 900 (15 800 to 16 000)	2950 (2930 to 2980)	10 800 (10 700 to 10 900)	2160 (2140 to 2180)	17 200 (15 600 to 18 900)	2680 (2430 to 2940)	11 100 (10 000 to 12 200)	3460 (3130 to 3800)
Norway	4480 (4440 to 4520)	893 (886 to 901)	2900 (2870 to 2920)	689 (684 to 695)	5420 (4930 to 5960)	924 (841 to 1020)	3520 (3210 to 3880)	972 (885 to 1070)
Portugal	10 500 (9780 to 11 300)	1720 (1590 to 1840)	7160 (6640 to 7670)	1660 (1550 to 1780)	10 600 (9230 to 12 000)	1360 (1190 to 1550)	6830 (5940 to 7750)	2420 (2110 to 2750)
San Marino	275 (23·9 to 31)	4·3 (3·7 to 4·8)	18·6 (16·2 to 21)	4·6 (4 to 5·2)	32·7 (28·4 to 37·4)	4·4 (3·8 to 5)	21·3 (18·4 to 24·3)	7·1 (6·1 to 8·1)
Spain	40 800 (40 500 to 41 100)	6070 (6030 to 6110)	27 900 (27 700 to 28 000)	6860 (6820 to 6900)	45 500 (41 000 to 49 900)	6 480 (5 830 to 7 100)	29 900 (26 900 to 32 700)	9190 (82 0 to 10 100)
Sweden	8900 (8830 to 8980)	1630 (1620 to 1650)	5730 (5680 to 5770)	1540 (1530 to 1560)	10 400 (9390 to 11 400)	1820 (1650 to 2000)	6 420 (5 210 to 7 050)	2140 (1930 to 2350)
Switzerland	7300 (6830 to 7760)	1250 (1160 to 1330)	4930 (4600 to 5240)	1130 (1050 to 1200)	8920 (8050 to 9860)	1320 (1200 to 1470)	5 890 (5 310 to 6 510)	1710 (1540 to 1880)
UK	59 000 (55 400 to 62 600)	11 200 (10 500 to 11 900)	38 500 (36 100 to 40 800)	9310 (8730 to 9880)	67 800 (63 900 to 71 600)	11 800 (11 100 to 12 400)	43 600 (41 000 to 46 000)	12 500 (11 800 to 13 200)
England	49 200 (45 600 to 52 900)	9330 (8640 to 10 000)	32 100 (29 800 to 34 500)	7780 (7210 to 8360)	57 300 (53 400 to 60 900)	10 000 (9370 to 10 700)	36 800 (34 300 to 39 100)	10 400 (9 730 to 11 100)
Northern Ireland	1700 (1570 to 1840)	384 (355 to 416)	1100 (1020 to 1190)	219 (202 to 237)	1930 (1800 to 2060)	372 (346 to 397)	1230 (1150 to 1310)	328 (305 to 350)
Scotland	5140 (4760 to 5510)	939 (870 to 1010)	3400 (3150 to 3650)	802 (743 to 861)	5520 (4770 to 6280)	843 (732 to 960)	3590 (3120 to 4080)	1090 (943 to 1240)
Wales	2950 (2730 to 3180)	567 (526 to 612)	1870 (1740 to 2020)	506 (468 to 546)	3150 (2940 to 3370)	524 (489 to 560)	1960 (1830 to 2100)	664 (620 to 709)
Latin America and Caribbean	465 000 (450 000 to 480 000)	152 000 (148 000 to 157 000)	288 000 (278 000 to 297 000)	25100 (24 200 to 25 900)	594 000 (560 000 to 626 000)	143 000 (136 000 to 150 000)	398 000 (374 000 to 420 000)	53200 (49 800 to 56 400)
Andean Latin America	463 300 (43 400 to 49 200)	16 500 (15 500 to 17 500)	27 400 (25 700 to 29 200)	2390 (2240 to 2540)	66 100 (61 600 to 70 300)	18 100 (16 800 to 19 200)	43 000 (40 000 to 45 700)	5020 (4660 to 5340)
Bolivia	8290 (7670 to 8910)	3230 (2990 to 3470)	4690 (4340 to 5030)	373 (345 to 401)	11 800 (10 300 to 13 300)	3 490 (3 050 to 3 930)	7560 (6 620 to 8 520)	750 (6 560 to 8 45)
Ecuador	12 500 (11 600 to 13 500)	4550 (4210 to 4900)	7360 (6810 to 7930)	628 (5810 to 677)	18 100 (15 500 to 20 500)	5 070 (4 350 to 5 750)	11 600 (9 930 to 13 100)	1420 (12 200 to 16 10)
Peru	25 500 (22 900 to 28 200)	8690 (7820 to 9620)	15 400 (13 800 to 17 000)	1390 (12 50 to 15 30)	36 300 (32 900 to 39 700)	9 540 (8 650 to 10 400)	23 900 (21 700 to 26 100)	2850 (25 80 to 3120)
Caribbean	40 100 (38 700 to 41 600)	12 100 (11 600 to 12 500)	25 200 (24 300 to 26 100)	2870 (27 60 to 29 70)	47 500 (44 300 to 50 900)	11 500 (10 600 to 12 500)	31 200 (29 200 to 33 500)	4750 (44 70 to 50 50)
Antigua and Barbuda	76·4 (70·3 to 82·2)	21·6 (19·9 to 23·2)	49·7 (45·7 to 53·4)	5·1 (4·7 to 5·5)	89·4 (78·4 to 100)	16·9 (14·8 to 19)	63·6 (55·7 to 71·4)	8·9 (7·8 to 10)
The Bahamas	303 (283 to 325)	85·4 (79·7 to 91·4)	202 (188 to 216)	16 (14·9 to 17·1)	388 (334 to 444)	81·2 (69·9 to 92·9)	275 (237 to 314)	31·8 (27·4 to 36·4)

(Table 5 continues on next page)

Population in 2000 (thousands)

Annualised
rate of change
in population,
2000–21

	All ages	<15 years	15–64 years	≥65 years	All ages	<15 years	15–64 years	≥65 years
(Continued from previous page)								
Barbados	257 (240 to 273)	56·7 (53 to 60·3)	170 (58 to 180)	30·6 (28·6 to 32·5)	299 (260 to 342)	47·1 (40·9 to 53·9)	203 (176 to 232)	49·2 (42·7 to 56·3)
Belize	240 (223 to 256)	93·7 (87·1 to 100)	136 (126 to 145)	10·2 (9·5 to 10·9)	429 (369 to 489)	123 (106 to 140)	284 (244 to 323)	22·5 (19·3 to 25·6)
Bermuda	63·3 (59·3 to 67·3)	12·1 (11·3 to 12·8)	44·5 (41·6 to 47·3)	6·8 (6·4 to 7·2)	63·5 (57·4 to 69·9)	8·4 (7·6 to 9·3)	42 (37·9 to 46·2)	13·1 (11·9 to 14·5)
Cuba	11 400 (10 500 to 12 300)	2440 (2250 to 2630)	7840 (7220 to 8450)	1120 (1030 to 1200)	11300 (9910 to 12700)	1780 (1560 to 2000)	7720 (6790 to 8690)	1770 (1560 to 1990)
Dominica	68·6 (63·5 to 73·6)	21 (19·5 to 22·6)	41·9 (38·8 to 44·9)	5·7 (5·3 to 6·1)	67·1 (58·4 to 76·2)	13·7 (11·9 to 15·6)	46·1 (40·2 to 52·4)	7·3 (6·3 to 8·3)
Dominican Republic	8600 (7900 to 9250)	2900 (2750 to 3220)	5150 (4730 to 5550)	451 (415 to 486)	11 000 (9390 to 12 600)	2940 (2510 to 3350)	7230 (6170 to 8260)	843 (719 to 963)
Grenada	104 (95·9 to 112)	31·9 (29·4 to 34·4)	66·1 (61 to 71·2)	5·9 (5·5 to 6·4)	103 (88·9 to 116)	21·8 (18·9 to 24·6)	71·5 (61·9 to 80·5)	9·3 (8·1 to 10·5)
Guyana	779 (719 to 842)	284 (262 to 307)	463 (428 to 501)	31·8 (29·3 to 34·3)	765 (670 to 859)	213 (187 to 240)	501 (439 to 563)	50 (43·7 to 56·1)
Haiti	8190 (7470 to 8870)	3260 (2980 to 3540)	4610 (4210 to 5000)	314 (286 to 340)	12 900 (10 700 to 15 200)	4350 (3620 to 5140)	8010 (6660 to 9450)	506 (421 to 597)
Jamaica	2630 (2450 to 2840)	840 (781 to 905)	1590 (1480 to 1720)	200 (186 to 215)	2800 (2450 to 3160)	584 (511 to 660)	1950 (1700 to 2200)	269 (236 to 304)
Puerto Rico	3880 (3620 to 4130)	925 (862 to 985)	2530 (2360 to 2690)	428 (398 to 455)	3290 (3050 to 3530)	444 (411 to 477)	2120 (1970 to 2280)	725 (671 to 778)
Saint Kitts and Nevis	46·4 (42·9 to 50)	13·7 (12·6 to 14·7)	29·2 (27 to 31·4)	3·6 (3·3 to 3·8)	58·6 (48·5 to 69·6)	9·8 (8·1 to 11·7)	43·4 (35·9 to 51·5)	5·4 (4·4 to 6·4)
Saint Lucia	155 (144 to 166)	49·1 (45·4 to 52·7)	95·7 (88·6 to 103)	10·3 (9·6 to 11·1)	178 (152 to 202)	29·7 (25·4 to 33·7)	127 (109 to 144)	20·6 (17·6 to 23·4)
Saint Vincent and the Grenadines	110 (102 to 118)	32·3 (32·3 to 37·3)	34·8 (6·2 to 72·5)	6·7·5 (7 to 8·1)	114 (100 to 129)	25 (21·9 to 28·2)	76·6 (67·1 to 86·6)	12·6 (11·1 to 14·2)
Suriname	449 (418 to 479)	135 (126 to 144)	287 (267 to 306)	26·9 (25 to 28·7)	57·9 (510 to 654)	143 (126 to 162)	384 (338 to 434)	51·8 (45·6 to 58·5)
Trinidad and Tobago	1290 (1200 to 1380)	331 (309 to 354)	871 (812 to 930)	89·6 (83·5 to 95·6)	1390 (1210 to 1570)	272 (236 to 307)	943 (816 to 1060)	178 (154 to 200)
Virgin Islands	111 (104 to 119)	29·7 (27·8 to 31·7)	72·5 (67·9 to 77·5)	9·1 (8·6 to 9·8)	85·9 (79·8 to 91·9)	13·4 (12·4 to 14·3)	53·9 (50 to 57·6)	18·6 (17·3 to 19·9)
Central Latin America	199 000 (191 000 to 208 000)	70 000 (67 400 to 73 000)	119 000 (115 000 to 125 000)	9520 (9150 to 9950)	253 000 (242 000 to 265 000)	63 500 (60 800 to 66 400)	168 000 (161 000 to 176 000)	21 200 (20 300 to 22 200)
Colombia	39 700 (35 700 to 43 700)	13 100 (11 800 to 14 500)	24 500 (22 000 to 26 900)	2130 (1910 to 2350)	49 100 (44 500 to 53 500)	10 600 (9 630 to 11 600)	33 600 (30 500 to 36 600)	4840 (4390 to 5280)
Costa Rica	3900 (3640 to 4160)	1250 (1170 to 1340)	2440 (2270 to 2590)	214 (200 to 228)	4750 (4180 to 5340)	1020 (8940 to 1140)	3250 (2860 to 3660)	481 (423 to 541)
El Salvador	5860 (5240 to 6550)	2240 (2010 to 2510)	3280 (2930 to 3670)	336 (301 to 376)	6450 (5430 to 7380)	1820 (1530 to 2080)	4070 (3430 to 4660)	557 (469 to 537)
Guatemala	11 100 (10 200 to 12 000)	5040 (4630 to 5420)	5680 (5250 to 6140)	388 (359 to 420)	15 800 (14 400 to 17 100)	4930 (4490 to 5360)	9910 (9030 to 10 800)	920 (838 to 10 000)

(Table 5 continues on next page)

	Population in 2000 (thousands)						Annualised rate of change in population, 2000-21	
	All ages	<15 years	15-64 years	≥65 years	All ages	<15 years	15-64 years	
(Continued from previous page)								
Honduras	6170 (5720 to 6660)	2630 (2440 to 2840)	3310 (3070 to 3570)	226 (210 to 244)	10100 (8910 to 11300)	3280 (2890 to 3660)	6330 (5580 to 7060)	508 (448 to 567) 2.3%
Mexico	101000 (94400 to 108000)	34900 (32600 to 37400)	61400 (57300 to 65800)	4770 (4460 to 5110)	129000 (119 000 to 139 000)	32100 (29 600 to 34 500)	86600 (80 000 to 93 300)	10600 (9750 to 11400) 1.2%
Nicaragua	4930 (4460 to 5400)	2010	2740	185 (167 to 203)	6670 (5590 to 7770)	1980 (1660 to 2310)	4300 (3600 to 5010)	391 (328 to 456) 1.1%
Panama	2910 (2730 to 3120)	927 (868 to 994)	1810 (1700 to 1940)	175 (164 to 187)	4290 (37 000 to 48 70)	1150 (993 to 1310)	2750 (2370 to 3120)	389 (335 to 441) 1.4%
Venezuela	23300 (21600 to 25100)	7820 (7270 to 8420)	14300 (13 300 to 15 400)	1100 (1020 to 1180)	26600 (23 000 to 30 100)	6620 (5710 to 7480)	17400 (15 000 to 19 700)	2580 (328 to 456) 0.6%
Tropical Latin America	180000 (168 000 to 192 000)	53900 (50 300 to 57 600)	116000 (108 000 to 124 000)	10300 (9600 to 11000)	228000 (196 000 to 258 000)	50200 (43 300 to 56 900)	155000 (134 000 to 176 000)	22200 (19 100 to 25 300) 1.1%
Brazil	175000 (162 000 to 187 000)	52000 (48 300 to 55 600)	113000 (105 000 to 121 000)	10000 (9340 to 10 800)	220000 (188 000 to 251 000)	48200 (41 100 to 54 900)	150000 (128 000 to 171 000)	21800 (18 000 to 24 800) 0.7 to 1.4%
Paraguay	5150 (4730 to 5580)	1960 (1800 to 2130)	2930 (2690 to 3180)	251 (230 to 272)	7170 (5860 to 8460)	2010 (1640 to 2370)	4680 (3830 to 5520)	481 (393 to 568) 1.1%
North Africa and Middle East	421000 (407 000 to 434 000)	152000 (147 000 to 157 000)	251000 (243 000 to 260 000)	17400 (168 000 to 18 100)	623000 (600 000 to 646 000)	183000 (175 000 to 191 000)	406000 (390 000 to 420 000)	34200 (32 900 to 35 400) 1.1% to 2.0%
Afghanistan	15900 (12 800 to 18 900)	7830 (6270 to 9320)	7500 (6000 to 8910)	604 (484 to 718)	31200 (21 600 to 40 900)	14200 (9840 to 18 600)	16400 (11 400 to 21 500)	623 (432 to 316) 3.2%
Algeria	31000 (28 600 to 33 500)	10700 (9890 to 11 600)	18900 (17 500 to 20 400)	1360 (12 600 to 14 70)	44200 (37 400 to 51 000)	13300 (11 200 to 15 300)	28100 (23 700 to 32 300)	2840 (24 000 to 32 280) (25 to 36)
Bahrain	646 (602 to 695)	186 (173 to 200)	445 (415 to 479)	151 (14 1 to 16 2)	1530 (14 20 to 16 50)	297 (276 to 320)	1180 (11 00 to 12 70)	545 (50 7 to 58 7) 1.7%
Egypt	67300 (61 500 to 73 000)	23800 (21 800 to 25 900)	41100 (37 600 to 44 600)	2290 (20 30 to 24 90)	106000 (95 700 to 116 000)	36900 (33 400 to 40 400)	64400 (58 400 to 70 500)	4380 (39 0 to 47 90) 1.3 to 2.0%
Iran	66200 (60 400 to 72 200)	21900 (19 900 to 23 800)	41300 (37 700 to 45 100)	3040 (27 70 to 33 10)	85400 (76 900 to 93 900)	20200 (18 200 to 22 200)	59200 (53 300 to 65 100)	6010 (54 10 to 66 10) 1.2%
Iraq	25400 (21 600 to 29 100)	10200 (8790 to 11 800)	14100 (12 100 to 16 400)	762 (654 to 884)	41200 (29 200 to 52 10)	13500 (9520 to 17 000)	26100 (18 500 to 32 900)	1680 (11 90 to 21 20) 1.1 to 1.3%
Jordan	4820 (4380 to 5270)	1900 (1730 to 2080)	2780 (2530 to 3040)	134 (122 to 147)	12300 (11 100 to 13 700)	3630 (3260 to 4030)	8180 (7340 to 9080)	512 (459 to 568) 4.5%
Kuwait	1920 (1720 to 2110)	530 (476 to 583)	1320 (1180 to 1450)	671 (60 2 to 73 8)	4650 (4030 to 5280)	846 (733 to 959)	3630 (3150 to 4120)	171 (148 to 194) 4.2%
Lebanon	3560 (3200 to 3970)	1110 (1000 to 1240)	2170 (1950 to 2420)	273 (245 to 304)	5540 (4670 to 6390)	1280 (1080 to 1470)	3720 (3130 to 4290)	546 (461 to 630) 4.5%
Libya	5090 (4590 to 5600)	1790 (1620 to 1970)	3100 (2800 to 3410)	199 (180 to 219)	6870 (5810 to 7980)	1490 (1260 to 1730)	5030 (4250 to 5840)	350 (296 to 406) 4.1 to 4.4%
Morocco	29700 (26 800 to 32 600)	10200 (9240 to 11 200)	18000 (16200 to 19 800)	1480 (1330 to 1620)	37200 (33 100 to 41 300)	9790 (8730 to 10 900)	24600 (22 000 to 27 400)	2740 (2440 to 3040) 1.1%
Oman	2330 (2120 to 2530)	880 (801 to 956)	1400 (1270 to 1520)	532 (48 4 to 57 7)	4700 (4350 to 5060)	1220 (1130 to 1320)	3370 (3120 to 3620)	115 (107 to 124) 3.3%

(Table 5 continues on next page)

Population in 2000 (thousands)

Population in 2021 (thousands)

Annualised
rate of change
in population,
2000–21

	All ages	<15 years	15–64 years	≥65 years	All ages	<15 years	15–64 years	≥65 years	Annualised rate of change in population, 2000–21
(Continued from previous page)									
Palestine	3020 (2750 to 3290)	1410 (1280 to 1540)	1520 (1390 to 1660)	92 (83 to 100)	5140 (4660 to 5610)	1870 (1700 to 2040)	3090 (2810 to 3380)	176 (160 to 192)	2.5% (2.5 to 2.6)
Qatar	592 (538 to 643)	159 (145 to 173)	425 (386 to 462)	7·9 (7.2 to 8.6)	2980 (2750 to 3200)	494 (456 to 531)	2450 (2260 to 2630)	37·1 (34.2 to 39.9)	7.7% (7.6 to 7.8)
Saudi Arabia	20 800 (18 800 to 22 800)	7480 (6760 to 8210)	12 700 (11 500 to 14 000)	547 (494 to 600)	3770 (32 600 to 43 000)	7570 (6550 to 8630)	29 100 (25 200 to 33 200)	1020 (884 to 1170)	2.8% (2.6 to 3.0)
Sudan	26 700 (23 700 to 29 800)	11 900 (10 500 to 13 300)	13 900 (12 300 to 15 500)	922 (817 to 1030)	43 400 (37 000 to 49 700)	16 600 (14 100 to 19 000)	25 400 (21 700 to 29 100)	1390 (11 80 to 1590)	2.3% (2.1 to 2.4)
Syria	16 700 (15 100 to 18 200)	6940 (6260 to 7550)	8360 (8350 to 10 100)	519 (468 to 565)	14 000 (11 500 to 16 200)	3660 (2990 to 4240)	9350 (7640 to 10 800)	1010 (829 to 1170)	-0.9% (-1.3 to -0.5)
Tunisia	9840 (8930 to 10 800)	2980 (2710 to 3260)	6250 (5670 to 6830)	607 (551 to 663)	11 800 (10 600 to 13 200)	2770 (2470 to 3070)	7950 (7110 to 8830)	1130 (1010 to 1260)	0.9% (0.8 to 1.0)
Türkiye	67 100 (58 200 to 75 600)	20 100 (17 400 to 22 600)	43 100 (37 400 to 48 600)	3940 (3420 to 4450)	83 600 (77 100 to 90 000)	18 500 (17 100 to 19 900)	56 900 (52 500 to 61 200)	8170 (7530 to 8790)	1.1% (0.8 to 1.3)
United Arab Emirates	3230 (2900 to 3550)	720 (647 to 792)	2480 (2230 to 2730)	285 (25·6 to 31·4)	9630 (7900 to 11 200)	1340 (11 000 to 15 600)	8130 (6670 to 9470)	163 (134 to 190)	5.2% (4.8 to 5.5)
Yemen	18 600 (17 000 to 20 200)	8970 (8190 to 9730)	9160 (8370 to 9950)	490 (448 to 532)	33 600 (28 200 to 39 500)	13 800 (11 500 to 16 200)	18 800 (15 800 to 22 100)	1020 (850 to 1190)	2.8% (2.4 to 3.2)
South Asia	1 330 000 (1 250 000 to 1 400 000)	487 000 (458 000 to 514 000)	781 000 (734 000 to 828 000)	57 400 (53 800 to 60 900)	1 155 000 (1 167 000 to 2 040 000)	507 000 (460 000 to 557 000)	1 220 000 (1 140 000 to 1 350 000)	120 000 (108 000 to 133 000)	1.6% (1.4 to 1.8)
Bangladesh	129 000 (120 000 to 139 000)	52 300 (48 400 to 56 100)	72 800 (67 400 to 78 100)	4310 (3990 to 4620)	165 000 (143 000 to 186 000)	45 800 (39 700 to 51 600)	107 000 (93 100 to 121 000)	11 600 (10 100 to 13 100)	1.1% (0.8 to 1.4)
Bhutan	645 (582 to 712)	238 (215 to 253)	382 (344 to 421)	25·2 (22·7 to 27·8)	757 (685 to 823)	187 (169 to 204)	520 (470 to 565)	50·1 (45·3 to 54·5)	0.8% (0.7 to 0.8)
India	1 030 000 (953 000 to 1 110 000)	366 000 (338 000 to 393 000)	620 000 (572 000 to 666 000)	47 000 (43 400 to 50 600)	1 410 000 (1 240 000 to 1 600 000)	366 000 (321 000 to 415 000)	951 000 (833 000 to 1 080 000)	97 500 (85 500 to 110 000)	1.5% (1.3 to 1.7)
Nepal	23 900 (22 200 to 25 500)	9770 (9080 to 10 400)	13 200 (12 300 to 14 100)	904 (840 to 966)	31 100 (27 300 to 35 300)	9230 (8100 to 10 500)	20 000 (17 600 to 22 700)	1910 (1680 to 2170)	1.2% (1.0 to 1.5)
Pakistan	139 000 (127 000 to 150 000)	58 400 (53 700 to 63 100)	75 100 (69 100 to 81 200)	5140 (4730 to 5560)	236 000 (215 000 to 257 000)	85 400 (78 100 to 93 100)	142 000 (129 000 to 154 000)	85 500 (7820 to 9320)	2.5% (2.5 to 2.6)
Southeast Asia, east Asia, and Oceania	1 860 000 (1 760 000 to 1 950 000)	483 000 (460 000 to 505 000)	1 250 000 (1 190 000 to 1 320 000)	119 000 (112 000 to 125 000)	2 190 000 (2 07 000 to 2 290 000)	445 000 (424 000 to 465 000)	1 490 000 (1 410 000 to 1 560 000)	254 000 (240 000 to 269 000)	0.8% (0.7 to 0.8)
East Asia	1 300 000 (1 220 000 to 1 390 000)	305 000 (285 000 to 326 000)	907 000 (847 000 to 968 000)	92 500 (86 300 to 98 700)	1 470 000 (1 370 000 to 1 580 000)	267 000 (248 000 to 287 000)	1 000 000 (933 000 to 1 080 000)	203 000 (188 000 to 217 000)	0.6% (0.6 to 0.6)
China	1 260 000 (1 170 000 to 1 350 000)	294 000 (274 000 to 314 000)	876 000 (816 000 to 937 000)	89 000 (82 900 to 95 200)	1 420 000 (1 320 000 to 1 530 000)	260 000 (241 000 to 279 000)	967 000 (896 000 to 1 040 000)	196 000 (182 000 to 211 000)	0.6% (0.6 to 0.6)
North Korea	23 400 (20 900 to 26 000)	6550 (5830 to 7260)	15 300 (13 600 to 17 000)	1540 (1380 to 1710)	26 400 (22 400 to 30 300)	4770 (40 400 to 54 800)	18 900 (16 000 to 21 700)	2670 (22 60 to 30 60)	0.6% (0.3 to 0.7)
Taiwan (province of China)	22 300 (22 100 to 22 400)	4700 (46 70 to 47 30)	15 600 (15 500 to 15 700)	1930 (19 20 to 19 40)	23 600 (21 400 to 25 900)	2950 (26 70 to 32 30)	16 700 (15 100 to 18 300)	4010 (36 40 to 43 90)	0.2% (-0.1 to 0.7)

(Table 5 continues on next page)

	Population in 2021 (thousands)							
	All ages	<15 years	15-64 years	≥65 years	All ages	<15 years	15-64 years	≥65 years
(Continued from previous page)								
Oceania	8350 (7950 to 8720)	3300 (3140 to 3450)	4780 (4560 to 5000)	256 (244 to 266)	13900 (12500 to 15300)	5080 (4540 to 5590)	8360 (7520 to 9170)	489 (446 to 530)
American Samoa	58·5 (54·6 to 62·6)	22·1 (20·6 to 23·6)	34·2 (31·9 to 36·6)	2·2 (2·1 to 2·4)	49·8 (45·8 to 53·2)	14·2 (13·1 to 15·2)	31·9 (29·4 to 34·1)	3·7 (3·4 to 3·9)
Cook Islands	18·6 (17·1 to 20)	5·5 (5·1 to 5·9)	11·8 (10·9 to 12·7)	1·3 (1·2 to 1·4)	17·7 (16 to 19·4)	3·8 (3·4 to 4·1)	11·6 (10·5 to 12·7)	2·3 (2·1 to 2·5)
Federated States of Micronesia	110 (102 to 117)	44·4 (41·3 to 47·3)	61·3 (57·1 to 55·4)	3·8 (3·5 to 4)	103 (89·5 to 116)	30·6 (26·7 to 34·7)	67·2 (58·6 to 76·2)	4·8 (4·2 to 5·5)
Fiji	816 (739 to 892)	266 (241 to 290)	522 (473 to 571)	28·2 (25·5 to 30·8)	924 (839 to 1020)	272 (247 to 300)	596 (540 to 654)	56·4 (51·2 to 62)
Guam	159 (149 to 170)	49·5 (46·2 to 52·7)	101 (94·7 to 108)	8·5 (8 to 9·1)	159 (146 to 171)	36·6 (33·7 to 39·3)	104 (95·3 to 111)	19·1 (17·6 to 20·6)
Kiribati	87·3 (81 to 93·8)	34·9 (32·4 to 37·5)	49·5 (45·9 to 53·1)	2·9 (2·7 to 3·1)	121 (108 to 134)	42 (37·6 to 46·6)	74·5 (66·6 to 82·7)	4·6 (4·1 to 5·1)
Marshall Islands	52·5 (48·5 to 56·6)	21·9 (20·2 to 23·5)	29·5 (27·3 to 31·8)	1·1 (1 to 1·2)	56·3 (49·2 to 63·6)	1·7·5 (15·3 to 19·7)	36·5 (31·9 to 41·3)	2·3 (2 to 2·6)
Nauru	10·8 (9·9 to 11·6)	4·2 (3·8 to 4·5)	6·3 (5·8 to 6·8)	0·3 (0·3 to 0·4)	11 (9·6 to 12·4)	4 (3·5 to 4·5)	6·6 (5·8 to 7·5)	0·4 (0·3 to 0·5)
Niue	1·9 (1·8 to 2·1)	0·6 (0·5 to 0·6)	1·2 (1·1 to 1·3)	0·2 (0·2 to 0·2)	1·7 (1·5 to 1·9)	0·4 (0·3 to 0·4)	1·1 (1 to 1·2)	0·2 (0·2 to 0·2)
Northern Mariana Islands	72·7 (67·7 to 77·5)	17·9 (16·7 to 19·1)	53·5 (49·9 to 57·1)	1·3 (1·2 to 1·3)	48·5 (45·1 to 52·1)	11·3 (10·5 to 12·1)	33·6 (31·3 to 36·2)	3·6 (3·3 to 3·9)
Palau	19·7 (18·4 to 21·1)	4·9 (4·6 to 5·2)	13·9 (13 to 14·9)	1 (0·9 to 1)	18·1 (16·2 to 20·1)	3·3 (2·9 to 3·6)	13·2 (11·8 to 14·6)	1·7 (1·5 to 1·8)
Papua New Guinea	5520 (5140 to 5880)	2250 (2100 to 2400)	3110 (2900 to 3310)	156 (145 to 166)	10500 (9100 to 11800)	3920 (3410 to 4410)	6230 (5420 to 7020)	314 (273 to 354)
Samoa	180 (166 to 193)	72·6 (6710 to 77·6)	99·3 (916 to 106)	8·3 (7·6 to 8·8)	214 (193 to 236)	79·9 (72 to 88·1)	123 (111 to 135)	11 (10 to 12·2)
Solomon Islands	445 (412 to 480)	190 (176 to 205)	242 (224 to 261)	13·6 (12·6 to 14·7)	684 (579 to 780)	260 (220 to 297)	401 (339 to 457)	22·6 (19·1 to 25·7)
Tokelau	1·5 (1·4 to 1·7)	0·5 (0·5 to 0·6)	0·9 (0·8 to 0·9)	0·1 (0·1 to 0·1)	1·4 (1·2 to 1·5)	0·4 (0·4 to 0·4)	0·8 (0·8 to 0·9)	0·1 (0·1 to 0·2)
Tonga	103 (93 to 113)	40·5 (36·6 to 44·3)	56·8 (51·4 to 62·2)	5·5 (5 to 6·1)	106 (96 to 117)	39 (35·2 to 42·8)	60·6 (54·7 to 66·5)	6·7 (6 to 7·3)
Tuvalu	9·7 (8·9 to 10·5)	3·4 (3·1 to 3·7)	5·7 (5·2 to 6·2)	0·6 (0·6 to 0·7)	12·4 (10·8 to 14)	3·7 (3·3 to 4·2)	7·8 (6·8 to 8·8)	0·1 (0·8 to 1)
Vanuatu	194 (180 to 208)	82·3 (76·3 to 88·1)	106 (98·6 to 114)	5·8 (5·4 to 6·2)	313 (291 to 336)	116 (108 to 125)	184 (171 to 198)	12·2 (11·4 to 13·1)
Southeast Asia	543 000 (513 000 to 573 000)	174 000 (165 000 to 184 000)	343 000 (323 000 to 362 000)	26 100 (24 700 to 27 500)	698 000 (670 000 to 728 000)	173 000 (166 000 to 186 000)	474 000 (456 000 to 495 000)	51 200 (49 000 to 53 300)
Cambodia	125 000 (115 000 to 13 600)	52 000 (47 80 to 56 40)	69 100 (63 50 to 75 00)	430 (396 to 467)	17 000 (14 500 to 19 600)	5120 (4360 to 5890)	11 000 (9380 to 12 700)	931 (794 to 1070)
Indonesia	212 000 (183 000 to 240 000)	66 600 (57 600 to 75 700)	135 000 (117 000 to 154 000)	9580 (8280 to 10 900)	279 000 (257 000 to 300 000)	67 300 (62 000 to 72 400)	194 000 (179 000 to 209 000)	17500 (161 000 to 188 000)

(Table 5 continues on next page)

Population in 2000 (thousands)

Annualised
rate of change
in population,
2000–21

	Population in 2021 (thousands)							
	All ages	<15 years	15–64 years	≥65 years	All ages	<15 years	15–64 years	≥65 years
(Continued from previous page)								
Laos	5390 (4850 to 5930)	2310 (2080 to 2540)	2890 (2600 to 3180)	193 (174 to 212)	7380 (6610 to 8100)	2300 (2060 to 2520)	4750 (4460 to 5220)	327 (293 to 359)
Malaysia	23 800 (22 200 to 25 500)	7990 (7460 to 8540)	14 900 (13 900 to 15 900)	911 (851 to 974)	31 800 (27 200 to 36 000)	7610 (6510 to 8610)	21 900 (18 700 to 24 700)	2340 (2000 to 2650)
Maldives	280 (260 to 299)	113 (105 to 121)	156 (146 to 167)	103 (96 to 11)	517 (456 to 571)	100 (883 to 110)	395 (348 to 436)	221 (195 to 244)
Mauritius	1210 (1130 to 1300)	312 (290 to 334)	827 (769 to 887)	757 (704 to 811)	1270 (1100 to 1440)	207 (180 to 235)	900 (779 to 1020)	164 (142 to 186)
Myanmar	45 300 (38 300 to 52 300)	14 300 (12 100 to 16 500)	28 700 (24 300 to 33 100)	2300 (1950 to 2650)	56 400 (50 200 to 62 800)	15 600 (13 900 to 17 400)	37 000 (32 900 to 41 200)	3810 (33 900 to 42 400)
Philippines	79 500 (73 900 to 85 100)	30 000 (27 900 to 32 100)	46 500 (43 300 to 49 800)	2940 (2740 to 3150)	113 000 (100 000 to 125 000)	34 000 (30 100 to 37 600)	73 100 (64 700 to 80 800)	6170 (54 700 to 68 300)
Seychelles	81·6 (74·6 to 88)	22·3 (20·4 to 24·1)	53·2 (48·6 to 57·4)	6 (5·5 to 6·5)	105 (91·4 to 121)	23·4 (20·3 to 26·8)	73 (63·2 to 83·5)	9·1 (7·9 to 10·4)
Sri Lanka	18 700 (16 200 to 21 200)	5090 (4390 to 5770)	12 500 (10 800 to 14 200)	1100 (954 to 1250)	22 300 (19 400 to 25 000)	5100 (4460 to 5740)	14 700 (12 800 to 16 500)	2450 (2140 to 2760)
Thailand	62 500 (58 500 to 66 800)	15 200 (14 200 to 16 200)	43 400 (40 600 to 46 400)	3920 (36 70 to 41 90)	66 700 (57 500 to 75 900)	9700 (8430 to 11 100)	47 300 (40 800 to 53 800)	9640 (8320 to 11 000)
Timor-Leste	904 (821 to 984)	389 (353 to 423)	487 (442 to 530)	282 (25 6 to 30 6)	1400 (1250 to 1540)	521 (465 to 575)	803 (717 to 887)	744 (66·4 to 82·1)
Viet Nam	80 200 (74 500 to 86 400)	26 300 (24 400 to 28 300)	49 400 (45 900 to 53 200)	4570 (4240 to 4920)	100 000 (92 300 to 108 000)	24 800 (22 800 to 26 600)	67 800 (62 400 to 73 000)	7670 (7060 to 8250)
Sub-Saharan Africa	647 000 (629 000 to 666 000)	289 000 (281 000 to 297 000)	338 000 (329 000 to 348 000)	19 600 (19 000 to 20 100)	1130 000 (1090 000 to 1180 000)	476 000 (457 000 to 496 000)	624 000 (599 000 to 650 000)	33500 (32 200 to 34 800)
Central sub-Saharan Africa	73 600 (65 300 to 81 300)	33 600 (29 800 to 37 200)	37 900 (33 700 to 41 800)	2020 (17 80 to 22 50)	137 000 (110 000 to 166 000)	58 700 (47 400 to 70 600)	74 800 (60 100 to 90 500)	3490 (2800 to 4230)
Angola	14 700 (12 600 to 16 900)	6840 (5860 to 7850)	7560 (6480 to 8680)	333 (277 to 371)	327 000 (29 100 to 36 400)	15 200 (13 500 to 17 000)	16 700 (14 900 to 18 600)	741 (658 to 826)
Central African Republic	3620 (3320 to 3940)	1620 (1490 to 1760)	1920 (1760 to 2080)	854 (785 to 93)	5480 (4510 to 6410)	2280 (1880 to 2670)	3080 (2530 to 3590)	125 (103 to 146)
Congo (Brazzaville)	3150 (2790 to 3450)	1280 (1130 to 1400)	1780 (1570 to 1940)	981 (86·9 to 107)	5390 (4590 to 6240)	1930 (1640 to 2230)	3290 (2800 to 3810)	172 (147 to 200)
Democratic Republic of the Congo	50 200 (41 900 to 58 100)	23 100 (19 300 to 26 700)	25 600 (21 400 to 29 700)	1450 (1210 to 1670)	90 000 (63 000 to 118 000)	38 000 (26 600 to 49 700)	49 700 (34 700 to 65 000)	125 (1640 to 3070)
Equatorial Guinea	654 (544 to 758)	309 (258 to 359)	328 (273 to 381)	163 (13 6 to 18 9)	1510 (1360 to 1680)	585 (527 to 648)	894 (805 to 990)	336 (30 3 to 37 3)
Gabon	1230 (10 900 to 13 70)	499 (442 to 556)	675 (538 to 753)	532 (47·1 to 59·4)	1820 (1610 to 2020)	639 (566 to 709)	1100 (975 to 1220)	747 (66·1 to 82·9)
Eastern sub-Saharan Africa	250 000 (242 000 to 259 000)	117 000 (113 000 to 121 000)	127 000 (122 000 to 131 000)	6540 (6320 to 6760)	426 000 (406 000 to 447 000)	178 000 (170 000 to 187 000)	236 000 (225 000 to 247 000)	11 800 (11 300 to 12 400)
Burundi	6390 (5610 to 7130)	3040 (2670 to 3400)	3160 (2780 to 3530)	182 (159 to 202)	13 200 (11 300 to 15 000)	5850 (5020 to 6640)	7040 (6040 to 7990)	326 (279 to 369)

(Table 5 continues on next page)

	Population in 2000 (thousands)						Population in 2021 (thousands)			Annualised rate of change in population, 2000-21
	All ages	<15 years	15-64 years	≥65 years	All ages	<15 years	15-64 years	≥65 years		
(Continued from previous page)										
Comoros	553 (505 to 602)	233 (213 to 253)	300 (275 to 327)	195 (17-8 to 21.2)	744 (612 to 882)	240 (197 to 284)	467 (384 to 554)	37 (30-4 to 438)	1.4% (0.9% to 1.8)	
Djibouti	619 (546 to 696)	238 (210 to 268)	368 (324 to 414)	13 (11.5 to 14.7)	1260 (1080 to 1450)	413 (355 to 476)	806 (633 to 927)	398 (342 to 458)	3.4% (3.3 to 3.5)	
Eritrea	3980 (3370 to 4650)	1780 (1500 to 2070)	2320 (1800 to 2480)	79-7 (67.4 to 93)	6600 (4580 to 8750)	2520 (1750 to 3350)	3900 (2710 to 51.80)	169 (118 to 225)	2.4% (1.5 to 3.0)	
Ethiopia	68 400 (61 800 to 75 400)	32 500 (29 400 to 35 800)	34 200 (30 900 to 37 700)	1710 (1550 to 1890)	109 000 (91 800 to 125 000)	44 400 (37 400 to 51 100)	61 400 (51 700 to 70 700)	3220 (2720 to 3710)	2.2% (1.9 to 2.4)	
Kenya	31 100 (28 800 to 33 400)	14 000 (12 900 to 15 000)	16 300 (15 100 to 17 500)	831 (768 to 892)	50 100 (46 200 to 54 000)	18 700 (17 200 to 20 100)	29 700 (27 500 to 32 100)	1650 (1530 to 1790)	2.3% (2.2 to 2.3)	
Madagascar	15 900 (14 300 to 17 500)	7270 (6530 to 8030)	8180 (7360 to 9040)	406 (365 to 448)	28 600 (26 100 to 31 000)	11 700 (10 700 to 12 700)	16 100 (14 700 to 17 500)	687 (627 to 745)	2.8% (2.7 to 2.9)	
Malawi	11 100 (10 200 to 11 900)	5080 (4660 to 5470)	5690 (5220 to 6120)	329 (302 to 354)	19 400 (17 900 to 21 000)	8120 (7460 to 8790)	10 800 (9900 to 11 700)	539 (494 to 582)	2.7% (2.7 to 2.7)	
Mozambique	17 600 (16 000 to 19 100)	8080 (7350 to 8800)	8970 (8380 to 9770)	506 (461 to 551)	31 100 (28 200 to 33 900)	14 300 (13 000 to 15 600)	16 000 (14 600 to 17 500)	767 (697 to 838)	2.7% (2.7 to 2.7)	
Rwanda	8110 (7420 to 8780)	3740 (3420 to 4050)	4180 (3820 to 4520)	197 (180 to 213)	13 300 (11 500 to 14 900)	4970 (4310 to 5600)	7850 (6310 to 8840)	451 (392 to 508)	2.7% (2.1 to 2.5)	
Somalia	10 200 (8 950 to 11 700)	4780 (4070 to 5510)	5210 (4430 to 6000)	170 (144 to 195)	21 600 (15 600 to 27 000)	10 300 (7450 to 12 900)	10 900 (850 to 13 600)	386 (279 to 484)	3.6% (2.8 to 4.0)	
South Sudan	7270 (6420 to 8090)	3300 (2920 to 3670)	3770 (3330 to 4190)	202 (178 to 225)	9670 (8120 to 11 000)	4970 (3610 to 4900)	5140 (4310 to 5860)	242 (203 to 276)	1.4% (1.1 to 1.5)	
Tanzania	34 300 (31 500 to 37 100)	15 600 (14 300 to 16 900)	17 700 (16 200 to 19 100)	1070 (985 to 1160)	21 600 (15 150 to 65 500)	10 300 (21 500 to 27 300)	10 900 (28 400 to 36 100)	386 (279 to 484)	2.5% (2.3 to 2.7)	
Uganda	24 300 (22 200 to 26 300)	12 200 (11 200 to 13 300)	11 500 (10 500 to 12 400)	565 (516 to 612)	43 300 (38 700 to 48 300)	19 800 (17 700 to 22 100)	22 500 (20 000 to 25 100)	1010 (905 to 1130)	2.8% (2.6 to 2.9)	
Zambia	9930 (9220 to 10 600)	4730 (4390 to 5060)	4950 (4590 to 5290)	246 (229 to 264)	19 500 (16 800 to 22 300)	19 500 (7110 to 9440)	8270 (9270 to 12 300)	1840 (391 to 519)	3.2% (2.9 to 3.5)	
Southern sub-Saharan Africa	63 700 (60 000 to 67 300)	22 600 (21 300 to 23 800)	38 300 (36 100 to 40 600)	2790 (26 20 to 29 60)	80 300 (72 900 to 88 200)	24 100 (22 000 to 26 200)	51 700 (46 900 to 56 900)	4490 (4030 to 4970)	1.1% (0.9 to 1.3)	
Botswana	1700 (1580 to 1820)	658 (613 to 706)	978 (911 to 1050)	58-7 (54-6 to 62-9)	2390 (2080 to 2710)	698 (606 to 791)	1590 (1380 to 1800)	105 (90-8 to 118)	1.6% (1.3 to 1.9)	
Eswatini	1020 (927 to 1110)	445 (406 to 485)	546 (498 to 595)	25-8 (23-5 to 28-1)	1160 (1030 to 1260)	413 (368 to 451)	703 (626 to 767)	40 (35-7 to 43-7)	0.6% (0.5 to 0.6)	
Lesotho	1740 (1570 to 1910)	680 (617 to 748)	976 (885 to 1070)	79-7 (72-3 to 87-7)	1870 (1680 to 2070)	630 (566 to 695)	1160 (1040 to 1280)	839 (75-4 to 92-5)	0.4% (0.3 to 0.4)	
Namibia	1830 (1700 to 1960)	748 (695 to 800)	1020 (948 to 1090)	65-8 (61-1 to 70-4)	2430 (2090 to 2730)	825 (711 to 926)	1500 (1300 to 1690)	101 (87-2 to 114)	1.3% (1.0 to 1.6)	
South Africa	45 400 (41 800 to 48 800)	15 000 (13 800 to 16 100)	28 300 (26 000 to 30 400)	2170 (2000 to 2340)	56 900 (49 700 to 64 300)	15 200 (13 300 to 17 200)	38 000 (33 200 to 42 900)	3670 (3210 to 4140)	1.1% (0.8 to 1.3)	
Zimbabwe	12 000 (11 100 to 12 900)	5060 (4670 to 5440)	6530 (6030 to 7020)	389 (359 to 418)	15 600 (13 800 to 17 500)	6290 (5570 to 7050)	8810 (7790 to 9860)	494 (437 to 553)	1.2% (1.1 to 1.4)	
Western sub-Saharan Africa	259 000 (246 000 to 273 000)	116 000 (110 000 to 122 000)	135 000 (128 000 to 142 000)	8220 (7790 to 8640)	490 000 (462 000 to 518 000)	215 000 (203 000 to 227 000)	261 000 (247 000 to 276 000)	13 700 (12 900 to 14 400)	3.0% (3.0 to 3.1)	

(Table 5 continues on next page)

Population in 2000 (thousands)

Annualised
rate of change
in population,
2000-21

	All ages	<15 years	15–64 years	≥65 years	All ages	<15 years	15–64 years	≥65 years
(Continued from previous page)								
Benin	6720 (6170 to 7260)	3250 (2990 to 3520)	3260 (3000 to 3530)	201 (184 to 217)	13500 (11800 to 15100)	6080 (5330 to 6820)	7050 (6180 to 7910)	370 (35 to 415) (31 to 35)
Burkina Faso	12 400 (11300 to 13700)	6050 (5480 to 6660)	5970 (5410 to 6560)	409 (370 to 450)	22800 (20900 to 24600)	10 400 (9550 to 11200)	11 700 (10 800 to 12700)	690 (635 to 747) (2.8 to 3.0)
Cabo Verde	451 (420 to 482)	188 (176 to 201)	236 (220 to 252)	26.9 (25.1 to 28.8)	559 (487 to 634)	143 (125 to 162)	382 (333 to 434)	33.7 (29.4 to 38.2) (0.7 to 1.3)
Cameroun	15 100 (13 600 to 16 600)	6820 (6160 to 7530)	7780 (7020 to 8590)	453 (409 to 500)	31 800 (26700 to 37200)	13 500 (11300 to 15700)	17 500 (14 600 to 20 400)	862 (723 to 1010) (3.2 to 3.8)
Chad	8290 (7350 to 9220)	4130 (3660 to 4590)	3890 (3450 to 4330)	269 (238 to 299)	17 700 (15 200 to 20 300)	9010 (7720 to 10300)	8330 (730 to 9510)	409 (350 to 467) (3.5 to 3.8)
Côte d'Ivoire	16 900 (15 700 to 18 200)	7290 (6740 to 7850)	9270 (8570 to 9980)	390 (360 to 420)	27 900 (24900 to 31100)	11 600 (10 300 to 12900)	15 600 (13 900 to 17400)	728 (649 to 814) (2.2 to 2.5)
The Gambia	1350 (1240 to 1460)	604 (555 to 653)	706 (648 to 753)	40.6 (37.3 to 43.9)	2390 (2110 to 2680)	99.3 (87.5 to 1110)	1330 (1170 to 1490)	72.1 (63.5 to 80.9) (2.5 to 2.9)
Ghana	19 100 (17 800 to 20 400)	8010 (7460 to 8530)	10 500 (9770 to 11200)	642 (598 to 683)	34 200 (29700 to 38900)	12 900 (11200 to 14600)	20 200 (17 500 to 22900)	1200 (1040 to 1360) (2.4 to 3.1)
Guinea	8100 (7380 to 8800)	3750 (3420 to 4070)	3970 (3620 to 4310)	382 (348 to 415)	13 400 (12 000 to 15 000)	6050 (5380 to 6730)	6960 (6200 to 7750)	425 (37.9 to 474) (2.3 to 2.5)
Guinea-Bissau	1250 (1080 to 1410)	580 (504 to 655)	635 (552 to 717)	31.2 (27.2 to 35.3)	2060 (1780 to 2340)	898 (775 to 1020)	1120 (966 to 1270)	46.4 (40 to 52.6) (2.4 to 2.5)
Liberia	2850 (2520 to 3180)	1260 (1120 to 1410)	1480 (1310 to 1650)	105 (93.3 to 118)	5460 (4610 to 6310)	2190 (1840 to 2530)	3140 (2650 to 3630)	138 (117 to 160) (3.1% to 3.3%)
Mali	11 100 (10 200 to 12 000)	5280 (4850 to 5710)	5450 (5010 to 5900)	338 (311 to 366)	24 100 (20 600 to 27 500)	11 600 (9900 to 13200)	11 900 (10 200 to 13600)	633 (541 to 722) (3.4 to 4.0)
Mauritania	2610 (2440 to 2790)	1150 (1080 to 1230)	1360 (1270 to 1450)	99.4 (92.7 to 106)	4400 (3880 to 4930)	1850 (1640 to 2080)	2370 (2100 to 2660)	169 (149 to 189) (2.9 to 3.3%)
Niger	11 300 (10 400 to 12 100)	5560 (5130 to 5980)	5470 (5050 to 5880)	248 (229 to 267)	25 000 (21 900 to 28 000)	12 800 (11 200 to 14 300)	11 700 (10 200 to 13100)	572 (500 to 641) (3.4 to 4.0)
Nigeria	123 000 (110 000 to 135 000)	53 400 (48 000 to 58 900)	65 300 (58 700 to 72 100)	3950 (3550 to 4360)	231 000 (206 000 to 258 000)	102 000 (90 400 to 113 000)	123 000 (110 000 to 138 000)	6200 (551 000 to 6920) (3.0% to 3.1%)
São Tomé and Príncipe	144 (133 to 154)	64.5 (59 77 to 69 4)	73.1 (67 77 to 78 7)	6 (5.6 to 6.5)	217 (191 to 243)	77.8 (68 6 to 87 3)	131 (116 to 147)	7.8 (6.8 to 8.7) (1.7 to 2.2)
Senegal	9930 (9180 to 10 700)	4390 (4060 to 4720)	5210 (4810 to 5600)	337 (312 to 362)	15 900 (14 000 to 17 600)	6360 (5620 to 7060)	8920 (7880 to 9900)	583 (515 to 647) (2.0 to 2.4)
Sierra Leone	4420 (4010 to 4810)	1980 (1800 to 2160)	2260 (2050 to 2450)	182 (164 to 197)	8870 (7940 to 9810)	3580 (3200 to 3960)	5010 (4490 to 5550)	276 (247 to 305) (3.3 to 3.4%)
Togo	4850 (4270 to 5470)	2180 (1910 to 2450)	2560 (22 60 to 2890)	114 (101 to 129)	8370 (7160 to 9500)	3310 (2830 to 3760)	4810 (4120 to 5460)	254 (217 to 288) (2.5 to 2.6)

Data in parentheses are 95% uncertainty intervals. GBD=Global Burden of Diseases, Injuries, and Risk Factors Study.

Table 5: The 2000 population and 2021 population and annualised rate of change in population (2000-21), globally and for GBD super-regions, regions, countries, and territories




Figure 9: Annual change in global total population by GBD super-region, 1950–2021

Annual change is defined as the difference between the population size in the current year and the preceding year. Different colours show GBD super-regions. GBD=Global Burden of Diseases, Injuries, and Risk Factors Study.

Italy, Lithuania, Moldova, Monaco, Romania, and Serbia, and to an even larger extent between 2010 and 2019 (figure 10). Of the 204 countries and territories, peak population was reached between 1950 and 1969 in three countries and territories, between 1970 and 1989 in eight countries and territories, between 1990 and 2009 in 23 countries and territories, between 2010 and 2021 in 22 countries and territories, and the peak population had not yet been reached as of 2021 in 148 countries and territories.

The age structure of populations changed substantially across the globe between 1950 and 2021, with a general shift in the distribution away from younger ages and towards older ages (table 5). From 2000 to 2021, the proportion of the population aged younger than 15 years decreased in 196 of 204 countries and territories, with some of the largest declines observed in Saudi Arabia (from 36·0% to 20·1%) and Syria (41·5% to 26·1%). The eight countries in which the proportion of the population aged younger than 15 years did not decline were Angola, Chad, Kazakhstan, Mali, Niger, Nigeria, Russia, and Somalia. During this same period, the proportion of the population aged 65 years and older increased in 175 of 204 countries and territories; some of the largest increases were observed in Japan (from 17·2% to 28·9%) and Puerto Rico (from 11·0% to 22·0%). Three of 204 countries and territories had an increase in the proportion of the population aged younger than 15 years combined with a decline in the proportion of the population aged 65 years and older; these nations (Mali, Nigeria, and Chad) are all located in sub-Saharan Africa. The ratio of the population aged 65 years and older to the population aged less than 15 years increased between

2000 and 2021 in 188 of 204 countries and territories, including all nations within the high-income; Latin America and the Caribbean; south Asia; and southeast Asia, east Asia, and Oceania super-regions (figure 11). Some of the largest increases occurred in Japan, Puerto Rico, and South Korea. The countries and territories in which this ratio did not increase were Afghanistan, Benin, Burkina Faso, Burundi, Cameroon, Chad, Democratic Republic of Congo, Guinea, Guinea-Bissau, Kyrgyzstan, Liberia, Mali, Mozambique, Nigeria, Sierra Leone, and South Sudan.

Discussion

Main findings

Our comprehensive set of updated demographic metrics indicate profound changes in the global health landscape during the first 2 years of the COVID-19 pandemic relative to historical trends. Long-term trends of decreasing mortality were superseded by marked increases in mortality rates in age groups older than 15 years during 2020 and 2021; in contrast, mortality in children under 5 years remained largely unaffected by the pandemic and continued to decrease globally. Global life expectancy declined sharply during 2020 and 2021, reversing the longstanding trend of life expectancy improvement. Age-standardised rates demonstrated the pandemic was disproportionately severe in countries within sub-Saharan Africa, the Middle East, south Asia, and Latin America. The COVID-19 pandemic has also highlighted the need for timely and comprehensive data collection and reporting. The development of high-quality civil registration and vital statistics systems has stagnated in many parts of the world due to multifaceted societal, financial, logistical, legislative, and political reasons, with notable exceptions including China, India, and some countries in north Africa and the Middle East. Population growth has slowed globally since 2017, although future declines might not persist at rates similar to those in 2020 and 2021 as the pandemic eases. In contrast, population growth is steady in south Asia and accelerating in sub-Saharan Africa. Increasing populations in many low-income and middle-income locations, combined with a shift in the age distribution away from younger ages and towards older ages, is likely to lead to new social, economic, and political challenges.

Data availability and gaps

Although the proportion of registered deaths has continuously increased at the global level since 1950, we observed marked variability across GBD super-regions and individual countries and territories. Civil registration and vital statistics are particularly scarce in sub-Saharan Africa; investment in vital registration system development in these nations is recommended to improve the availability of data necessary for accurate health measurements and policy evaluation. The COVID-19 pandemic highlighted the need for accessible and up-to-




Figure 10: Rate of natural increase in population, 2010–19 versus 2000–09

Rate of natural increase is shown for 204 countries and territories coloured by GBD super-region. The rate of natural increase is calculated as the number of births minus the number of deaths divided by the person-years during the time period. The shape of the datapoints represents the year that peak population was reached. Purple shading indicates a higher rate of natural increase between 2010 and 2019 than between 2000 and 2009; green shading denotes a higher rate between 2000 and 2009 than between 2010 and 2019; yellow shading indicates a negative rate between 2010 and 2019 and a positive rate between 2000 and 2009; blue shading denotes a negative rate across all years that was most pronounced between 2010 and 2019; orange shading indicates a negative rate across all years that was most pronounced between 2000 and 2009; white shading denotes a negative rate between 2000 and 2009 and a positive rate between 2010 and 2019. The years 2020 and 2021 were omitted due to the impact of the COVID-19 pandemic on deaths. GBD=Global Burden of Diseases, Injuries, and Risk Factors Study.

date health data when trying to understand and track emerging global health events. Much uncertainty remains about the true extent of the effect of the pandemic on mortality in countries and territories with minimal to no vital registration data available, which is particularly concerning considering that these countries are potentially the most negatively impacted by the pandemic. With the exception of China, India, and some countries in north Africa and the Middle East, progress in improving the extent of global death registration has slowed—perhaps due to a focus on cheaper but less permanent and systematic data collection efforts, such as small-scale and large-scale surveys. Although surveys are an invaluable source of demographic information, investing in more expensive yet comprehensive civil registration and vital statistics systems is crucial to monitor and improve population health.²⁶

Beyond creating and improving civil registration and vital statistics systems, countries and territories without data during the past decade would also benefit from collecting additional data from other sources, such as censuses and nationally representative surveys. 30 countries and territories had no available data on child mortality for the period 2015–21, and 62 countries and territories had no available data on adult mortality. 41 countries and territories had no usable census data between 2010 and 2021, but census data were available before 2000 for these countries. Furthermore, the COVID-19 pandemic interrupted many data collection efforts, such as the USAID Demographic and Health Surveys Program,²⁷ and national censuses, which are now resuming.²⁸ Impacts such as these must be resolved to improve future data availability.




Figure 11: Ratio of the number of individuals older than 65 years to those younger than 15 years, 2000 versus 2021

This ratio is shown for 204 countries and territories coloured by GBD super-region. The size of the datapoints indicates the annualised rate of change in total population from 2000 to 2021, and the black dotted line represents the line of equality. GBD=Global Burden of Diseases, Injuries, and Risk Factors Study.

Impact of the COVID-19 pandemic

The COVID-19 pandemic had differential effects on mortality across the lifespan. Life expectancy decreased in every GBD super-region and 84% of countries and territories from 2019 to 2021, but younger age groups were minimally affected. This finding is a welcome contrast to early warnings about potentially devastating impacts of the pandemic on child mortality.²⁹ Conversely, increases in mortality rates in populations aged 25 years and older were observed on a scale not seen in the previous 70 years.³⁰ Although the burden of excess deaths and all-age excess mortality rates due to the pandemic was largest in countries in central and eastern Europe, and Latin America, our analysis of age-standardised mortality rates highlights the relative severity of the pandemic's effects on mortality in certain countries within sub-Saharan Africa, the Middle East, south Asia, and Latin America. There was a general association between higher SDI and lower excess mortality, but this association was not particularly strong, and many

countries were exceptions to this association, suggesting that at the population level, SDI was not always a strong predictor of excess mortality due to the COVID-19 pandemic in 2020 and 2021. Excess mortality was particularly high in nations such as Bolivia and South Africa when compared with other countries and territories with a similar SDI, which some have argued was in part due to relaxed containment strategies and vaccine hesitancy.³¹ Conversely, excess mortality was particularly low in countries such as the Solomon Islands and Bhutan, which might be a reflection of delayed transmission in more isolated nations and of high vaccination rates.³² These findings emphasise that mortality outcomes during the COVID-19 pandemic were not solely determined by SDI and that vaccination efforts, public policies, and individual behaviour changes likely influenced the severity of the pandemic across countries and territories at all levels of SDI.^{33–37} Reports published as recently as 2023 have shown that since 2021, mortality due to the pandemic has declined,^{38,39} presumably driven by vaccination efforts, public policies, individual behaviour changes, and the emergence of new SARS-CoV-2 variants with lower case-fatality ratios.^{40,41} However, mortality has increased in some locations, which might be due to lifting of protective restrictions.⁴²

Long-term mortality trends

In the era of the UN Sustainable Development Goals (SDGs), there has been a decline in the global U5MR, which continued during the COVID-19 pandemic. However, progress has varied substantially between countries, and many continue to lag behind SDG targets. Based on the trajectory of U5MR between 2010 and 2021, 38 countries will not reach SDG target 3.2 of a U5MR at least as low as 25 deaths per 1000 livebirths by 2030 (appendix 2 table S2A). To eradicate preventable under-5 deaths, more equitable global strategies—intensified in regions with the highest rates—are imperative. Compared with child mortality, reductions in adult mortality have not been as consistent globally. Historically, increased adult mortality was observed in the 1990s in countries spanning eastern and southern Africa, eastern Europe, and central Asia. During the late 2010s, some high-income nations, including the USA, have had mortality spikes, particularly among the 15–39-years age group, which reflect mortality patterns associated with increased drug and alcohol misuse and mental health disorders.^{43,44} The 15–39-years age group is particularly volatile globally, and is the age group most affected by fatal discontinuities such as conflict.⁴⁵ Sex differences in mortality vary widely across the globe. The global ratio of male to female mortality has generally increased, although it has differed as a function of age. The largest variability in the ratio of male to female mortality was in the 15–39-years age group with much less variability observed in younger and older age groups. These differences go beyond biological explanations and

highlight the importance of future efforts to address mortality risks to which males are particularly susceptible due to behavioural factors, war and conflict, occupational hazards, homicide, and suicide.^{46,47} The substantial differences among countries show, however, that it is also important to address mortality risks that predominantly affect women, such as maternal mortality, gender-based violence, and economic disparities.^{48,49} We also found that life expectancy was consistently higher in countries in the Americas, east Asia, and western Europe than countries in sub-Saharan Africa, and this effect was strongly associated with SDI. Although we did not establish causal effects, this finding is supported by many studies showing that social determinants of health are key drivers of mortality,⁵⁰⁻⁵⁴ and improving education, economic prosperity, and gender inequalities is vital for continual progress in health outcomes globally. However, notable exceptions regarding the relationship between mortality and SDI indicate that other factors are also involved.

Population dynamics and age structures

Although the rate of global population growth has plateaued and started to decline since 2017, in lower income countries—primarily in sub-Saharan Africa—rapid population growth has continued. Thus, much of future population growth will likely occur in the poorest regions. Resource scarcity and rapid infrastructure expansion will be crucial issues to address.^{55,56} These factors, and a history of colonialism, can contribute to political instability.^{57,58} These challenges will require responses from governments and the global community. Furthermore, the concentration of population growth has shifted to locations with the poorest health—ie, locations with the highest child mortality rates. This might lead to challenges in continuing improvement of health outcomes.

Outside of these locations, slowing of population growth is widespread. Although most countries and territories had not reached a peak population as of 2021, in 171 of 204 countries and territories a lower rate of natural increase was observed between 2010 and 2019 than between 2000 and 2009. Furthermore, our analysis of population age structures over time indicated a prominent shift towards older ages in most regions and nations. As older populations expand and reduced younger populations reach working-age, nations could encounter economic and social challenges requiring updated policies related to health care, retirement, reproduction, childcare, and migration.⁵⁹⁻⁶² The shift towards a higher ratio of older people to younger people will require greater attention to be paid to labour shortages, health systems strengthening, and evaluation of government policies on retirement and health care.^{61,63,64} However, beneficial consequences such as the so-called second demographic dividend of greater personal wealth and investment in human capital might offset some of

these challenges.⁶⁵ Future research on these topics must seek to understand how changing population dynamics impact health outcomes and systems, and how health interventions can be tailored to address the unique challenges posed by these demographic shifts. Migration is particularly relevant to these challenges. Voluntary emigration from locations with younger adult population bulges to locations in need of more labour to support ageing populations is an open public policy discussion.^{66,67} The level of migration needed to support older age populations is dynamic and is likely to change over time with technological innovations and new public policies.⁶⁸ Furthermore, environmental constraints in some high-income countries might limit immigration possibilities. Migration of skilled workers out of lower-income countries might consequently worsen these economies.^{69,70} Global cooperation is necessary, and guidelines such as the UN Global Compact for Safe, Orderly and Regular Migration⁷¹ can help lead this work.

Comparisons between GBD 2021 estimates and other estimates

There are numerous differences in data processing and statistical modelling assumptions between the GBD 2021 estimates reported here and those from other demographic studies that provide important advantages. Excess mortality estimates for 2020 and 2021 have been previously reported in the GBD study and by other institutes. Our previous excess mortality estimates reported 18·2 million (95% UI 17·1–19·6) excess deaths in this study. Estimating mortality during the COVID-19 pandemic was particularly difficult due to many factors including delays in reporting, differing granularity of available data, and political will to provide accurate data. Although our earlier estimates were based on the best available data and methodology at the time, we have made data and modelling improvements that resulted in this lower estimate. We updated to more reliable data sources in some countries that corrected errors in reporting, and included more data up to the end of 2021. Methodologically, we modelled data at the yearly level, and additionally included age-specific detailed projections from our GBD mortality modelling process to inform our non-pandemic counterfactual, which generally led to higher estimates of expected non-pandemic mortality and thus lower excess mortality.

Our current estimate of global excess mortality during 2020 and 2021 is comparable to the WHO estimate of 14·9 million (95% UI 13·3–16·6) excess deaths,¹⁵ with our mean estimate falling within the uncertainty interval of the WHO estimate and vice versa. Our estimates tend to be higher than those of WHO for sub-Saharan Africa, with the largest differences being 233 000 more deaths in Nigeria and 177 000 more deaths in Ethiopia; and south Asia, with the largest differences being 262 000 more deaths in Pakistan and 171 000 more deaths in Bangladesh. However, our estimate for India was 1·3 million deaths lower than that of WHO, which is the

largest discrepancy in this direction. We also estimated 123 000 more excess deaths in China—our results indicated positive excess, whereas WHO estimated negative excess. The largest differences occur in locations for which little or no all-cause mortality data were available for the pandemic period, and thus estimates relied on predictive models. These differences reflect different covariates used for predictions models. Additionally, WHO models and predicts all-cause mortality rates in locations without data, whereas we predict excess mortality rates directly, which leads to different assumptions and functional forms for statistical models. Differences in locations with all-cause mortality data are driven by different data processing steps and different models for expected non-pandemic mortality.

The latest estimates from UNICEF, published in 2023, reported a global U5MR of 38·1 deaths (95% UI 36·1–42·2) per 1000 livebirths in 2021,⁷² which is consistent with our estimate of 35·7 deaths (30·5–42·0) per 1000 livebirths. The mean relative difference at the national level between our 2021 U5MR estimates and those provided by UNICEF is –2·6%, ranging from –58·4% to 111·9%. Similar to our estimates, the UNICEF estimates show a continued decreasing trend in child mortality during the COVID-19 pandemic. Between 1950 and 2019, the mean relative difference between our estimates and UNICEF estimates across countries and territories was –2·0%, ranging from –64·3% to 154·6%. These differences primarily reflect differences in data inclusion, processing, and synthesis. For example, our estimate of mortality in Iran in 2021 is 58·4% lower than that of UNICEF. We included vital registration data from 2021 and our estimates closely match this observed mortality, whereas UNICEF does not include these data, leading to higher estimates. Using the most recent available data suggests our estimates are more reliable.

Adult mortality estimates at the country level from the 2022 UN World Population Prospects (WPP) report are on average 11·1% lower than our 2021 estimates,¹³ which range from 41·8% lower to 289·5% higher. Between 1950 and 2019, the mean relative difference between our adult mortality estimates and those from WPP 2022 was –4·3%, ranging from –64·0% to 229·6%. Differences between WPP 2022 estimates of national life expectancy at birth and those from GBD 2021 are primarily driven by these differences in adult mortality estimates, and variability in child mortality estimates. While location-years with complete death registration show substantial agreement between estimates, with a mean relative difference of 1·3%, our estimates for 2021 range from 7·8 years lower to 10·1 years higher, and our estimates for years before the COVID-19 pandemic range from 20·4 years lower to 38·4 years higher. The largest discrepancies were due to location-years with large fatal discontinuities or scarcity of high-quality vital registration data. Furthermore, discrepancies between

2021 estimates are highly influenced by the differences in estimation of excess mortality due to the COVID-19 pandemic. As one of the largest differences, our life expectancy estimate for Nigeria in 2021 is 10·1 years higher than the WPP estimate, driven by our estimated 41·8% lower adult mortality. Our adult mortality estimates more closely follow the bulk of the data from sibling-survival histories, and our age-specific mortality estimates rely on a database of 43 758 empirical life tables as opposed to the Coale-Demeny north model life table used by WPP 2022, which has been shown to underperform compared with other modern model life table methods.^{73,74}

For further comparison with WPP and as a model validation exercise, we compared estimated age-specific mortality rates and death counts from our analysis and from WPP with those calculated directly from all location-years of vital registration data deemed to have complete death registration. When comparing our results, we used our population estimates as the denominator to calculate mortality rates from vital registration; similarly, we used WPP population estimates as the denominator for that comparison. Across all location-year-age-sex mortality rates, our estimates had mean absolute error of 0·024, indicating a good fit to the data, along with root mean squared error (RMSE) of 0·52. These were lower than the respective 0·033 and 0·53 calculated for WPP. Similarly, our death count estimates had a mean absolute error of 84·8 and RMSE of 365 compared with a mean absolute error of 222 and RMSE of 1032 for WPP estimates.

Estimates of the global population from WPP 2022 are similar to that of this study, with an estimated global population of 7·91 billion in 2021, compared with our estimate of 7·89 billion (95% UI 7·67–8·13). On average in 2021, country-level population estimates were 0·2% lower in GBD 2021 than WPP 2022 and ranged from 34·2% lower to 82·2% higher. For specific ages, differences in the younger than 15 years age group ranged from 48·0% lower to 75·3% higher, while differences in the 65 years and older age group ranged from 36·0% lower to 39·5% higher. The largest relative differences were for locations in which no recent census data were available, and those with substantial net immigration from other countries.

Limitations

This research has several limitations. First, estimates continue to be limited by data source availability and scope. COVID-19 showed the crucial need to create more robust vital registration systems that can highlight the differential effects of disease and injury across population subgroups in a timely manner. 93 of 204 countries and territories had no available all-cause mortality data to estimate excess mortality due to the COVID-19 pandemic, which means our estimates in these areas are solely driven by associations with covariates. These locations were

largely in regions where the effects of the pandemic were most severe. Furthermore, the scarcity of high-quality civil registration and vital statistics systems to produce reliable data in many low-income and middle-income countries introduces large-scale uncertainty in all demographic estimates. Additionally, population estimates in certain countries rely on modelled projections due to no available recent censuses. Future development of reliable data sources is crucial because estimates improve as the quality of underlying data improves. Subsequent GBD cycles will provide revised estimates after additional data for recent years become available.

Second, analysis of more granular subpopulations such as subnational areas or by other population characteristics was restricted by data availability. Although our effort represents the most comprehensive global analysis of mortality and population, the estimates presented in this research mask substantial heterogeneity in smaller geographies. This limits the utility of our estimates to provide insights for more targeted interventions, for example, understanding occupational hazards in industrial regions. Improving this aspect of the research requires more comprehensive and detailed data, such as by race, ethnicity, socioeconomic status, and smaller administrative levels,^{75–77} and future work will aim to produce more comprehensive health metrics.

Third, the GBD demographics approach has not developed an encompassing model to estimate migration together with population, mortality, and fertility. Estimating migration in a model that jointly informs population, mortality, and fertility will not only improve accuracy of population estimates, but also allow assessing and improving corrections for death registration completeness and census coverage. This is crucial in locations with large migration flows, such as the United Arab Emirates and Qatar, where current methods for these corrections might not perform well.^{78,79} The increased importance of migration at present and in the future, especially considering the shifting age structure in many populations, places renewed importance on producing reliable migration estimates.

Fourth, we assumed a binomial distribution when calculating data variance and did not evaluate other models of distribution. Some of our input data might be overdispersed, resulting in inaccurate estimates of data variance. However, we do not expect that changing our assumptions on the distribution would have a sizeable impact on estimates since the sampling errors on vital registration and civil registration mortality and fertility data are likely to be much smaller than non-sampling errors. In the future, we will consider testing such assumptions.

Fifth, computational resources did not permit propagation of uncertainty for all covariates throughout the analytical process. While uncertainty from model estimation was accounted for at each stage, such as U5MR, adult mortality, and age-specific mortality rates,

uncertainties for some covariates such as lag-distributed income and education were not. Similarly, estimates of coefficients in the COVID-19 excess mortality prediction model did not include uncertainty. Future iterations of GBD will investigate computationally more efficient implementation of current methods and development of new methods to allow for all sources of uncertainty to be included in modelling.

Future directions

The COVID-19 pandemic will likely continue to impact estimates of demographic trends in future years due to reporting lags and the persistent effects of the pandemic. Future research should focus on understanding the full demographic impact of the pandemic in 2022 and beyond. Methodologically, we aim to improve our incorporation of excess mortality and COVID-19 direct mortality estimates into the GBD mortality estimation process, rather than post-hoc unification of two separate modelling endeavours. We also plan to develop a standalone migration model and integrate this model into the GBD demographic estimation process. Along with this, we aim to simultaneously estimate mortality and population rather than the current sequentially iterative approach. This would allow the uncertainty in mortality estimates to inform population estimates and vice versa, helping address issues in age, period, and cohort trends that might otherwise arise.

Conclusion

Tracking long-term health trends and evaluating the impact of the COVID-19 pandemic require accurate global, regional, and national estimates of mortality, life expectancy, and population, because these crucial demographic indicators foundationally underpin our understanding of population health. The comprehensive demographic metrics reported in this study show that marked reversals in adult mortality and life expectancy trends occurred during 2020 and 2021, leading to increased mortality and reduced life expectancy worldwide. This increased mortality did not occur in younger populations: mortality rates in children under 5 years continued to decline globally during the first 2 years of the pandemic, although more equitable and intensified investment is needed to achieve SDG targets in many locations. While global population growth is slowing, geographical distributions and age structures are undergoing fundamental shifts—low-income countries and territories continue to grow, and population structures across the globe are ageing. Nations in the post-pandemic world will need to address emerging health-care, economic, and social challenges with new policies and practices. The development, implementation, and evaluation of these health policies and practices in diverse locations around the world can be informed and guided by the GBD 2021 demographic estimates. Accurate mortality, life expectancy, and population estimates might be even more important to informing policy and practice in a post-pandemic world

than in the past. Collectively, the extensive set of demographic estimates reported here represent a valuable global tool for policy evaluation, development, and implementation in diverse locations around the world.

GBD 2021 Demographics Collaborators

Austin E Schumacher*, Hmwe Hmwe Kyu*, Amiral Aali, Cristiana Abbafati, Jaffar Abbas, Rouzbeh Abbasgholizadeh, Madineh Akram Abbasi, Mohammadreza Abbasian, Samar Abd ElHafeez, Michael Abdelmasseh, Sherief Abd-Elsalam, Ahmed Abdelwahab, Mohammad Abdollahi, Meriem Abdoun, Auwal Abdullahi, Ame Mehadji Abdurheeman, Mesfin Abebe, Aïdin Abedi, Armita Abedi, Tadesse M Abegaz, Roberto Ariel Abdelaño Zuñiga, E S Abhilash, Olugbenga Olusola Abiodun, Richard Gyan Aboagye, Hassan Abolhassani, Mohamed Abouzid, Lucas Guimaraes Abreu, Woldu Aberhe Abrha, Michael R M Abrigo, Dariush Abtahi, Samir Abu Rumeileh, Niveen ME Abu-Rmeileh, Salahdein Aburuz, Ahmed Abu-Zaid, Juan Manuel Acuna, Tim Adair, Isaac Yebelo Addo, Oladimeji M Adebayo, Oyelola A Adegbeye, Victor Adekanmbi, Bashir Aden, Abiola Victor Adepoju, Charles Oluwaseun Adetunji, Temitayo Esther Adeyeoluwa, Olorunsola Israel Adeyomoye, Rishan Adha, Amin Adibi, Wirawan Adikusuma, Qorinah Estiningtyas Sakilah Adnani, Saryia Adra, Abel Afework, Aanuoluwapo Adeyimika Afolabi, Ali Afraz, Shadi Ayouni, Saira Afzal, Pradyumna Agasthi, Shahin Aghamiri, Antonella Agodi, Williams Agyemang-Duah, Bright Opoku Ahinkorah, Aqeel Ahmad, Danish Ahmad, Firdos Ahmad, Muayyad M Ahmad, Tauseef Ahmad, Keivan Ahmadi, Amir Mahmoud Ahmadzade, Mohadese Ahmadzade, Ayman Ahmed, Haroon Ahmed, Luai A Ahmed, Muktar Beshir Ahmed, Syed Anees Ahmed, Marjan Ajami, Budi Aji, Olufemi Ajumobi, Gizachew Tadesse Akalu, Essoma Matatom Akara, Karolina Akinosoglou, Sreelatha Akkala, Samuel Akyirem, Hanadi Al Hamad, Syed Mahfuz Al Hasan, Ammar Al Homsi, Mohammad Al Qadire, Moein Ala, Timothy Olukunle Aladelusi, Tareq Mohammed Ali AL-Ahdal, Samer O Alalmeleh, Ziyad Al-Aly, Khurshid Alam, Manjurul Alam, Zufishan Alam, Rasmieh Mustafa Al-amer, Fahad Mashhour Alanezi, Turki M Alanzi, Mohammed Albashtawy, Mohammad T AlBataineh, Robert W Aldridge, Sharifullah Alemi, Ayman Al-Eyadhy, Adel Ali Saeed Al-Gheethi, Khalid F Alhabib, Fadwa Alhalqa Naji Alhalqa, Mohammed Khaled Al-Hanawi, Abid Ali, Akhtar Ali, Beriwan Abdulqadir Ali, Hassam Ali, Mohammed Usman Ali, Rafat Ali, Syed Shujait Ali, Zahid Ali, Shohreh Alian Samakkhah, Gianfranco Alicandro, Sheikh Mohammad Alif, Mohammad Aligol, Rasoul Alimi, Ahmednur Adem Aliyi, Adel Al-Jumaily, Syed Mohamed Aljunid, Wael Almahmeed, Sabah Al-Marwani, Sadeq Ali Al-Maweri, Joseph Uy Almazan, Hesham M Al-Mekhlafi, Omar Almidani, Mahmoud A Alomari, Nivaldo Alonso, Jaber S Alqahtani, Ahmed Yaseen Alqutaibi, Salman Khalifah Al-Sabah, Awais Altaf, Jaffar A Al-Tawfiq, Khalid A Altirkawi, Farrukh Jawad Alvi, Hassan Alwafi, Yaser Mohammed Al-Worafi, Hany Aly, Karen H Alzoubi, Azmeraw T Amare, Edward Kwabena Ameyaw, Abebe Feyissa Amhare, Tarek Tawfik Amin, Alireza Amindarolzarbi, Javad Aminian Dkhordi, Sohrab Amiri, Hubert Amu, Dickson A Amugsi, Jimoh Amzat, Robert Ancuceanu, Deanna Anderlini, Pedro Prata Andrade, Catalina Liliana Andrei, Tudorel Andrei, Dhanalakshmi Angappan, Abhishek Anil, Afifa Anjum, Catherine M Antony, Ernoiz Antriyandarti, Iyadunni Adesola Anuoluwa, Sumadi Lukman Anwar, Anayochukwu Edward Anyasodor, Seth Christopher Yaw Appiah, Muhammad Aqueel, Jalal Arabloo, Razman Arabzadeh Bahri, Morteza Arab-Zozani, Mosab Arafat, Ana Margarida Aratijo, Aleksandr Y Aravkin, Abdulfatai Aremu, Hany Ariffin, Timur Aripov, Benedicta Armocida, Mahwish Arooj, Anton A Artamonov, Kurnia Dwi Artanti, Judie Arulappan, Idowu Thomas Aruleba, Raphael Taiwo Aruleba, Ashokan Arumugam, Malke Asaad, Saeed Asgary, Mubarek Yesse Asheemo, Muhammad Ashraf, Marvellous O Asika, Seyyed Shamsadin Athari, Maha Moh'd Wahbi Atout, Alok Atreya, Sameh Attia, Avinash Aujayeb, Abolfazl Avan, Adedapo Wasiu Awotidebe, Beatriz Paulina Ayala Quintanilla, Martin Amogre Ayanore, Getnet Melaku Ayele, Jose L Ayuso-Mateos, Seyed Mohammad Ayyoubzadeh, Sina Azdnajafabad, Gulrez Shah Azhar, Shahkaar Aziz, Ahmed Y Azzam, Mina Babashahi, Abraham Samuel Babu, Muhammad Badar, Alaa Badawi, Ashish D Badiye, Soroush Baghdadi, Nasser Bagheri, Sara Bagherieh, Sulaiman Bah, Saeed Bahadorikhahili, Jianjun Bai, Ruhai Bai, Jennifer L Baker, Shankar M Bakkannavar, Abdulaziz T Bako, Senthilkumar Balakrishnan, Saliu A Balogun, Ovidiu Constantin Baltatu, Kiran Bam, Maciej Banach, Soham Bandyopadhyay, Biswajit Banik, Palash Chandra Banik, Hansi Bansal, Shirin Barati, Martina Barchitta, Mainak Bardhan, Suzanne Lyn Barker-Collo, Francesco Barone-Adesi, Hiba Jawdat Barqawi, Ronald D Barr, Lope H Barrero, Zarrin Basharat, Asma'u I J Bashir, Hameed Akande Bashiru, Pritish Baskaran, Buddha Basnyat, Quique Bassat, João Diogo Basso, Saurav Basu, Kavita Batra, Ravi Batra, Bernhard T Baune, Mohsen Bayati, Nebiyou Simegnew Bayleyegn, Thomas Beaney, Neeraj Bedi, Tahmina Begum, Emad Behboudi, Amir Hossein Behnoush, Maryam Beiranvand, Diana Fernanda Bejarano Ramirez, Uzma Iqbal Belgaumi, Michelle L Bell, Aminu K Bello, Muhammad Bashir Bello, Olorunjuwon Omolaja Bello, Luis Belo, Apostolos Beloukas, Salaheddine Bendak, Derrick A Bennett, Isabela M Bensenor, Habib Benzian, Zombor Berezvai, Adam E Berman, Amiel Nazer C Bermudez, Paulo J G Bettencourt, Habtamu B Beyene, Kebede A Beyene, Devidas S Bhagat, Akshaya Srikanth Bhagavathula, Neeraj Bhala, Ashish Bhalla, Dinesh Bhandari, Nikha Bhardwaj, Pankaj Bhardwaj, Prarthna V Bhardwaj, Ashish Bhargava, Sonu Bhaskar, Vivek Bhat, Gurjit Kaur Bhatti, Jasvinder Singh Bhatti, Manpreet S Bhatti, Rajbir Bhatti, Zulfiqar A Bhutta, Boris Bikbov, Nada Binnadim, Bagas Suryo Bintoro, Antonia Biondi, Catherine Bisignano, Francesca Bisulli, Atanu Biswas, Raaj Kishore Biswas, Saeid Bitaraf, Tone Bjørge, Archie Bleyer, Mary Sefa Boampong, Virginia Bodolica, Adam Olalekan Bodunrin, Obasanjo Afolabi Bolarinwa, Milad Bonakdar Hashemi, Aime Bonny, Kaustubh Bora, Berrak Bora Basara, Safiya Bala Borodo, Rohan Borschmann, Alejandro Botero Carvajal, Souad Bouaoud, Sofiane Boudalnia, Edward J Boyko, Nicola Luigi Bragazzi, Dejana Braithwaite, Hermann Brenner, Gabrielle Britton, Annie J Browne, Andre R Brunoni, Norma B Bulamu, Lemma N Bulto, Danilo Buonsenso, Katrin Burkart, Richard A Burns, Sharath Burugina Nagaraja, Reinhard Busse, Yasser Bustanji, Zahid A Butt, Florentino Luciano Caetano dos Santos, Tianji Cai, Daniela Calina, Luis Alberto Cámera, Luciana Aparecida Campos, Ismael R Campos-Nonato, Chao Cao, Carlos Alberto Cardenas, Rosario Cárdenas, Sinclair Carr, Giulia Carreras, Juan J Carrero, Andrea Carugno, Felix Carvalho, Márcia Carvalho, Joao Mauricio Castaldelli-Maia, Carlos A Castañeda-Orjuela, Giulio Castelpietra, Ferrán Catalá-López, Alberico I Catapano, Maria Sofia Cattaruzza, Arthur Caye, Christopher R Cederoth, Francieli Cembranel, Muthia Cenderadewi, Kelly M Cercy, Ester Cerin, Muge Cevik, Pamela R Uscamaita Chacón-Uscamaita, Yaacoub Chahine, Chiranjib Chakraborty, Jeffrey Shi Kai Chan, Chin-Kuo Chang, Periklis Charalampous, Jaykaran Charan, Vijay Kumar Chattu, Victoria Chatzimavridou-Grigoriadou, Malizgani Paul Chavula, Huzaifa Ahmad Cheema, An-Tian Chen, Haowei Chen, Lingxiao Chen, Meng Xuan Chen, Simiao Chen, Nicolas Cherbuin, Derek S Chew, Gerald Chi, Jesus Lorenzo Chirinos-Caceres, Abdulaal Chittheer, So Mi Jemma Cho, William C S Cho, Bryan Chong, Hitesh Chopra, Rahul Choudhary, Rajiv Chowdhury, Dinh-Toi Chu, Isaac Sunday Chukwu, Eric Chung, Eunice Chung, Sheng-Chia Chung, Karly I Cini, Cain C T Clark, Caleb Coberly, Alyssa Columbus, Haley Comfort, Joao Conde, Sara Conti, Paolo Angelo Cortesi, Vera Marisa Costa, Ewerton Cousin, Richard G Cowden, Michael H Criqui, Natália Cruz-Martins, Garland T Culbreth, Patricia Cullen, Matthew Cunningham, Daniel da Silva e Silva, Sriharsha Dadana, Omid Dadras, Zhao Li Dai, Koustuv Dalal, Lachlan L Dalli, Giovanni Damiani, Emanuele D'Amico, Sara Daneshvar, Aso Mohammad Darwesh, Jai K Das, Saswati Das, Nihar Ranjan Dash, Mohsen Dashti, Claudio Alberto Dávila-Cervantes, Nicole Davis Weaver, Kairat Davletov, Diego De Leo, Aklilu Tamire Debele, Louisa Degenhardt, Reza Dehbandi, Lee Deitesfeld,

Marcin W Wojewodzic, Eve E Wool, Anthony D Woolf, Dongze Wu, Ratna Dwi Wulandari, Hong Xiao, Bin Xu, Xiaoyue Xu, Lalit Yadav, Sajad Yaghoubi, Lin Yang, Yuichiro Yano, Yao Yao, Pengpeng Ye, Gesila Endashaw Yesera, Renjula Yesodharan, Subah Abderrehim Yesuf, Arzu Yiğit, Vahit Yiğit, Paul Yip, Dong Keon Yon, Naohiro Yonemoto, Yuyi You, Mustafa Z Younis, Chuanhua Yu, Siddhesh Zadey, Vesna Zadnik, Nima Zafari, Mohammad Zahedi, Muhammad Nauman Zahid, Mazyar Zahir, Fathiah Zakham, Nazar Zaki, Josefina Zakzuk, Giulia Zamagni, Burhan Abdullah Zaman, Sojib Bin Zaman, Nelson Zamora, Ramin Zand, Milad Zandi, Ghazal G Z Zandieh, Aurora Zanghi, Iman Zare, Mikhail Sergeevich Zastrozhan, Mohammed G M Zeariya, Youjie Zeng, Chunxia Zhai, Chen Zhang, Haijun Zhang, Hongwei Zhang, Yunquan Zhang, Zhaofeng Zhang, Zhenyu Zhang, Hanqing Zhao, Yang Zhao, Yong Zhao, Peng Zheng, Chenwen Zhong, Juexiao Zhou, Bin Zhu, Zhaohua Zhu, Pardis Ziaeefar, Magdalena Zielińska, Zhiyong Zou, Alimuddin Zumla, Elric Zweck, Samer H Zyoud, Stephen S Lim†, and Christopher J L Murray†. *Joint first authors.
†Joint senior authors.

Affiliations

Institute for Health Metrics and Evaluation (A E Schumacher PhD, H H Kyu PhD, C M Antony MA, A Y Aravkin PhD, G S Azhar PhD, C Bisignano MPH, K Burkart PhD, K M Cercy BS, E Chung MSc, K Coberly BS, H Comfort MPH, E Cousin PhD, G T Culbreth PhD, M Cunningham MSc, N Davis Weaver MPH, Prof L Degenhardt PhD, L Deitesfeld MA, M A Dirac MD, K Estep MPA, Prof V L Feigin PhD, A D Flaxman PhD, L S Flor MPH, L M Force MD, J E Fuller MLIS, Prof E Gakidou PhD, Prof S I Hay FMedSci, K S Ikuta MD, D P Jones BS, N J Kassebaum MD, M B Kassel BA, C Keller MPH, K E Kinzel MSPH, K J Krohn MPH, Prof R Lozano MD, E A May MS, A L W McKown MA, S A McLaughlin PhD, M L Mehlman PhD, T Mestrovic PhD, A H Mokdad PhD, J F Mossé MD, V Mougin BA, Prof M Naghavi PhD, O D Nesbit MA, A Novotny MPH, Y Ozten MS, S A Pease BS, D M Pigott PhD, R C Reiner Jr PhD, H E Robinson-Oden MLIS, D H Shaw BA, E N Slepak MLIS, R J D Sorensen PhD, N A Verghese BA, Prof S Vollset DrPH, A Vongpradith BA, Prof T Vos PhD, D Wang BA, S Watson MS, Prof M R Weaver PhD, K M Wells BA, S Wilson BS, E E Wool MPH, P Zheng PhD, Prof S S Lim PhD, Prof C J L Murray DPhil), Department of Health Metrics Sciences, School of Medicine (H H Kyu PhD, A Y Aravkin PhD, K Burkart PhD, E Cousin PhD, M A Dirac MD, A D Flaxman PhD, L S Flor MPH, L M Force MD, Prof E Gakidou PhD, Prof S I Hay FMedSci, N J Kassebaum MD, Prof R Lozano MD, A H Mokdad PhD, Prof M Naghavi PhD, D M Pigott PhD, R C Reiner Jr PhD, Prof S Vollset DrPH, Prof T Vos PhD, Prof M R Weaver PhD, P Zheng PhD, Prof S S Lim PhD, Prof C J L Murray DPhil), Department of Applied Mathematics (A Y Aravkin PhD), School of Medicine (Prof E J Boyko MD), Department of Internal Medicine (Y Chahine MD), Department of Cardiology (Y Chahine MD), Department of Family Medicine (M A Dirac MD), Division of Pediatric Hematology-Oncology (L M Force MD), Department of Neurology (R Kalani MD), Department of Anesthesiology and Pain Medicine (N J Kassebaum MD, V Krishnamoorthy MD), Department of Global Health (I A Khalil MD, N W Ninja MD, R J D Sorensen PhD), Division of Plastic and Reconstructive Surgery (S D Morrison MD), Foster School of Business (F M Nafukho PhD), Department of Biostatistics (A Olivas-Martinez MD), School of Social Work (E Orellana PhD), and Division of Allergy and Infectious Diseases (K Tram MD), University of Washington, Seattle, WA, USA; Faculty of Medicine (A Aali MD, N Rahnavard MD), Department of Neuroscience (A Ahmadzade MD), Eram-Reza Hospital (S Mohammadpour PhD), Clinical Research Development Unit (N Morovatdar MD), Metabolic Syndrome Research Center (G Pourali MD), International UNESCO Center for Health-related Basic Sciences and Human Nutrition (G Pourali MD), and Department of Medical Genetics (N Zafari MD), Mashhad University of Medical Sciences, Mashhad, Iran; Department of Juridical and Economic Studies (C Abbafati PhD) and Department of Public Health and Infectious Diseases (M S Cattaruzza PhD), La Sapienza University, Rome, Italy; Antai College of Economics (J Abbas PhD), Shanghai Mental Health Center (Prof M R Phillips MD), Shanghai Jiao Tong

University, Shanghai, China; Doheny Eye Institute (R Abbasgholizadeh MD), Department of Ophthalmology (M Emamverdi MD), and Center for Social Medicine (J Friedman PhD), University of California Los Angeles, Los Angeles, CA, USA; Infectious and Tropical Research Center (M A Abbasi PhD), Tuberculosis and Lung Diseases Research Center (S Daneshvar MD), Department of Radiology (M Dashti MD, A Ghasemzadeh MD, M Mirza-Aghazadeh-Attari MD), Department of Health Policy and Management (L Doshmangir PhD), Department of Medical Surgical Nursing (M Ghafori PhD, M Lotfi PhD), Research Center for Evidence-Based Medicine (M Hosseini MD), Department of Immunology (F Jadidi-Niaragh PhD), School of Management and Medical Informatics (L R Kalankeh PhD), Social Determinants of Health Research Center (S Karimi PhD, Prof S Mohammad-Alizadeh-Charandabi PhD), Radiology Research Committee (M Khalafi MD), Medical Education Research Center (M Lotfi PhD), Faculty of Nursing and Midwifery (Prof M Mirghafourvand PhD, Prof S Mohammad-Alizadeh-Charandabi PhD), Liver and Gastrointestinal Disease Research Center (S Mirinezhad PhD), Neurosciences Research Center (R Mosaddeghi Heris MD), Student Research Committee (R Mosaddeghi Heris MD), Department of Community Medicine (S Mousavi MD), and Drug Applied Research Center (H Samadi Kafil PhD), Tabriz University of Medical Sciences, Tabriz, Iran; Department of Orthopedic Surgery (M Abbasian MD, K Momenzadeh MD), Harvard Business School (F Caetano dos Santos PhD), Department of Epidemiology (S Carr MS), Division of Cardiovascular Medicine (G Chi MD), Division of Cardiology (I Y Elgendi MD), Department of Neurological Surgery at Brigham and Women's Hospital (A H Feroze MD), Department of Ophthalmology (Prof J H Kempen MD), Department of Health Policy and Management (C M Kubeyi BA), Department of Global Health and Population (Z Li PhD, P Rohloff MD), Department of Health Policy and Oral Epidemiology (Z S Natto DrPH), Department of Pulmonary and Critical Care (T O Olanipekun MD), Department of Global Health and Social Medicine (M Pigeolet MD), Harvard TH Chan School of Public Health (P M S Pradhan MD, E Zweck MD), Beth Israel Deaconess Medical Center (S Sharfaei MD), and Division of General Internal Medicine (Prof A Sheikh MD), Harvard University, Boston, MA, USA; Department of Orthopaedic Surgery (M Abbasian MD), Department of Anesthesiology (D Abtahi MD, S Salimi MD, A Shakeri MD, A Tajbakhsh MD, A Tajbakhsh MD), Department of Biotechnology (S Aghamiri PhD), Urology Department (M Ahmadzade MD, M Bonakdar Hashemi MD), National Nutrition and Food Technology Research Institute (M Ajami PhD), Research Institute of Dental Sciences (Prof S Asgary MSc), Department of Medical Genetics (M Ghasemi PhD), Center for Comprehensive Genetic Services (M Ghasemi PhD), Social Determinants of Health Research Center (Prof H Hassanian-Moghaddam MD, A Kolahi MD, A Nikoobar DipSc), School of Medicine (M Heidari-Foroozan BSc, F Montazeri MD, S Nejadghaderi MD, S Rahmani MD, P Ziaeefar MD), Urology and Nephrology Research Center (H Hesami MD, M Zahir MD, P Ziaeefar MD), Ophthalmic Research Centre (H Hesami MD), Department of Immunology (K Jahankhani MSc), A Rasouli-Saravani PhD), Department of Health Policy and Management (N Jahanmehr PhD), Safety Promotion and Injury Prevention Research Center (N Jahanmehr PhD), Department of Neurosurgery (H Khayat Kashani MD), Department of Microbiology and Infectious Diseases (M Nasiri PhD), Department of Biology and Anatomical Sciences (P Raee PhD), Department of Pharmacology (M Rezaee MD), Ophthalmic Research Center (S Safi PhD), Emergency Department (S Shool MD), and Department of Medical Education (S Tabatabai PhD), Shahid Beheshti University of Medical Sciences, Tehran, Iran; Department of Epidemiology (S Abd ElHafeez DrPH), Department of Pediatric Dentistry and Dental Public Health (Prof M El Tantawi PhD, Prof O A A Elmeligy PhD), Department of Tropical Health (R M Ghazy PhD), and Department of Pathology (Prof I M Talaat PhD), Alexandria University, Alexandria, Egypt; Department of Surgery (M Abdelmasseh MD, Prof J Sanabria MD), Marshall University, Huntington, WV, USA; Department of Tropical Medicine and Infectious Diseases (S Abd-Elsalam PhD), Tanta University, Tanta, Egypt; Department of Internal Medicine, Baylor College of Medicine, Houston,

Pharmaceutical Sciences, University of Douala, Douala, Cameroon (A Bonny MD); Department of Cardiology, Monfermeil Hospital Center, Monfermeil, France (A Bonny MD); Regional Medical Research Centre, North East Region, Indian Council of Medical Research, Dibrugarh, India (K Bora MD); General Directorate of Health Information Systems, Ministry of Health, Ankara, Türkiye (B Bora Basara PhD); Centre for Adolescent Health, Murdoch Childrens Research Institute, Parkville, VIC, Australia (R Borschmann PhD, K I Cini MClinEpi, K L Francis MBiostat, J A Kerr PhD, Prof S M Sawyer MD); Faculty of Health, Santiago de Cali University, Cali, Colombia (Prof A Botero Carvajal MSc); Faculty of Health, San Martin University, Cali, Colombia (Prof A Botero Carvajal MSc); Department of Medicine (Prof S Bouaoud MD) and Faculty of Medicine (Prof A Ouyahia PhD), University Ferhat Abbas of Setif, Setif, Algeria; Department of Epidemiology and Preventive Medicine, University Hospital Saadna Abdenour, Setif, Algeria (Prof S Bouaoud MD); Faculty of Natural Sciences and Life Sciences, Guelma University, Guelma, Algeria (S Boudalia PhD); General Medicine Service, Department of Veterans Affairs, Seattle, WA, USA (Prof E J Boyko MD); Department of Health Sciences (F Lanfranchi MD), University of Genoa, Genoa, Italy (N L Bragazzi PhD); Department of Epidemiology (D Braithwaite PhD, D D Ding BS), UF Health Cancer Center (S D Karanth PhD), and Department of Computer and Information Science and Engineering (P Naghavi MSc), University of Florida, Gainesville, FL, USA; Cancer Population Sciences Program, University of Florida Health Cancer Center, Gainesville, FL, USA (D Braithwaite PhD); Division of Clinical Epidemiology and Aging Research, German Cancer Research Center, Heidelberg, Germany (Prof H Brenner MD); Department of Neuroscience, University of Panama, Ancon, Panama (G Britton PhD); Infectious Diseases Department, Gorgas Memorial Institute for Health Studies, Panama City, Panama (G Britton PhD); Flinders Health and Medical Research Institute (N B Bulamu PhD), College of Nursing and Health Sciences (L N Bulto PhD, K M Foley MPH), Caring Futures Institute (D Jemere MBA), Health Economics Unit (B Kaambwa PhD), College of Medicine and Public Health (B Kaambwa PhD, G R Naik PhD), and Health and Social Care Economics Group (C Mpundu-Kaambwa PhD), Flinders University, Adelaide, SA, Australia; Department of Woman and Child Health and Public Health, Agostino Gemelli University Polyclinic IRCCS, Rome, Italy (D Buonsenso MD); Global Health Research Institute (D Buonsenso MD) and Department of Health Science and Public Health (L Villani DrPH), Catholic University of Sacred Heart, Rome, Italy; Department of Community Medicine, Employee State Insurance Post Graduate Institute of Medical Sciences and Research, Bangalore, India (Prof S Burugina Nagaraja MD); Department of Biopharmaceutics and Clinical Pharmacy, University of Jordan, Amman, Jordan (Y Bustanji PhD); School of Public Health and Health Systems, University of Waterloo, Waterloo, ON, Canada (Z A Butt PhD); Al Shifa School of Public Health, Al Shifa Trust Eye Hospital, Rawalpindi, Pakistan (Z A Butt PhD); Department of Sociology, University of Macau, Macau, China (Prof T Cai PhD); Department of Clinical Pharmacy, University of Medicine and Pharmacy of Craiova, Craiova, Romania (Prof D Calina PhD); Department of Internal Medicine, Italian Hospital of Buenos Aires, Buenos Aires, Argentina (Prof L A Cámera MD); Argentine Society of Medicine, Buenos Aires, Argentina (Prof L A Cámera MD); College of Health Sciences, Abu Dhabi University, Abu Dhabi, United Arab Emirates (Prof L A Campos PhD); Center for Nutrition and Health Research (I R Campos-Nonato PhD, E Denova-Gutiérrez DSc), Center for Health Systems Research (D V Ortega-Alamirante DrPH, M Ríos-Blanca DSc), and Infectious Disease Research Center (Prof V Pando-Robles PhD), National Institute of Public Health, Cuernavaca, Mexico; Dana-Farber Cancer Institute, Boston, MA, USA (C Cao MPH); Los Angeles, CA, USA (C A Cardenas MD); Department of Health Care, Metropolitan Autonomous University, Mexico City, Mexico (Prof R Cárdenas DSc); Institute for Cancer Research, Prevention and Clinical Network, Florence, Italy (G Carreras PhD); Dermatology Unit, Territorial Healthcare Company Pope John XXIII (Azienda Socio Sanitaria Territoriale Papa Giovanni XXIII), Bergamo, Italy (A Carugno MD); Institute of Research Innovation and Development, University Fernando Pessoa, Porto, Portugal (M Carvalho PhD); Colombian National Health Observatory (C A Castañeda-Orjuela MD) and Department of Public Health Research (J N Malagón-Rojas MSc), National Institute of Health, Bogota, Colombia; Epidemiology and Public Health Evaluation Group, National University of Colombia, Bogota, Colombia (C A Castañeda-Orjuela MD); Department of Medicine, University of Udine, Udine, Italy (G Castelpietra PhD); Department of Mental Health, Healthcare Agency "Friuli Occidentale", Pordenone, Italy (G Castelpietra PhD); Clinical Epidemiology Program, Ottawa Hospital Research Institute, Ottawa, ON, Canada (F Catalá-López PhD); Department of Pharmacological and Biomolecular Sciences (Prof A L Catapano PhD), Galeazzi Orthopedic Institute IRCCS (G Damiani MD), and Department of Clinical Sciences and Community Health (Prof C La Vecchia MD), University of Milan, Milan, Italy; MultiMedica, IRCCS, Sesto San Giovanni, Italy (Prof A L Catapano PhD); Department of Psychiatry (A Caye PhD). Postgraduate Program in Epidemiology (Prof B B Duncan MD, Prof M I Schmidt MD), and Department of Preventive and Social Dentistry (F N Hugo PhD), Federal University of Rio Grande do Sul, Porto Alegre, Brazil; Department of Otolaryngology, Head and Neck Surgery, University of Tübingen, Tübingen, Germany (C R Cederoth PhD); Department of Nutrition, Federal University of Santa Catarina, Florianópolis, Brazil (Prof F Cembranel DSc); College of Public Health, Medical and Veterinary Sciences (M Cenderadewi MPHTM, A E Peden PhD) and Department of Public Health and Tropical Medicine (T I Emeto PhD), James Cook University, Townsville, QLD, Australia (K O Obamiro PhD); Department of Public Health, University of Mataram, Mataram, Indonesia (M Cenderadewi MPHTM); Mary MacKillop Institute for Health Research (Prof E Cerin PhD) and Faculty of Health Sciences (G R Pould PhD), Australian Catholic University, Melbourne, VIC, Australia; School of Public Health (Prof E Cerin PhD), Department of Urban Planning and Design (C Guo PhD, C Sarkar PhD), Centre for Suicide Research and Prevention (Prof P Yip PhD), and Department of Social Work and Social Administration (Prof P Yip PhD), University of Hong Kong, Hong Kong, China; Infection and Global Health Research, University of St Andrews, St Andrews, UK (M Cevik MD); Regional Infectious Diseases Unit, NHS National Services Scotland, Edinburgh, UK (M Cevik MD); Emerging Diseases and Climate Change Research Unit (P R U Chacón-Uscamaita DDS) and Department of Public Health, Administration, and Social Sciences (J L Chirinos-Caceres DrPH), Cayetano Heredia University, Lima, Peru; Department of Biotechnology, Admas University, Kolkata, India (Prof C Chakraborty PhD); Skeletal Aging and Orthopedic Surgery, Hallym University, Chuncheon, South Korea (Prof C Chakraborty PhD); Heart Failure and Structural Heart Disease Unit, Cardiovascular Analytics Group, Hong Kong, China (J Chan MBChB); Institute of Epidemiology and Preventive Medicine, National Taiwan University, Taipei City, Taiwan (C Chang PhD); Department of Psychological Medicine (C Chang PhD), School of Population Health and Environmental Sciences (A Douiri PhD, H A Wafa MPH, Y Wang PhD), School of Life Course and Population Sciences (Y Hbid PhD), Department of Twin Research and Genetic Epidemiology (M Mazidi PhD), and Institute of Psychiatry, Psychology, and Neuroscience (D Urso MD), King's College London, London, UK; Department of Public Health (P Charalampous PhD) and Department of Neurosurgery (V Volovici PhD), Erasmus University Medical Center, Rotterdam, Netherlands; Department of Community Medicine, Datta Meghe Institute of Medical Sciences, Sawangi, India (V Chattu MD); Department of Endocrinology (V Chatzimavridou-Grigoriadou MD), Department of Mathematics (O Johnson PhD), Department of Cardiovascular Science (F Mannan MD), Division of Immunology, Immunity to Infection and Respiratory Medicine (A G Mathioudakis PhD), and Division of Psychology and Mental Health (F Mughal FRCGP), University of Manchester, Manchester, UK; Department of Endocrinology, Christie Hospital NHS Foundation Trust, Manchester, UK (V Chatzimavridou-Grigoriadou MD); School of Public Health, University of Zambia, Lusaka, Zambia (M P Chavula MPH); Department of Medicine (H A Cheema MB) and Department of Community Medicine and Public Health (H A Cheema MB), King Edward Medical University, Lahore, Pakistan; Fuwai Hospital, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, China (A Chen PhD); Department of Computer Science, University of Texas

of Management and Technology, Lahore, Pakistan (M Umair PhD); Department of Community Medicine, Alex Ekwueme Federal University Teaching Hospital Abakaliki, Abakaliki, Nigeria (C D Umeokonkwo MPH); Department of Genomic Research on Complex Diseases, Centre for Cellular and Molecular Biology, Hyderabad, India (A Umesh MTech); Center for Neurodegenerative Diseases and the Aging Brain, University of Bari, Tricase, Italy (D Urso MD); College of Health and Sport Sciences, University of Bahrain, Salmania, Bahrain (A G Vaithianathan MSc); Clinical Cancer Research Center, Milad General Hospital, Tehran, Iran (S Valadan Tahbaz PhD); Department of Public Health and Epidemiology, University of Debrecen, Debrecen, Hungary (O Varga PhD); UKK Institute, Tampere, Finland (Prof T J Vasankari MD); Faculty of Medicine and Health Technology, Tampere University, Tampere, Finland (Prof T J Vasankari MD); School of Medicine, Griffith University, Gold Coast, QLD, Australia (Prof L J Veerman PhD); Raffles Neuroscience Centre, Raffles Hospital, Singapore (Prof N Venketasubramanian MBBS); Department of Statistics, Manonmaniam Sundaranar University, Tirunelveli, India (D Venugopal PhD); Department of Gamete Immunobiology, National Institute for Research in Reproductive Health, Mumbai, India (P Verma PhD); Department of Drug Combination, Innoplexus, Pune, India (P Verma PhD); Department of Pediatric Hematology and Oncology, Hospital de Clinicas Jose de San Martin, Buenos Aires, Argentina (G I Villanueva MD); School of Mathematics and Statistics, Carleton University, Ottawa, ON, Canada (Prof P J Villeneuve PhD); Occupational Health Unit, Sant'Orsola Malpighi Hospital, Bologna, Italy (Prof F S Violante MD); Department of Health Care Administration and Economics, National Research University Higher School of Economics, Moscow, Russia (Prof V Vlassov MD); Faculty of Information Technology, HUTECH University, Ho Chi Minh City, Viet Nam (B Vo PhD); Department of Medical Oncology, University of Medicine and Pharmacy "Grigore T Popa" Iasi, Iasi, Romania (S R Volovat PhD); Department of Medical Oncology, Regional Institute of Oncology, Iasi, Romania (S R Volovat PhD); Center for Experimental Microsurgery, Iuliu Hatieganu University of Medicine and Pharmacy, Cluj-Napoca, Romania (V Volovici PhD); Department of Pediatric Endocrinology, Mother and Child Healthcare Institute of Serbia "Dr Vukan Cupic", Belgrade, Serbia (R Vukovic PhD); Office of Research, Innovation, and Commercialization, Shaheed Zulfiqar Ali Bhutto Medical University, Islamabad, Pakistan (Prof Y Waheed PhD); Gilbert and Rose-Marie Chagoury School of Medicine, Lebanese American University, Byblos, Lebanon (Prof Y Waheed PhD); Department of Cultures, Societies and Global Studies, Northeastern University, Boston, MA, USA (R G Wamai PhD); School of Public Health, University of Nairobi, Nairobi, Kenya (R G Wamai PhD); School of Public Health, Xuzhou Medical University, Xuzhou, China (F Wang PhD); Department of Neurosurgery (S Wang MD), Department of Neurology (C Zhang MD), and National Center for Neurological Diseases (C Zhang MD), Capital Medical University, Beijing, China; Department of Gastroenterology, Shanghai Jiaotong University Affiliated Sixth People's Hospital, Shanghai, China (S Wang PhD); Department of Parasitology (Prof K G Weerakoon PhD) and Department of Community Medicine (N D Wickramasinghe MD), Rajarata University of Sri Lanka, Anuradhapura, Sri Lanka; Key Laboratory of Shaanxi Province for Craniofacial Precision Medicine Research, Stomatological Hospital (College) of Xi'an Jiaotong University, Xi'an, China (Y Wen PhD); Department of Medicine, University of Rajarata, Saliyapura Anuradhapura, Sri Lanka (Prof T Wijeratne MD); Bone and Joint Research Group, Royal Cornwall Hospital, Truro, UK (Prof A D Woolf MBBS); Global Alliance for Musculoskeletal Health, Truro, UK (Prof A D Woolf MBBS); Department of Rheumatology and Immunology, Sichuan Provincial People's Hospital, Chengdu, China (D Wu PhD); School of Public Health, Zhejiang University, Zhejiang, China (H Xiao PhD); Department of Public Health Science, Fred Hutchinson Cancer Research Center, Seattle, WA, USA (H Xiao PhD); Department of Orthopedic Surgery, Tianjin Hospital, Tianjin, China (B Xu MD); Cardiovascular Program, The George Institute for Global Health, Sydney, NSW, Australia (X Xu PhD); Australian Institute of Health Innovation, Macquarie University, Macquarie Park, NSW, Australia (L Yadav PhD); Department of Basic Medical Sciences, Neyshabur University of Medical Sciences, Neyshabur,

Iran (S Yaghoubi PhD); Department of Cancer Epidemiology and Prevention Research, Alberta Health Services, Calgary, AB, Canada (L Yang PhD); Faculty of Medicine (Y Yano MD) and Department of Public Health (N Yonemoto PhD), Juntendo University, Tokyo, Japan; National Center for Chronic and Noncommunicable Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Beijing, China (P Ye MPH); Department of Family Medicine, St Peter's Specialized Hospital, Addis Ababa, Ethiopia (S A Yesuf MSc); Department of Health Management, Süleyman Demirel University, Isparta, Türkiye (A Yiğit PhD, V Yiğit PhD); Department of Neuropsychopharmacology, National Center of Neurology and Psychiatry, Kodaira, Japan (N Yonemoto PhD); Department of Health Policy and Management, Jackson State University, Jackson, MS, USA (Prof M Z Younis PhD); School of Business and Economics, University of Putra Malaysia, Kuala Lumpur, Malaysia (Prof M Z Younis PhD); Association for Socially Applicable Research, Pune, India (S Zadey MS); Department of Emergency Medicine, Global Emergency Medicine Innovation and Implementation Research Center, Durham, NC, USA (S Zadey MS); Epidemiology and Cancer Registry Sector, Institute of Oncology Ljubljana, Ljubljana, Slovenia (Prof V Zadnik PhD); Department of Biology, University of Bahrain, Zallaq, Bahrain (M N Zahid PhD); Faculty of Medicine and Health Sciences, Hodeidah University, Hodeidah, Yemen (F Zakham PhD); Department of Pharmacology, University of Duhok, Duhok, Iraq (B A Zaman MSc); Department of Health Sciences, James Madison University, Harrisonburg, VA, USA (S Zaman MSc); Hospital San Juan de Dios, Tarija, Bolivia (N Zamora MD); Department of Neuroscience, Geisinger Health System, Danville, PA, USA (R Zand MD); Sant'Elia Hospital, University of Catania, Caltanissetta, Italy (A Zanghi MD); Department of Research and Development, Sina Medical Biochemistry Technologies, Shiraz, Iran (I Zare BSc); Department of Zoology and Entomology, Al-Azhar University, Cairo, Egypt (M G M Zeariya PhD); Department of Anesthesiology, Third Xiangya Hospital of Central South University, Changsha, China (Y Zeng MD); Department of Epidemiology and Biostatistics, Anhui Medical University, Hefei, China (C Zhai MD); Cardiovascular Diseases Centre, China Academy of Chinese Medical Sciences, Beijing, China (H Zhang MD); School of Public Health, Hubei Province Key Laboratory of Occupational Hazard Identification and Control, Wuhan University of Science and Technology, Wuhan, China (Y Zhang PhD); College of Traditional Chinese Medicine, Hebei University, Baoding, China (H Zhao MD); Department of Basic Medicine, Army Medical University, Chongqing, China (Y Zhao BS); School of Public Health and Management, Chongqing Medical University, Chongqing, China (Prof Y Zhao MSc); Computational Bioscience Research Center, King Abdullah University of Science and Technology, Jeddah, Saudi Arabia (J Zhou PhD); School of Public Health and Emergency Management, Southern University of Science and Technology, Shenzhen, China (B Zhu PhD); NIHR-Biomedical Research Centre, University College London Hospitals, London, UK (Prof A Zumla PhD); Department of Cardiology, Pulmonology, and Vascular Medicine, Heinrich-Heine-University, Duesseldorf, Germany (E Zweck MD); School of Physics, University of Science Malaysia, Penang, Malaysia (S H Zyoud PhD)

Contributors

Please see appendix 1 section 9 for more detailed information about individual author contributions to the research, divided into the following categories: managing the overall research enterprise; writing the first draft of the manuscript; primary responsibility for applying analytical methods to produce estimates; primary responsibility for seeking, cataloguing, extracting, or cleaning data; designing or coding figures and tables; providing data or critical feedback on data sources; developing methods or computational machinery; providing critical feedback on methods or results; drafting the manuscript or revising it critically for important intellectual content; and managing the estimation or publications process. Members of the core research team for this topic area had full access to the underlying data used to generate estimates presented in this article. All other authors had access to and reviewed estimates as part of the research evaluation process, which includes additional stages of formal review. The corresponding and senior authors had full access to the data in the study and final responsibility for the decision to submit for publication.

SLN2014-3-170, after subjecting data to processing aiming to preserve the confidentiality of individual data in accordance with the General Statistics Law-2000. The researchers are solely responsible for the conclusions and inferences drawn upon available data. Data for this research was provided by MEASURE Evaluation, funded by USAID. Views expressed do not necessarily reflect those of USAID, the US Government, or MEASURE Evaluation.

Editorial note: The Lancet Group takes a neutral position with respect to territorial claims in published maps and institutional affiliations.

References

- 1 Desai S. Demographic contributions to policymaking during the pandemic. In: MacKellar L, Friedman R, eds. Covid-19 and the global demographic research agenda. New York, NY: Population Council; 2021: 28–32.
- 2 Goldstein JR, Cassidy T, Wachter KW. Vaccinating the oldest against COVID-19 saves both the most lives and most years of life. *Proc Natl Acad Sci USA* 2021; **118**: e2026322118.
- 3 Wulf Hanson S, Abbafati C, Aerts JG, et al. Estimated global proportions of individuals with persistent fatigue, cognitive, and respiratory symptom clusters following symptomatic COVID-19 in 2020 and 2021. *JAMA* 2022; **328**: 1604–15.
- 4 Murray CJL. The Global Burden of Disease Study at 30 years. *Nat Med* 2022; **28**: 2019–26.
- 5 Wang H, Dwyer-Lindgren L, Lofgren KT, et al. Age-specific and sex-specific mortality in 187 countries, 1970–2010: a systematic analysis for the Global Burden of Disease Study 2010. *Lancet* 2012; **380**: 2071–94.
- 6 GBD 2013 Mortality and Causes of Death Collaborators. Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet* 2015; **385**: 117–71.
- 7 Wang H, Naghavi M, Allen C, et al. Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet* 2016; **388**: 1459–544.
- 8 Wang H, Abajobir AA, Abate KH, et al. Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet* 2017; **390**: 1084–150.
- 9 Dicker D, Nguyen G, Abate D, et al. Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet* 2018; **392**: 1684–735.
- 10 Wang H, Abbas KM, Abbasifard M, et al. Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. *Lancet* 2020; **396**: 1160–203.
- 11 Murray CJL, Callender CSKH, Kulikoff XR, et al. Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet* 2018; **392**: 1995–2051.
- 12 UN Population Division. Family planning indicators. <https://www.un.org/development/desa/pd/data/family-planning-indicators> (accessed Sept 7, 2023).
- 13 UN Population Division. World Population Prospects 2022. <https://population.un.org/wpp/> (accessed Sept 7, 2023).
- 14 Karlinsky A, Kobak D. Tracking excess mortality across countries during the COVID-19 pandemic with the World Mortality Dataset. *eLife* 2021; **10**: e69336.
- 15 Msemburi W, Karlinsky A, Knutson V, Aleshin-Guendel S, Chatterji S, Wakefield J. The WHO estimates of excess mortality associated with the COVID-19 pandemic. *Nature* 2023; **613**: 130–37.
- 16 Wang H, Paulson KR, Pease SA, et al. Estimating excess mortality due to the COVID-19 pandemic: a systematic analysis of COVID-19-related mortality, 2020–21. *Lancet* 2022; **399**: 1513–36.
- 17 Stevens GA, Alkema L, Black RE, et al. Guidelines for Accurate and Transparent Health Estimates Reporting: the GATHER statement. *Lancet* 2016; **388**: e19–23.
- 18 Institute for Health Metrics and Evaluation. Protocol for the Global Burden of Diseases, Injuries, and Risk Factors Study (GBD). March, 2020. https://www.healthdata.org/sites/default/files/files/Projects/GBD/March2020_GBD%20Protocol_v4.pdf (accessed Dec 7, 2023).
- 19 Eaton JW, Brown T, Puckett R, et al. The Estimation and Projection Package Age-Sex Model and the r-hybrid model: new tools for estimating HIV incidence trends in sub-Saharan Africa. *AIDS* 2019; **33** (suppl 3): S235–44.
- 20 Stover J, Glaubius R, Mofenson L, et al. Updates to the Spectrum/ AIM model for estimating key HIV indicators at national and subnational levels. *AIDS* 2019; **33** (suppl 3): S227–34.
- 21 Folino AF, Zorzi A, Cernetti C, et al. Impact of COVID-19 epidemic on coronary care unit accesses for acute coronary syndrome in Veneto region, Italy. *Am Heart J* 2020; **226**: 26–28.
- 22 Zubiri L, Rosovsky RP, Mooradian MJ, et al. Temporal trends in inpatient oncology census before and during the COVID-19 pandemic and rates of nosocomial COVID-19 among patients with cancer at a large academic center. *Oncologist* 2021; **26**: e1427–33.
- 23 Fragoso TM, Bertoli W, Louzada F. Bayesian model averaging: a systematic review and conceptual classification. *Int Stat Rev* 2018; **86**: 1–28.
- 24 Haakenstad A, Yearwood JA, Fullman N, et al. Assessing performance of the Healthcare Access and Quality Index, overall and by select age groups, for 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. *Lancet Glob Health* 2022; **10**: e1715–43.
- 25 Zheng P, Barber R, Sorensen RJD, Murray CJL, Aravkin AY. Trimmed constrained mixed effects models: formulations and algorithms. *J Comput Graph Stat* 2021; **30**: 544–56.
- 26 Phillips DE, AbouZahr C, Lopez AD, et al. Are well functioning civil registration and vital statistics systems associated with better health outcomes? *Lancet* 2015; **386**: 1386–94.
- 27 The DHS Program. COVID-19 update: some DHS surveys return to the field; others postponed until 2021. <https://dhsprogram.com/Who-We-Are/News-Room/COVID-19-Update-Some-DHS-surveys-return-to-the-field-others-postponed-until-2021.cfm> (accessed Sept 11, 2023).
- 28 Agrawal A, Kumar V. Delays in the release of India's census data. *Stat J IAO* 2020; **36**: 217–30.
- 29 Robertson T, Carter ED, Chou VB, et al. Early estimates of the indirect effects of the COVID-19 pandemic on maternal and child mortality in low-income and middle-income countries: a modelling study. *Lancet Glob Health* 2020; **8**: e901–08.
- 30 COVID-19 Forecasting Team. Variation in the COVID-19 infection-fatality ratio by age, time, and geography during the pre-vaccine era: a systematic analysis. *Lancet* 2022; **399**: 1469–88.
- 31 Hummel C, Knaul FM, Touchton M, Guachalla VXV, Nelson-Nuñez J, Boulding C. Poverty, precarious work, and the COVID-19 pandemic: lessons from Bolivia. *Lancet Glob Health* 2021; **9**: e579–81.
- 32 Li Z, Jones C, Ejigu GS, et al. Countries with delayed COVID-19 introduction—characteristics, drivers, gaps, and opportunities. *Global Health* 2021; **17**: 28.
- 33 Ahmed SAKS, Ajisola M, Azeem K, et al. Impact of the societal response to COVID-19 on access to healthcare for non-COVID-19 health issues in slum communities of Bangladesh, Kenya, Nigeria and Pakistan: results of pre-COVID and COVID-19 lockdown stakeholder engagements. *BMJ Glob Health* 2020; **5**: e003042.
- 34 Asundi A, O'Leary C, Bhadelia N. Global COVID-19 vaccine inequity: The scope, the impact, and the challenges. *Cell Host Microbe* 2021; **29**: 1036–39.
- 35 Chernozhukov V, Kasahara H, Schrimpf P. Causal impact of masks, policies, behavior on early COVID-19 pandemic in the U.S. *J Econom* 2021; **220**: 23–62.
- 36 Bollyky TJ, Castro E, Aravkin AY, et al. Assessing COVID-19 pandemic policies and behaviours and their economic and educational trade-offs across US states from Jan 1, 2020, to July 31, 2022: an observational analysis. *Lancet* 2023; **401**: 1341–60.
- 37 Bollyky TJ, Hulland EN, Barber RM, et al. Pandemic preparedness and COVID-19: an exploratory analysis of infection and fatality rates, and contextual factors associated with preparedness in 177 countries, from Jan 1, 2020, to Sept 30, 2021. *Lancet* 2022; **399**: 1489–512.
- 38 Horita N, Fukumoto T. Global case fatality rate from COVID-19 has decreased by 96.8% during 2.5 years of the pandemic. *J Med Virol* 2023; **95**: e28231.
- 39 Nab L, Parker EPK, Andrews CD, et al. Changes in COVID-19-related mortality across key demographic and clinical subgroups in England from 2020 to 2022: a retrospective cohort study using the OpenSAFELY platform. *Lancet Public Health* 2023; **8**: e364–77.

- 40 Kim K, Cho K, Song J, et al. The case fatality rate of COVID-19 during the Delta and the Omicron epidemic phase: a meta-analysis. *J Med Virol* 2023; **95**: e28522.
- 41 Wang C, Liu B, Zhang S, et al. Differences in incidence and fatality of COVID-19 by SARS-CoV-2 Omicron variant versus Delta variant in relation to vaccine coverage: a world-wide review. *J Med Virol* 2023; **95**: e28118.
- 42 Walkowiak MP, Dornaradzki J, Walkowiak D. Unmasking the COVID-19 pandemic prevention gains: excess mortality reversal in 2022. *Public Health* 2023; **223**: 193–201.
- 43 Scutchfield FD, Keck CW. Deaths of despair: why? What to do? *Am J Public Health* 2017; **107**: 1564–65.
- 44 Rahimi-Ardabili H, Feng X, Nguyen P-Y, Astell-Burt T. Have deaths of despair risen during the COVID-19 pandemic? A systematic review. *Int J Environ Res Public Health* 2022; **19**: 12835.
- 45 Roth GA, Abate D, Abate KH, et al. Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet* 2018; **392**: 1736–88.
- 46 Williams DR. The health of men: structured inequalities and opportunities. *Am J Public Health* 2008; **98** (suppl): S150–57.
- 47 Buvinic M, Das Gupta M, Casabonne U, Verwimp P. Violent conflict and gender inequality: an overview. *World Bank Res Obs* 2013; **28**: 110–38.
- 48 Connor J, Madhavan S, Mokashi M, et al. Health risks and outcomes that disproportionately affect women during the Covid-19 pandemic: A review. *Soc Sci Med* 2020; **266**: 113364.
- 49 Cutler SL. The forgotten casualties redux: Women, children, and disaster risk. *Glob Environ Change* 2017; **42**: 117–21.
- 50 Gakidou E, Cowling K, Lozano R, Murray CJL. Increased educational attainment and its effect on child mortality in 175 countries between 1970 and 2009: a systematic analysis. *Lancet* 2010; **376**: 959–74.
- 51 Cutler DM, Lleras-Muney A. Understanding differences in health behaviors by education. *J Health Econ* 2010; **29**: 1–28.
- 52 Baird S, Friedman J, Schady N. Aggregate income shocks and infant mortality in the developing world. *Rev Econ Stat* 2011; **93**: 847–56.
- 53 Adler NE, Glymour MM, Fielding J. Addressing social determinants of health and health inequalities. *JAMA* 2016; **316**: 1641–42.
- 54 Balaj M, York HW, Sripada K, et al. Parental education and inequalities in child mortality: a global systematic review and meta-analysis. *Lancet* 2021; **398**: 608–20.
- 55 Abdi AM, Seaquist J, Tenenbaum DE, Eklundh L, Ardo J. The supply and demand of net primary production in the Sahel. *Environ Res Lett* 2014; **9**: 094003.
- 56 Dos Santos S, Adams EA, Neville G, et al. Urban growth and water access in sub-Saharan Africa: progress, challenges, and emerging research directions. *Sci Total Environ* 2017; **607–608**: 497–508.
- 57 Evans A. Resource scarcity, climate change and the risk of violent conflict. Washington, DC: World Bank. 2011. <http://hdl.handle.net/10986/9191> (accessed Dec 7, 2023).
- 58 Lagi M, Bertrand KZ, Bar-Yam Y. The food crises and political instability in north Africa and the Middle East. *SSRN* 2011; published online Aug 15. <https://doi.org/10.2139/ssrn.1910031> (preprint).
- 59 Beard JR, Officer A, de Carvalho IA, et al. The World report on ageing and health: a policy framework for healthy ageing. *Lancet* 2016; **387**: 2145–54.
- 60 Bloom DE, Chatterji S, Kowal P, et al. Macroeconomic implications of population ageing and selected policy responses. *Lancet* 2015; **385**: 649–57.
- 61 Rowe JW, Fulmer T, Fried L. Preparing for better health and health care for an aging population. *JAMA* 2016; **316**: 1643–44.
- 62 Solanki G, Kelly G, Cornell J, Geffen L, Doherty T. The need to incorporate the impact of population ageing into the post-COVID-19 policy and planning reset in low and middle income countries. *Glob Health Action* 2021; **14**: 1921351.
- 63 Bloom DE, Canning D, Lubet A. Global population aging: facts, challenges, solutions & perspectives. *Daedalus* 2015; **144**: 80–92.
- 64 Liu JX, Goryakin Y, Maeda A, Bruckner T, Scheffler R. Global health workforce labor market projections for 2030. *Hum Resour Health* 2017; **15**: 11.
- 65 Mason A, Lee R. Reform and support systems for the elderly in developing countries: capturing the second demographic dividend. *Genus* 2006; **62**: 11–35.
- 66 Farris SR. Migrants' regular army of labour: gender dimensions of the impact of the global economic crisis on migrant labor in Western Europe. *Soc Rev* 2015; **63**: 121–43.
- 67 Ince Yenilmez M. Economic and social consequences of population aging the dilemmas and opportunities in the twenty-first century. *Appl Res Qual Life* 2015; **10**: 735–52.
- 68 Suleyman M, Bhaskar M. The coming wave: technology, power, and the twenty-first century's greatest dilemma. New York, NY: Crown, 2023.
- 69 Dodani S, LaPorte RE. Brain drain from developing countries: how can brain drain be converted into wisdom gain? *J R Soc Med* 2005; **98**: 487–91.
- 70 Özden Ç, Schiff M. International migration, remittances, and the brain drain. Washington, DC: World Bank and Palgrave Macmillan, 2006.
- 71 UN. Refugees and Migrants. Global compact for migration. 2017. <https://refugeesmigrants.un.org/migration-compact> (accessed Sept 7, 2023).
- 72 UNICEF. Under-five mortality. <https://data.unicef.org/topic/child-survival/under-five-mortality/> (accessed Sept 13, 2023).
- 73 Murray CJL, Ahmad OB, Lopez AD, Salomon JA, Ahmad O. Modified logit life table system: principles, empirical validation, and application. *Popul Stud* 2003; **57**: 165–82.
- 74 Wilmoth J, Zureick S, Canudas-Romo V, Inoue M, Sawyer C. A flexible two-dimensional mortality model for use in indirect estimation. *Popul Stud (Camb)* 2012; **66**: 1–28.
- 75 Burstein R, Henry NJ, Collison ML, et al. Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. *Nature* 2019; **574**: 353–58.
- 76 Golding N, Burstein R, Longbottom J, et al. Mapping under-5 and neonatal mortality in Africa, 2000–15: a baseline analysis for the Sustainable Development Goals. *Lancet* 2017; **390**: 2171–82.
- 77 Ho JY. What demographers need—and what the world needs from demographers—in response to COVID-19. In: MacKellar L, Friedman R, eds. Covid-19 and the global demographic research agenda. New York, NY: Population Council, 2021: 33–36.
- 78 Hill K, Queiroz B. Adjusting the general growth balance method for migration. *Rev Bras Estud Popul* 2010; **27**: 7–20.
- 79 Monti A, Drefahl S, Mussino E, Härkönen J. Over-coverage in population registers leads to bias in demographic estimates. *Popul Stud (Camb)* 2020; **74**: 451–69.